

RARE BOOK COLLECTION
LIBRARY
UNIVERSITY of
PENNSYLVANIA




615
ML393

GIFT OF

Miss Silvan Gaston

formerly Dewey 615 M393

Ms. Codex 1867



RARE

UN
PEN

Materia medica

"

note:

Manuscript notes.

THE LIBRARY OF
THE UNIVERSITY OF
PENNSYLVANIA

P

70 YEARS 1947
YOUNG MEN'S CHRISTIAN ASSOCIATION
ANN ARBOR MI

Ms. Billie Carter

Pulveres.

Remedia debilitantia
temperantia

Rei
kali sulphur.
tart. dep. 3ij
magnes. carb. 3j
ff alb. 3ij

Rei
kali nitrici dep.
- sulphur
conch. sept. 3ij

Rei
acid. tartar. 3ij
qm mimoi 3ij
ff alb. 3ij

Rei
acid. tartar. 3ij
qm mimoi 3ij
ff alb. 3ij

Rei
acid. tartar. 3ij
qm mimoi 3ij
ff alb. 3ij

Rei
acid. tartar. 3ij
qm mimoi 3ij
ff alb. 3ij

Rei
acid. tartar. 3ij
qm mimoi 3ij
ff alb. 3ij

Rei
acid. tartar. 3ij
qm mimoi 3ij
ff alb. 3ij

Rei
acid. tartar. 3ij
qm mimoi 3ij
ff alb. 3ij

Rei
acid. tartar. 3ij
qm mimoi 3ij
ff alb. 3ij

211910

2. Remedia revolvencia
& digerentia

Rei
kali nitrici 3ij - 3j
magnes. carb. 3j
ff alb. 3ij

Rei
kali nitrici 3ij - 3j
magnes. carb. 3j
ff alb. 3ij

Rei
kali nitrici 3ij - 3j
magnes. carb. 3j
ff alb. 3ij

Rei
kali nitrici 3ij - 3j
magnes. carb. 3j
ff alb. 3ij

Rei
kali nitrici 3ij - 3j
magnes. carb. 3j
ff alb. 3ij

Rei
kali nitrici 3ij - 3j
magnes. carb. 3j
ff alb. 3ij

Rei
kali nitrici 3ij - 3j
magnes. carb. 3j
ff alb. 3ij

Rei
kali nitrici 3ij - 3j
magnes. carb. 3j
ff alb. 3ij

Rei
kali nitrici 3ij - 3j
magnes. carb. 3j
ff alb. 3ij

Rei
kali nitrici 3ij - 3j
magnes. carb. 3j
ff alb. 3ij

Rei
kali nitrici 3ij - 3j
magnes. carb. 3j
ff alb. 3ij

2.

Pulveres

Solanum hypobonum.

Rei
nati tartar. 3ij
rad. rhei 3j
sulphur. precipit
cort. aurant 3ij
magnes. carb. 3ij
elacoff foenicul 3ij
In 7 pulv. s.

Cochl. parv. ter die
Pulv. cythraetici. sellii

Rei
magnes. carbon
tart. dep.
rad. rhei
fl. chamemill.
elacoff foenicul.
sulphur. dep. 3ij
In 7 pulv. s.

Cochl. parv. ter die
Pulv. galatopae. Kapsel

Rei
magnes. carb. 3ij
cort. aurant. 3j
sem. foenicul.
ff alb 3ij
In 7 pulv. s.

Cochl. parv. ter die

Rei
rapon. mediat 3j
magnes. carb. 3ij
rad. rhei opt. 3j
In elacoff foenicul 3ij
In det. in vitro

Behren en pectus & c.
menagoga.

Rei
ammon. muriet. 3j
camphor 3ij
fl. arnic. 3j
ff alb 3ij
In 7 pulv. s. dant in co
Cochl. parv. quater

Rei
sulphur. dep. 3ij
tart. tart. dep. 3ij
ff alb 3ij
In 7 pulv. s.

Cochl. parv. ter die
contra muricet prim
ve arum

Rei
natri sulphur. s.
marid 3j
rad. columb. 3j
In 7 pulv. s.

Cochl. parv. dimid ter
per. diem

Pulv. effervescent hyd
Thionisii contra Baln
niniac. Mercuriatu

Rei
magnes. sulphurat
acid. tartaric. 3ij
ff alb 3ij
In 7 pulv. s. in xij pulv.

In charta cerata
Boni trichonid cochl.

Pulveres

3.

3) Mitracat. revolvat. hydrargyt. oxydat. s. gr. iij usque

Rei hydrargyt. mercuriat. nit. gr. x. Tum omnis formula continetur
ff alb 3. gr. iij - xxi. Si emendatur in eodem modo

Rei hydrargyt. stibiat. sulphur. 3. iij. parti

Pulv. omni tribus sement. lapid. cart. ppt. 3. iij. parti
Pulv. Plummeri clacoff. pocalent 3. iij

Rei hydrargyt. mercuriat. 3. iij. parti
sulphur. stibiat. 3. iij. parti

ff alb 3. a gr. iij. Contra exanthema. chroni

Contra febr. intermitt. Rei hydrargyt. stibiat. 3. iij. parti
sulphur. 3. iij. parti

Rei sort. stibiat. gr. x. natri carb. dep. 3. iij. parti

ammon. mercuriat. 3. iij. parti
ort. chis. puri 3. iij. parti

Rei sort. stibiat. gr. x. natri carb. dep. 3. iij. parti
ammon. mercuriat. 3. iij. parti

Contra syphilis inveterat. Rei sort. stibiat. gr. x. natri carb. dep. 3. iij. parti
ammon. mercuriat. 3. iij. parti

Rei hydrargyt. oxydat. rub. 3. iij. parti
stibi sulphur. nig. 3. iij. parti

ff alb. 3. iij. parti
Contra exanthema. chroni. Rei sort. stibiat. gr. x. natri carb. dep. 3. iij. parti
ammon. mercuriat. 3. iij. parti

4 Pulveres

M. f. pulv. & tal. dos. 4) Tritant resoluendo

ad. xij. l. Trei pulv. per diem. Re: rad. renegae 3/4
kali tartarii 3/4

herb. jaceae 3/4
sulfur. praecip. 3/4

magnet. carb. 3/4
M. f. pulv. dand. in vtr.

Coctil. pars. omni tribus
Re: sulfur. dep. 3/4

Salicis cor tra struma
retip. guajai. nativ. 3/4

Re: carbon. spong. marini 3/4
tart. dep. 3/4

magnet. carb. 3/4
M. f. pulv. l. Coctil. pars. ter per diem

Kali natri dep. 3/4
Pulv. pectoralis.

Re: herb. Digitalis. 3/4
acid. benzoic. 3/4

carbon. spong. 3/4
sulfur. dep. 3/4

elaeoff. foenicul. 3/4
rad. liquor. 3/4

M. f. pulv. Div in xij. p. aq. -
- i. v. d. d. in vtr.

Re: carb. spong. 3/4
Ter per diem coctil. pars

Stib. sulfur. nigr. 3/4
Contra scrophul.

Pulveres

Contra morborum pectoris
& pulmonum vrorum

Rei rad. scryae
anemon. minor. 3ij
gu. minor 3ij
elacoff foenicul 3ij
In f. pulv. S.
Ter per diem pulvis
5/ Vomifacient.

Rei rad. ipocatanth
elacoff foenicul 3ij
In f. pulv. S.
Pulv. omni. decem minut

6/ Purgantes
Rei
natri sulphur. sic 3ij
tart. dep. 3ij
ff alb 3ij
In f. pulv. S.
Colcl. parv. unum vel
duo omni bichorio

Rei tart. natronat 3ij
fol. seu. 3ij
rad. rheii 3ij
elacoff foenicul 3ij
In f. pulv. S.
Colcl. parv. omni bichorio

tart. natronat 3ij
natri carbon. acid 3ij
elacoff foenicul 3ij
In f. pulv. S.
Colcl. parv. omni bichorio

Rei tart. dep. 3ij
col. Peruv. reg. 3ij
rad. rheii 3ij
elacoff menth. dep. 3ij
In f. pulv. S.
Daad. in vitro
Colcl. parv. ter die

Rei rad. rheii
- galan. aron 3ij
col. Peruv. reg. 3ij
elacoff flaved. citri 3ij
In f. pulv. S.
Daad. in vitro
Colcl. parv. ter die

Rei natri phosphori 3ij
elacoff medicid 3ij
In f. pulv. S.
Duobus catu solis venen
Rei rad rheii
rammon a. 3ij
elacoff anici 3ij
In f. pulv. S.
Daad. in vitro
Ter diem venen

6.
7/ Diuretic.

Rei
rad. vill. gr. ij
- Zingiberis gr. xij
kali nitris
Tart. vitriol. ʒ. ʒj
In f. pulv. Div. in ʒj p. aq. elacoff. menth. pip.
1. Sulo. ter die

8/ Diaphoretic.

Rei
rad. ypericacanth.
opit. mud. ʒ. ʒij
kali sulphur.
ʒ. alb. ʒ. ʒj
In f. pulv. Div. in ʒj p. aq.
Sulo. omni trichoris
Rei opit. mud. ʒ. ʒij
camphor. gr. ij
kali nitris ʒ. ʒj
In f. pulv. Div. in ʒj p. aq.
Sulo. vesperis succada.

9/ Antihelmint.

Rei fl. Tanacet.
sem. scutell. ʒ. ʒj
ferri sulphur. cristall.
ol. valerian. gtt. x
In f. pulv. Div. in ʒj p. aq.
3. in chart. erat. 1.
mane & vespere

10/ Antipathic & emulgent

Sulorei

Contra cardialgia.

Rei nuc. vomine gr. xij
rad. ypericacanth. gr. xij
- thei ʒ.
conch. sept. ʒ.
In f. pulv. Div. in ʒj p. aq.
Sulo. omni trichoris
infus. meliss. calid.

Rei
bismuth. nitri. ʒ. ʒij
tact. lactis ʒ. ʒij
rad. ypericacanth. gr. xij
magnesi carb. ʒ. ʒj
elacoff. menth. ʒ. ʒj
In f. pulv. Div. in ʒj p. aq.
part. aq.
Omni trichoris
Contra epileps. nervos.

Rei rad. belladonn. gr. ʒij
- ypericacanth. gr. ʒij
Zinc. oxyd. alb. gr. ij
ʒ. alb. ʒ. ʒj
In f. pulv. Div. in ʒj p. aq.
part. aq.
Omni trichoris
Rei Zinc. oxyd. a ʒ.
conch. sept. ʒ. ʒij
rad. valerian. ʒ.
ʒ. alb. ʒ. ʒj
ol. crij. ʒ. ʒj
In f. pulv. Div. in ʒj p. aq.

Chlorosis

Dosis tales aeq. xij. s.
ter die una cum thea
sequente

subire longo s
colle. parvo. ter die

Rei
visi alb
rad. valerian
fol. aurant 3j
ven. foenicul 3j
B.C. missi f. spec. 3j
in ventriculo. s.

Rei
monil. gemin 3j
amon. carb. pyro. 3j
elacoff valerian 3j
R. f. p. s. dis in vij p. aeq. s.
in chart. cerat. s.
Pulv. omni bilorio

Annovis postio infunde
cum aq. pers. nigrar. dimid
x. nunciat per diem
contra hydrothorac

Rei
camphor 3j
sulphur. dep. 3j
elacoff anisi 3j
R. f. p. s. dis in vij p. aeq. s.
in chart. cerat. s.
Pulv. ter die

Rei
herb. digital. p. 3j
ent. lactuc. viti 3j
f. alb. 3j
R. f. p. s. dis in vij p. aeq. s.
Pulv. omni bilorio

Rei
herb. digital. p. 3j
ent. lactuc. viti 3j
f. alb. 3j
R. f. p. s. dis in vij p. aeq. s.
Pulv. ter die

Contra pertussin

Rei
amon. carb. pyro. 3j
hydrargyr. mar. mit 3j
Stib. sulphurat. v.

Rei
rad. belladon 3j
speciache 3j
sulphur. dep. 3j
f. lact. a 3j
R. f. p. s. dis in vij p. aeq. s.

Rei
Stib. sulphurat. v.
opii crud 3j
f. p. s. dis in vij p. aeq. s.

Annoter per diem
11/ Irritant.

Rei
acid. benzoii 3j
camphor

Contra epileps.

Rei
sulph. Stib. aurant 3j
elacoff foenicul 3j

Rei
rad. valerian 3j
magnas. car bra.
anysacon. nigr. dep. 3j
ol. cappat 3j
f. p. s. dis in vij p. aeq. s.

Rei
acid. benzoii 3j
camphor
sulph. Stib. aurant 3j
elacoff foenicul 3j
R. f. p. s. dis in vij p. aeq. s.
Pulv. omni bilorio

Collocies

Contra spasmod. asthemic

Contra 3 a tonom ab

Rei car. tot. Libir gr xij
natri carb dep 3j
elacoff menth. cr. 3j

Rei rad. rhu 3j
boli Armen
magnesi. carb

M. f. pulv. Div. in 4j p.
aq. S. in chart. creat. S. M. f. pulv. Dand. in vitru.

elacoff macis a 3j
M. f. pulv. Dand. in vitru.

Contra asthema spasmod.

Contra 3 a tonom ab

Rei opii. crud
mod. ipecacuar a gr ij
natri carb. sic 3j

Rei chinin. sulphur gr xij
natri acet
sacch. alb a 3j

M. f. pulv. Div. in 4j p. aeq.
S. Salvo. sumend. post octid. ab. omni buhoni in
horis singul

M. f. pulv. Div. in 4j p. aeq.
S. Salvo. sumend. post octid. ab. omni buhoni in
horis singul

12 p. oborant.

Contra 3 a tonom ab

Contra carcalgion

Contra 3 a tonom ab

Rei cort. ligni quassiae 3.
magnesi. carb. 3j.

Rei kino
cassiae cinamom a 3j

M. f. p. Div. in 4j p. aeq.

elacoff menth. cr. 3j

His die pulv.

M. f. pulv. Div. in 4j p. aeq.

Contra metrorrhag.

Contra 3 a tonom ab

Rei extr. myrrh. aq. 3j

Rei ferri pulv. 3j

ff lact. 4j

lapid. calc. 3j

natri acet.

ff a. 3j

elacoff p. macis a 3j

M. f. p. Div. in 4j p. aeq.

M. f. pulv. S.

Contra 3 a tonom ab

Cochl. parv. ter die

Rei ferri pulv. 3j

cort. cinamon
ff alb a 3j

M. f. pulv. Div. in 4j p. aeq.

Pulveres.

9.

3/4 Adstringens
Contra metrorrhag. abon.

Contra varicem haemorrhag.
Pice

Rei opii med. gr. v.
bol. cinamon ʒ.
alum. ʒ.
M. f. pulv. Dis. in sp. aq.
Puls. singulis quatuor hor.

sanguis orach ʒ.
alum.
bol. Armen ʒ. 3.
ferri oxyd. rubr ʒ. ʒ.
M. f. pulv. subtiliss. ʒ.
Puls. steracotatus

Rei vino ʒ.
opii med. gr. ʒ.
elacoff cinamon ʒ.
M. f. pulv. Dis. in ʒ. part.
Puls. omni bichoro

Contra obstruat. corneae
Rei alum. u. ti
Zinc. sulphur. dep.
boracis ʒ.
ʒ. alb. ʒ.
M. f. pulv. subtiliss.

Contra plethysm. pulmon.
Rei plumb. acet. gr. ʒ.
ecth. opii aq. ʒ. ʒ.
- myrrhae - ʒ. ʒ.
qm. nicot. ʒ.
off. lactis ʒ. ʒ.
M. f. pulv. Dis. in ʒ. ʒ. p. aq.
Puls. omni bichoro

Contra sphaerel. humid.
Rei camphor
myrrh. ʒ. ʒ.
ecth. Peruv. fusi
fl. chamomile vulg. ʒ. ʒ.
pulv. carb. ʒ.
M. f. pulv.

Pulveres laterai

Rei Zinc oxyd. a. ʒ.
seu. leucopod. ʒ.
M. f. pulv. ʒ.
Puls. ad. pergo
Rei vino ʒ.
qm. nicot. ʒ.
M. f. pulv. ʒ.

Contra condylonata.
Rei lydragys. oxyd. r.
alum. u. ti ʒ. ʒ.
pulv. frondis fabian ʒ.
M. f. pulv.
Contra obstruat. corneae leucomat.
Rei natr. muricat

ad. pergo
Puls. ad. pergo

copul. ppt. q. p.
M. f. pulv. subtiliss. ʒ.
terre die pauillum in
oculum immittendum.

Pulveres

Pulvis sternutatorius ad purgationem ulcerum
 Contra anamurodin

Rei hydragyl. pur. 3j
 ff alb. 3j

Cochlearum uog. an. hydragyl. 3j
 ut ext. alb.

puls. fl. liliorum al.
 - rad. valerian. n. 3j
 m. f. pulv.

Rei

herb. majoran

fl. lavender

ff alb. 3j

fl. convall. majal

vapon. med. cal. 3j

ol. caryophyll.

- Borag. off. 3j

m. f. pulv. (sternutator)

Saponis marium pulv.

Rei vapon. Venet. alb. 3j

perin. fabarum 3j

rad. irid. Flot.

natri carbon. vir. 3j

ol. citri Italici 3j

m. f. pulv.

Pulvis dentifricius

Rei cort. Serus. rubr. 3j

rad. irid. Flot. 3j

ammon. nuxiat. 3j

sanguinis draconis 3j

myrrhan 3j

m. f. pulv.

Rei cort. Serus

ff alb. 3j

camphor 3j

m. f. pulv.

Contra fratrum pulvis con

fiortum

Rei cinabaris factiti 3j

cinorum volcarum 3j

sanguin. Drac 3j

aroeni. alb. 3j

m. f. pulv. subtilis

Speies

Stomachicis

Rei rad. althaeae 3j

- granum 3j

- glycyrrhiz 3j

C. megi. f. spec

Cochl. duo uog. i. men. 3j

per quartam horae part.

Resolventes

Contra peritum

Rei Stipit. dulcamar

rad. glycyrrhiz 3j

herb. althaeae 3j

C. f. f. spec

Rei fl. arni. concis. 3j

spec. ad infus. pector 3j

m. f.

Species

11.

Rei fol. scannae concis. 3j
natri sulphur. 3j

Rei S. in triplo 3j

Sars quavis infundenda
aq. pers. 3xij, quarum pars

Rei vumena quatuor
Diag. dia.

Rei fol. scannae 3j
flaved. cort. aurant.

sem. cari a 3ij
rad. thei 3j

sem. foenicul 3ij
C. M. f. spec. s.

Cochl. plenum casum aq. pers. 3j
statis parvi mome

Rei rad. ononidis
semitat. genitae 3j

bacc. juniper 3j
sem. petroselin

- anidi a 3ij
C. M. f. spec. s.

Cochl. dua plena inf. aq. pers. 3j
utenda per diem

Rei Diaphorosi duresci
S. m. ad. p. caat

Rei Luridum pini
legni guaiaci
bacc. juniper a 3j

Cochl. dua plena aq. c. aq. pers. 3j
ad remanenda mens. 3j

per diem
Optimant

Rei vumena quatuor
Rei vumena quatuor

fl. aurant 3j
- chamomill 3ij

C. M. f. spec. s.
Cochl. plen. inf. c. aq. pers. 3j

Contra spasmos hystericos
Rei sem. phellandri aq. 3ij

herb. menth. orig. 3j
fl. chamomill a 3j

fol. aurant 3j
C. M. f. spec. s.

Cochl. plenum inf. c. aq. 3j
Contra molest. hysterici

Rei herb. mari veri 3j
rad. valerian. m. 3ij

corti 3j
fl. aurant 3j

herb. menth. p. 3ij
Spec. nervin. Kaempferi

Rei rad. valerian
fol. aurant

semit. millefol a 3j

Species & Trochisci

herb. salviae
 - uerth. & a 3ij
 fl. chamomile
 sem. feniculi 3ij
 C. G. M. f. opus.
 Thec

cort. Peruv. reg. 3vj
 - aurant. 3ij
 rad. gentian. r. 3j
 - calam. arom. 3ij
 cort. cinamom. 3j
 C. M. S.

Diger. & vini Mercurij frigida
 per tres dies

Contra metrorrhag. plen.
corrhoeas abominas

Thec
 cort. cinamom. 3ij
 scutell. fullig. 3vj
 fl. chamomile. v. 3j
 C. M. f. opus. S.

Coch. plen. iof. ag. liij
 tub. & trib. intervale

Thec
 cort. Peruv. fari

liqu. quass. a 3ij
 cort. cinamom. 3j
 C. M. S.

Diger. & vini Mercurij per
 duos dies

Trochisci Morculae.

Trochisci.

Temperantes.

Thec ff alb 3ij
 aquae q. s.

sem. citri rei. exps
 claus. flaved. citri

S. l. & rotul. in vata

Resolventes

Thec
 lib. sulphur. nigri 3j

resin. guajac. natro
 cort. acoriti 3j

mucilag. tragacanth.
 M. f. rotul. No. 22

Purgantes

Thec
 ol. crotonis gtt ij

ff alb
 Gum. Arabic. 3j

M. exar. & c. syrup. v. 3j
 Trochisci No. 67ii

Trochisci unius omnibechor.

4) Anthelmintici.
 Thec sem. santonic

fl. tanacet. a 3ij
 hydrag. sulphur. nigri

rad. jalap. 23j
 cort. cinamom. 3j
 ff alb. in ag. rotul.

Trichisii. Moronulae. Proculae 13.

3) Phoborantes Pilulae.

Contra cloniam uteri.

Reci extr. chinæ frig. parat
ad coarctat. ro- 3ij
tulaadi coarct. 3ij
ol. cinamom. 3ij

F. l. a. roat. d. l. u. utro
Suique uq. ad decup. di.

IV. Pilulae

Phosolocates

Remed. lithontriptici. recis.

Reci vapou. medicat
notri carb. suri a 3ij

Qu. f. c. cat. trifol. s. pil. q.
corp. pulv. rad. glycyrrhiz. s.

Reci ad decem pil. ter per di.

Reci hydrargyri. subat. sulph. 3ij

Reci quajoi. notus

vapou. medicat a 3ij

Qu. f. pil. 3ij s.

5-10 ter per diem

Reci sulph. subaurant

cat. arni a 3ij

sulph. dep. 3ij

osymur. voluit q. s.

Qu. f. pil. 3ij s.

2 pil. (addecem) bis die

Pilulae Schmierer

Reci ammoniaci

galbani

vapou. medicat a 3ij

rad. rhei 3ij

tart. stib. (s. redurim)

succ. liquirit. insp. 3ij

Qu. f. pil. 3ij (unif.) s.

Quardecim pil. bis die

Reci vapou. stibiat. 3ij

ammoniaci. 3ij

extr. grot. ob 3ij

Qu. f. pil. 3ij

5-10 pil. per diem. ter.

Reci vapou. stibiat. 3ij

rad. rhei opt 3ij

ammoniaci 3ij

extr. taraxac. q. s.

Qu. f. pil. 3ij s.

6-10 pil. quater per diem

Pil. Richterii.

Reci tart. stib. gr.

rad. belladon. 3ij

extr. conii maculat. 3ij

vapou. medicat. 3ij

arac. foet. 3ij

Qu. f. pil. 3ij s.

Seven pil. ter per diem.

Reci fell. tauri 3ij

vapou. medicat. 3ij

aloes 3ij

Qu. f. c. liq. Nat. carb. pil. 3ij

5-16 pil. bis die.

2) Alterantes.

R. c. Hydrargys. puri ʒi.

terebinth ʒi.

Tenuisq. ad hydrargys. coctus

Add

Zinc. oxyd. alb ʒi.

M. f. pil. ʒi.

Primo die bis pil. una sumenda

tunc quovis de quibusda

pil. una augenda, usq. dum

vomitus incipiat. Tunc

remedium novum diebus

reponitur. Neq. maxima

susceptibilis hoc dicitur

remedium corrigere

Pil. alterantes Hummeri

R. c. Hydrargys. mur. mit

Sulph. Stib. aurant ʒi.

Coctantur exactissime per

3 cunctas horas (tres).

Add

extract. glycyrrhiz ʒi.

M. f. pil. ʒi.

mane & vespere pil. una.

R. c. Hydrargys. nitri. oxydal.

crystall. ʒi.

Soloe in paulullo aq. dest.

Add

pulv. rad. althaeae ʒi.

M. f. pil. No 60 (seaginta)

Primo die pil. una danda

mane & vespere quovis

die tertio dosis pil. una

augenda, ita ut ultimo gra

dos remedi quovis die sum

Qua dos ultima p

continuitur per tres

quinq. dies & postea dos

altero die pil. una dimi

uog. dum pil. una doctur

sumitur. Totis inf. sa

aparilla. Hoc remedium

Digestiones non expectat

Surdellii praescriptione

hoc modo preparatur.

R. c. Hydrargys. puri ʒi.

Acid. Nitri puri ʒi.

aq. dest. ʒi.

Sedantur hoc tempore

frigid. donec cry. talli

adstant aqua dest. sedant

abluendi. Serva ad usum

R. c. Hydrargys. murit

corr. ʒi.

Soloe in

aether. sulphur. ʒi.

Add

pulv. rad. glycyrrhiz ʒi.

Terminis in n. stans ad

siccitat. usq. tunc

suc. glycyrrhiz. insp.

F. pil. No seaginta

Primo & mane & vespere

pil. una

Rei ung. hydragys. ana 3 Porca durat viginti septem
sapon. medicat. ℥vj. Dies quo tempore agrotum
anxili 3 iij
℞ pil gr jv s.
Primo 8 man 8 vesper pil una
Rei hydragys. muriat.
con. gr x (decem)
Opia cruda
Samplicor a 3
pulv. rad. liquirit
ma. liquirit. imp a 3
℞ pil No. nonaginta s.
Primo 8 mane 8 vesper
Mane 8 vesper pil. ana pil. j. ana unum de cot.

Rei hydragys. muriat. con
gr x
ammon. mur. d. gr xv
Solvia suffei. gual. ay.
Decola. filtu. n. addi
pulv. rad. althaeae 3 iij
℞ pil No. nonaginta s.
Primo 8 mane 8 vesper
Mane 8 vesper pil. ana pil. j. ana unum de cot.

Rei hydragys. muriat. con
gran. dur. gr x
Solvia in ag. dest. q. s. addi
mucos panis alb
℞ alb a q. s.

℞ pil No. 240 (CCXL) ℞ pil gr iij s.
Primo die post coenam quatuordecim pil. ter die.
pil. sumuntur, tunc quovis die
altius die doris pil. drab. hydragys. mur. nit 3
angatur, ita ut prootrans
die pil. triginta sumantur,
ergo gr iij sublimati. Majora scdm. guajac. nativ a 3
doro dividi possunt in plures ℞ pil gr iij s.
minores. mala subperenda 8 pil bis vel ter die
tinct. opia. Omnia Pil. tenuiae Baeheri

carbon. spongiae 3
ammoniaci
cocti. fumariae a 3
sulphuris dep.
sulph. nigri a 3
℞ pil gr iij s.
Rei sulphur. sub. aurant 3
hydragys. mur. nit 3
Lota aconiti gr iij
sapon. medicat.
scdm. guajac. nativ a 3
℞ pil gr iij s.
8 pil bis vel ter die
Pil. tenuiae Baeheri

16.

Pululae

Rec

ext. hellebor. nigri

- myrrhae ag. a 3j

herb. cardui benedicti q.s.

ut f. pil. gr. s.

Pil. quatuor bis die

Pul. pil. contr. indurat. chron.

Rec hydrargys. mur. mit gr.

sulphur. stib. aurat. 3j

ext. calendul

- conii maculat a 3j

ut f. pil. gr. s. ~~cons. cinnamon~~

Pil. quinq. ter die

Rec caloricæ sulphurat. 3j

caorice cinamom

ext. aconiti a 3j

- gentiana. q.s.

ut f. pil. v. argente s.

Pil. quatuor quater die

4) Purgantes

Rec hydrargys. mur. mit

ext. aloes ag.

sapon. medroat a 3j

ut f. pil. gr. s.

Pil. duae vel tres vespere

Rec rad. rhei 3j

ext. chinæ q.s.

ut f. pil. gr. s.

Pil. quinq. mane & vespere

Rec

ol. chotoni gtt tr.

sapon. medroat. 3j

ol. meat. crisp. gtt

s. pil. No. duae s.

Pil. duae vel quinq. sim.

Pil. operientes Stahl

Rec ferri pulverat.

aloes lucidæ

ext. colocynthid. a 3j

mucilag. gm. minor. q.

ut f. pil. No. quadraginta

Pil. una vel duae vespere

5) Diureticae

Rec rad. speoauri

- squillæ

sulph. stib. aur. a 3j

galban 3j

ext. pimpinell 3j

ut f. pil. gr. s. (unius) s.

Pil. quinq. ter die

Rec ammoniac. 3j

rad. senecae 3j

sulphur. stib. aur. 3j

rad. squillæ gr. s.

ut f. i. ext. tartaræ q. s.

Pil. 5-8 ter die

Rec ext. digital. p. 3j

rad. calam. arom. 3j

ut f. pil. No. quadraginta

Pilulae

17.

Pil. tri. & mone & versum. Rec aloes

Rec rad. villae

gutti

hydrargyri. mure. nit

anmoniaci a 3j

aloes 3j

Soloe in aceto vini q. s.

opii crud. 3j

evaporare in balneo Maria

f. c. ext. Perov. q. s.

ad consistentiam aptam

ut 3j

3. pil. poad. 3j

Pilula una omni tribus

5-10 bis die

Rec rad. vile

Rec. Nardost. 3j

Nali. nitri. de

nit. glycyrrhiz 3j

anmoniaci 3j

In f. pil. sedecim 3j

vapor. medic 3j

Pil. una vel dua & mane & vesp

In f. c. sys. simpl. 3j

Pil. de cynogloss

Pilula una omni bilis

Rec. rad. hyoscyam. alb

Rec

rad. cynogloss

Herb. Digital. p.

ext. opii 3j

- rad. squilla 3j

myrrhae 3j

ext. gentian 3j

oliban 3j

ol. juniper. gutt 3j

cori

In f. c. sys. simpl. q. s.

rad. rosei a 3j

Pil. de duodecim 3j

In f. c. sys. v. pil 3j

Pil. una ter die

Pil. quatuor vel octo bis die

Contra lapid. urinar.

Metallu.

Rec natri carbon. 3j

Rec. Zinci. oxyd. alb 3j

vapor. medic 3j

arac. foet. 3j

ol. juniper. gutt xv

ext. millefol 3j

In f. c. sys. simpl. q. s.

In f. pil 3j

Pil. xx (viginta) 3j

Pil. quatuor bis die

Pil. una ter die

Rec. Zinci. sulphur. oxyd. 3j

arac. foet 3j

In f. c. ext. valerian. pil. xx

18.

Pilulae

Rece

ocypri sulphur-an- & Infante.

Soloe in pannillo lig.
 ammon. caust. & adde
 pulv. rad. ^{gallucae} ~~lycoris~~

In f. pil. triginta ^{℥ss}
 in vitro officinis ampl.
 subere clauso. s.

Primo pil. una & mane
 & vespere.

Rece argenti nitri cristale

℥ss de em.

aq. destill. q. s.

adde
 exts. lyorizem 3.
 - valerian 3.

pulv. rad. valerian. q.

In f. pil. nonaginta s.

Pil. una ~~q. s. de em.~~

& mane & vespere

Contra cardiac. nervos.

Rece bismuth. nitri. praei.

exts. valerian 3.

ol. valerian 3.

pulv. rad. valerian. q.

In f. pil. nonaginta s.

Pil. una ter die

galbani
 myrrhae a 3/4

castor q. s. v

arac foet 3/4

balam. indii. nigri

In f. pil. q. s. s.

Pil. octo vespere

Contra blennorrhoea

Rece terebinth. larii

cast. caucacilli 3/4

rad. rhei opt. q. s.

In f. pil. q. s. s.

Pil. quinquaginta vespere

ter die

Rece castor q. s. v

myrrhae

galbani a 3/4

arac foet 3/4

tinct. valerian q. s.

In f. l. a. pil. q. s. s.

Pil. tri velocto ter die

Contra. frangurion

℞ f. pil grj. s.	opii crudi 6 gr x
℞. decem ter die	rad. pyrethri 3℥
Contra hysteric. & leprosy.	ol. calophylli qtt x
℞i ammoni carbon. pyro. ℞i f. pil grj.	
olei 3℥	℞i una dent. carioso
adac foet 3℥	impugnanda
vapon. medicat 3℥	℞i Tonicae roborante
ol. valerign. acthythij	℞i myrtac 3℥
ext. gentian. qtt	ext. opii drachma
℞i f. pil grj. s.	Demidia
℞. 8 ter die	balb. Peru. q. s.
℞i Primitas t. aures	℞i f. pil grj. s.
Contra paralys. & obionum	℞i tres anni triborio
℞i camphor 3℥	℞i contra cariem
fruct. capivi. annu	℞i acid. phosph. oñe
revin. guajai. nat 3℥	adac foet
pulv. catharis qtt	pulv. rad. althaeae
longiori trituratoni	℞i f. pil grj. s.
exacte macerato	℞. 6-10 ter die
utelli ovi subacti	Contra debilitatem senium
tinct. colocynth. q. s.	℞i corch. ppt 9℥ xv
℞i f. pil No 600 qtt s.	terzi pulv 9℥ xv
manu qtt. puru	acid. phosph. suc
℞i f. pil una	℞i corch. Terzo fusi
tene duae uog. ad quatuor	ext. castorei 3℥
una cum mullagine	maculag. qm mimosi q. s.
Contra dolores dantur	℞i f. pil No 140 s.
℞i ext. belladonnae	℞. decem ter die
hyogycini	

20 *Pilulae*
Ree contra morbos mercur. *Ree*

anion. muriat.
martiat.
galban. 3j
arac. foet. 3ij
cost. silia. 3j
tinct. valerian. q. s.

Ree 3. pil 90jj. s.

Pil tres a mane & vespere

Ree ferri muriatu

aloes
cost. morrub. 3j
arac. foet. 3ij

Ree 3. pil 90jj. s.
Pil quatuor ter die

Ree ferri pulverat. 3ij
cost. mellefol. 3j

Ree 3. pil 90jj. s.
Pil quatuor ter die

Ree ferri pulverat
sulphur. dep.
myrt. 3j
felle tauri q. s.

Ree 3. pil 90jj. s.
Pil 6 ter die

Ree cost. myrt. 3j
ferri sulphur. crys.

Ree 3. pil 90jj. s.
Pil quatuor omni triliois

acid. phos. 3j
ferri pulverat.
cost. cascariell. 3j
cost. cort. Vernus. q. s.

Ree 3. pil 90jj. s.
Pil 8 ter die

Ree contra gonorrhoeam
ferri sulphur. crys.

nino 3j
torbia thlarina

cost. gentian. 3j
3. c. pulv. rad. glycyrr.

Pil 90jj. s.
Pil decem ter die

Ree 3. pil 90jj. s.
Pil decem ter die

Ree ferri sulphur. crys.
cost. myrt. 3j

galban. 3j
cost. aurant. q. s.

Pil 210jj. s.
Pil 6-10 omni triliois

Ree 3. pil 90jj. s.
Pil 6-10 omni triliois

Ree 3. pil 90jj. s.
Pil 6-10 omni triliois

Ree 3. pil 90jj. s.
Pil 6-10 omni triliois

Ree 3. pil 90jj. s.
Pil 6-10 omni triliois

2) Emetici

Rei nino
myrrhae
costs. marra bii a 3ij
ferri sulphur. 3i
pul. 3ij

Pil outo ter die.
contra laemorrhag. aton.

Rei aluminis 3p
costs. rataphia 3ij
rad. calam. acon. 3ij

Pul. 3ij
Pil s. 8 omni trilogig.

contra gonorrhoea chron.

Rei terebinth
costs. geadra v. a 3ij
ferri sulph. hum. crys.
nino a 3ij

Pil decem quater die.

Boli

Phroloscatas.

Rei hydrargys. stib. sulphur.

resin. guajai. nativ.

lapis. canar. ppt 3ij

Boli duo. d. in chart. arat 5

Boli uno & mone & vesper & postea thea

Rei tart. stib 3ij
res. ip. exaual. 3ij
oxydell. villit q. v.
ut 3 boli tres.

Boli uno omni trilogig.

3) Purgantes

Rei pulv. rad. rhei

— — jalapp. a 3ij

tart. dep. 3ij

mell. trid. q. v.

3 boli. No vij. s.

Boli uno omni bilieris

Rei hydrargys. muriat. mit

rad. jalapp. 3ij

ol. anisi aeth. gtt. 3ij

mellag. taract. q. v.

2 boli uno.

4) Anthelmintici

Rei hydrargys. muriat.

mit 3ij

pulv. sem. cinch. 3ij

mic. dani. end. q. v.

3 boli tres s.

Boli uno mone

5) Directorii

contra hydrothorace

nat. tart. 3ij

hydrargys. muriat. mit

3ij

Boli. Electuaria

pulv. rad. Zingiber gr. 7 / Roborant & adstringent
 syr. simpl. q. v.
 T. lba. bol. unius s.
 ante cubitum sumendus.
 6) Inextinguites & irritantes qm. Ingastricis
 contra affect. nervosus.
 syr. de acid. q. v.
 T. pulv. rad. asperula 3j
 arce foetid. 3ssj
 camphor. 3ssj
 syr. croci 3ssj
 T. boli duo s.
 Simultaneo sumendi.
 T. ent. aconiti
 sulphur. aurat. 3ssj
 lapid. cancr. 3j
 mell. crud. q. v.
 T. boli duo
 Bolus unus & mane exsperat.
 T. ammoniac. dep. 3j
 rad. scagae 3j
 - gum. auri 3j
 origanell. mellit. q. s.
 et f. boli 3j coq. 8 rad.
 med. flor. s.
 Bolus unus ter die
 T. bal. copais
 qm. humore. a 3j
 ag. pl. aurant 3j
 Turpe exsperat 3ssj
 pulv. crebularum 3j
 et f. bol. 3j
 Bolus unus ter die.
 T. chin. sulphur. 3j
 rad. glycyrrhiz 3j
 qm. Ingastricis
 syr. de acid. q. v.
 T. boli No. quatuor.
 T. apyren. v. m. m.
 Electuaria.
 1) Resolventia
 T. tart. boracat 3j
 pulp. tamarind 3j
 elect. flores. atriz 3j
 n. select. s.
 Coch. parv. quater 3j
 2) Absorbentia
 T. tart. natronat. 3j
 nali nitri. 3j
 pulp. tamarind 3j
 origanell. simpl. q. s.
 n. select. s.
 Coch. parv. omnib. 3j
 T. rad. jalopp. 3j
 tart. dep. 3j
 succ. rambuc. 3j
 n. select. s.
 Coch. parv. omnib. 3j
 3) Anthelmintica
 T. stanni limati 3j
 rad. jalopp. 3j
 n. mell. dep. 3j

Electuaria

23.

Uni quarta hora post Contra hydroperum.

Electuaria parva tria. Re: sapon. mediet

Re: rad. valerian. n. 3j. Telebiath. larvin

- jalapp 3j. rad. rhei opt a 3j

sem. santoni. 3j. Fi. syr. simpl. q. s. elat.

kali tartar. 3j. Coch. parv. ter die

oxygale. villit 3j. Contra rheumatism. chron.

syr. simpl. q. s. Re: resin. guajai. natz.

Relect. rad. rhei opt 3j.

Re: ferri sulphur tart. dep. 3j.

lati. clidiae a 3j. sulphur. dep. 3j.

sem. santoni 3j. nuc. mortuat 3j.

syr. cinnamon. q. s. mell. crud. 6j.

Relect. S. In select. S.

Coch. parv. ter die Coch. parv. ter die quat.

Contra hydroperum faciem Contra hydroper. torpid.

Re: ol. telebiath. rectif. 3j. Re: calcar. muriat. 3j.

mell. crud. 3j. rad. calam. aron 3j.

In select. S. - - - senega 3j.

Coch. parv. omni trihor - - - oxygale. villit q. s.

Incertantia & irritandi In select. S.

Re: ammoniac Coch. parv. ter die

myrrhea a 3j. Contra fistulani ad ena

Subige exacte oden Oadam supurationem

Syr. althaeae 3j. Re: peper. nigri 3j.

Aide sem. foenicul

pus. rad. seneg 3j. rad. helenii a 3j.

nec. lequir. 3j. In select. S.

In select. S. Coch. parv. bis die.

Coch. parv. quater die

24. Electuaria. Gelatinae.

3) Roborat & adstringent.

Post melacanth.

Thee cati. chia. fig. p. 3j

pulp. tamarind 3j

elacoff flavo. citi 3j

acth. acet. 3j

M. f. elect. s.

Cochl. parv. omni bilurid. contra diarrhoea. chron.

Contra profus. asthenia.

Thee cati. coct. Peruv. 3j

- castoreum 3j

- liqui camphuris

succ. glycyrrhiz. insp. 3j

amulag. cydon. q. s.

M. f. elect. s.

Cochl. parv. ter die

Contra morb. nervi. chron.

Thee rad. valerian. n.

coct. Peruv. reg. 3j

peri pulver 3j

ys. coct. aurant. q. s.

M. f. elect. s.

Cochl. parv. ter die

Rei o. chia. feni. 3j

- rad. calam. arom. 3j

- coct. cinamon 3j

ys. coct. aurant. q. s.

M. f. elect. s.

Sub apyrex. quacuq.

Contra cachexia. chron.

& morb. reproduct. arthra

Rei rad. sarcaparilla

coct. lign. quatuor

- sabropra

M. f. c. syr. balsamic

elect. s.

Cochl. parv. quater die

Contra diarrhoea. chron.

Rei o. rad. columb. 3j

- coct. castoreum 3j

macis. 3j

M. f. c. syr. i. aurant. q. s.

Cochl. parv. ter die

Contra blennorrh. pulm.

Rei o. herb. parpar 3j

cati. polygal. apur

- arule. a 3j

mele dep. q. s.

M. f. elect. s.

Cochl. parv. ter die

Gelatinae.

ad computat. promovend.

Rei rad. senega 3j

inf.

aq. fer. q. s.

ad col. 3j

vide

ichthyocoll 3j

ys. fl. aurant. 3j

M. f. l. a. gelatin.

Cochl. parv. omni hora

Gelatinae Emplastrum

28.

Rei lich. Island. ℥ij

Emplastrum

nat. carb. de. in

aq. calid. mens. vol. ℥ij

Rei empl. hydragys

— conii

Maceretur per tres horas

sapon. medicat. ℥ij

sol. Ruridum rite abluendum

in f. empl.

aque in suffocante

Rei pias alb. ℥ij

aque quant. ad coqueat

complos ℥ij

col. sponetur donec

opii puri ℥ij

crassiora rebedeant

petrol q. s.

adde

colthocoli ℥ij

ff alb. ℥ij

in f. empl

Evapora ad reman. ℥ij

Extendi supra corium

in refrigerata ad.

In loco empl. cathari.

elacoff flavetis ℥ij

Rei euphorbi ℥ij

Cochl. parv. omni bilis

empl. melilot ℥ij

Contra debilitatem nervorum

in f. empl.

cum maceratione

Contra pertussim

Rei fol. aurant ℥ij

Rei theviscae

Inf.

rad. belladon

aq. pers. ℥xxiv

tract. opii crud. a ℥ij

℥ij. per diem cola & adde

gr. strabii ℥ij

rad. salis pulv. ℥ij

in f. empl. l.

Coq. ad coqueat tent. gelati.

Papra corium extensa

spissioris & ad miora

Contra perniciem

vinu Rhenu. opt.

Rei empl. lithargys ℥ij

℥ij. fl. aurant ℥ij

halo. Indii. ulgi ℥ij

Cochl. parv. omni hora

opii crud. ℥ij

in f. empl.

26. Unguenta. Cerata. Linimenta
Contra vomitum & spasmos contra excoriationes

Rei empl. de gals. crvi. 3j
camphor 3j
ambon. carb. pyro. ol.
opii crud. 3j
ol. caput gtt xl
In f. empl. s.

Supra corium exteri. reg.
emphor. 3j

Unguenta. Cerata Linimenta

Contra gangraen. & decubita

Rei decoct. chis (ca 3j) 3j
acet. Saturn. 3j

In. repouantur per hos.
Praecipitat. iade ortum

fistula collige & adhi
humidum misce. c.

adip. suillae rei. lot. 3j
adde

camphor 3j x
In f. ung.

Contra tubercula

Rei ol. lini rei 3j
album. oort. 3j

In f. ung.

Rei butyr. rei. s. sal
ceras flav. a g. 3j

In f. ung. torturat. i
nauit. a g. de. 3j

Rei sem. lyopod
Ziri boyd. alb. a 3j
ung. roat. 3j

In f. ung.
Contra glandul. indur.

Rei ung. hyd. argut. 3j
sapon. d. 3j

camphor 3j

In f. ung.
Contra diarrhoea

Rei ung. roat.
ol. nuc. montat. 3j

mixtur. oleo. bal.

tort. op. s. gtt x
In f. ung.

Abdomini implicand.

Contra perniciosa

Rei petrosi 3j
camphor 3j

ung. ceri 3j

Rei seoi bovia 3j
ceras flav. 3j

resin. Burgundi. 3j
terebinth 3j

ol. olivaceum 3j
In f. ung.

Unguenta. Crata. Limenta 27.

ad granulata. proovera	Contra pernicioses
Rei ung. basil. 3j	Rei aluminis 3j
fiat. myrrh. 3j	camphor
q. s. ung.	opii crud. 3j
Contra rheumatismum	bals. Tereb. 3j
Rei medull. oss. bovis 3j	ung. Saturn. 3j
niat. oleos. balsam. 3j	q. s. ung.
balsam. Indu. nig. 3j	Contra paralys. torpid.
q. s. ung. s.	Rei phosphor. gr. 6
Implicand. dorso, pectori	ol. amygdal. 3j
& extremitatibus	Solut. adde
Contra paralysin	ol. caryophyll. 3j
Rei tract. cathartici 3j	cerae alb. 3j
camphor. 3j	q. s. ung.
ung. rois maris 3j	Contra stricturn
q. s. ung.	Rei arsen. alb. gr. 7j
Rei ol. laurin. caquinos	opii crud. gr. 11j
- nuc. moschat. 3j	zinc. oxyd. alb. 3j
- chamomile. acth. 3j	butyr. recent. 3j
q. s. ung. s.	cereb. flavo. 3j
abdomini implicand.	Contra scrophal. mesenter.
Contra scrophal. mesenter.	Contra stricturn exactissime
Rei ung. althoea 3j	Ung. diuretic. Schubarthi
fete tauri rei	Rei herb. Digital. p. 3j
sapon. madrat. 3j	log. ex ag. 3j
petrol	adde
amon. carbon. pyro. ol	ol. cereb. 3j
camphor 3j	vitell. ov. 3j
q. s. ung. s.	cats. squill. 3j
ut. pars. abdomini	q. s. ung. s.
implicand. omni trichis	Regiom. reum. simplicia

28. Unguenta. Cera & Linimenta.

ad detruenda condyloma. Rec. hydrargy. sulph.

Rec. & herb. sabini

adip. suillae 3ij

M. f. ung.

Contra haemorrhoid. varicos. ol. vitri. stat. gtt.

Rec. aluminis 3j

butyr. rec. s. vale 3ij

M. f. ung.

Rec. adip. suillae 3j

Leni igne liquefact. adde

acid. nitric. conc. 3j

Subigendo f. ung.

Contra scabiem

Rec. nali. sulphurat 3j

sapon. domest 3j

ol. papaveris 3j

thym. acth 3j

M. f. ung.

Rec. sulphur. dep 3j

rad. veratri pulv. 3j

nali. nitric. 3j

sapon. nigr 3j

adipis 3j

M. f. ung.

Rec. nali. carbon. dep 3j

sulphur. dep 3j

adipis 3j

M. f. ung.

Contra herpem impurum

Uthecuridem

Rec. hydrargy. sulph.

flab. 3j

sulphur. dep 3j

adip. suillae 3j

M. f. ung.

Contra herpem purum

Rec. hydrargy. ammon.

camphor. 3j

acut. pot. 3j

M. f. ung.

Rec. sulphur. stib. aur.

nali. carb. dep 3j

ung. rosal. 3j

M. f. ung.

Contra pruriginem

Rec. calvariae aqua

porrea extint.

nali. carbon. dep 3j

acth. opii aq. 3j

acut. pot. 3j

M. f. ung.

Contra herpem

Rec. graphit. pur. 3j

adipis 3j

M. f. ung.

Ung. episcopat. cum

Rec. cort. moxericon

adipis 3j

Figere in balneo Mariae

per hor. 3j

Contra oculos haemorrh. lachrym. mane & vespere parvillo.

3j Rec pulv. gall. Turci. suble. impluvium dnm

ad nullam lot 3j 3j Rec

Contra elephantiari

3j Rec butyr. rei. i. sal. 3j

terebinth. r. 3j

cerae alb. 3j

leni igne liquefact. add

3j Rec butyr. rei. i. sal. 3j

Contra muric

3j Rec butyr. rei. i. sal. 3j

Contra glandul. indurac.

3j Rec butyr. rei. i. sal. 3j

Contra glandul. indurac.

3j Rec butyr. rei. i. sal. 3j

Contra glandul. indurac.

3j Rec butyr. rei. i. sal. 3j

Contra glandul. indurac.

3j Rec butyr. rei. i. sal. 3j

Contra glandul. indurac.

lento magnitudine ciliis

hydrargy. ammoniac. mur.

acet. Saturni. 3j

terebinth. r. 3j

butyr. rei. i. sal. 3j

Contra oculos haemorrh. lachrym.

3j Rec butyr. rei. i. sal. 3j

Contra oculos haemorrh. lachrym.

3j Rec butyr. rei. i. sal. 3j

Contra oculos haemorrh. lachrym.

3j Rec butyr. rei. i. sal. 3j

Contra oculos haemorrh. lachrym.

3j Rec butyr. rei. i. sal. 3j

Contra oculos haemorrh. lachrym.

3j Rec butyr. rei. i. sal. 3j

Contra oculos haemorrh. lachrym.

3j Rec butyr. rei. i. sal. 3j

Contra oculos haemorrh. lachrym.

3j Rec butyr. rei. i. sal. 3j

30. Unguenta Cera. Linimenta. Cataplasma

Contra procerum thali

Rec. Zinc. sulphur. crist.

butyr. rec. sol. 3j

in f. ung.

Pannic. magnitud. leatis

cauth. ocul. implicand.

Contra macula cornea

Rec. hydrargy. oxydulat

al. nuc. jugland. 3j

in aceto.

Rec. opii q. d. 3j

ect. hyoscyam. are

carminat. 3j

ung. hydrargy. are 3j

in aceto. l.

Cermitur ocul. implicand.

Rec. hydrargy. oxyd. t. 3j

aerug. cristall. q. s.

butyr. rec. s. sol. 3j

Cataplasma

Rec. amon. mural. 3j

sapon. domest.

herb. hyoscyam. pulv. 3j

pulv. sem. lini 3j

aq. ferro. q. s.

in f. catapl.

Rec. sapon. domest. 3j

herb. hyoscyam. pulv.

amon. 3j

sem. lini 3j

aq. ferro. q. s.

in f. catapl.

Rec. ect. conii maculat

hyoscyam. 3j

fol. belladonna 3j

li. amon. acet. q. s.

in f. catapl.

Supra corium catenand.

Contra gangraenam

Rec. cort. Peru. 3j

campulot. 3j

farin. sem. lini 3j

vin. rubri q. s.

in f. catapl.

Rec. campulot. 3j

carbon. pulv. 3j

cort. Peru. - a 3j

ol. tereb. rectif.

in f. catapl.

Contra gangraen. e. dec.

Rec. campulot. 3j

arac. foetid.

viteli. ovi q. s.

Contra t. exacta add.

cort. Peru. q. s.

in f. catapl.

Rec. arac. foetid. 3j

mural. q. s.

sem. lini 3j

acet. sat. 3j

in f. catapl.

Calaplasma la. Vineta. Murtago!

Contra gonorrhoeam Contra gonorrhoeam.

Rei camphor. 3ij
ungl. hydrargyri. cin 3p
lact. balid 3ij
nicot. pauc. alb. g. s.

Rei bal. copais. 3ip
spid. nitr. aeth. 3ip
lys. renegae
— althoea 3j

Rei f. o. catapl. s.
Calidum byplianum
genitalibus

Rei f. f. o. catapl. s.
Cochl. parv. quater die
Contra tertia

Calapl. roborans
Rei opci. aromatiz 3j
ammon. mur. 3p
parin. bord 3iv
vin. rubr. calid. g. s.

Rei f. rad. valer. 3p
aq. fort. 3ij
aeth. hyoscyam. 3p
aq. fl. aurant 3j
lys. althoea 3j

Calapl. rubefac. contra
opalgia

Cochl. parv. saepius
ad evaporationem pro-

Rei f. ven. sinap. 3iv
— piperis

Rei tract. opii croi 3p
lys. althoea

— Zingiber 3p
— onguis. singul. p. s.

lys. renegae 3p
In f. liq.

Rei f. o. catapl. s.
Vineta. Murtago

Cochl. parv. omni hora

Rei ol. amygdal. rei 3j
ff. alb 3p
g. n. n. 3ij

Rei ammoniac 3j
sulphur. stib. aur.
lys. althoea 3j

succ. citri rei. ay 3j
f. liq. t. s.

Cochl. parv. omni hora
In f. liq.

Cochl. parv. omni hora.

Rei f. liq. t. s.

32. ictus oris. Infusa.

Re. Ictus oris

acid. mur. pur. ^{guttas} ~~gr~~

ss. mororum $\frac{3}{4}$ ss.

thut. catechu $\frac{3}{4}$

Contra stomacum

Re. aluminis gr

Solve in

mell. rosat. $\frac{3}{4}$

tinct. catechu $\frac{3}{4}$

Re. Rust
Contra ulc. facium. syphil.

Infusa

Re. hydrargy. mund. corr.

Infusa frigida

cat. conji macul

Re. rad. valerian. m.

fl. chamomilae $\frac{3}{4}$

legni quassiae

tinct. opii $\frac{3}{4}$

ebul. Peruv. reg. a

mell. rosat. $\frac{3}{4}$

aq. font. frig $\frac{3}{4}$

Sol. s.

Maceretur per diem

ter vel quater de paucis

notum Col. s.

ulc. impetiginosum

Col. duo, omni triho

Contra cancr. aq. m.

Contra blennorrhoea

Re. acid. pyro. ligni $\frac{3}{4}$

Re. ligni quassiae

mell. rosat. $\frac{3}{4}$

aq. calcariae $\frac{3}{4}$

Contra aphthae

Re. in lagena titi

Re. aq. oxymuriat. $\frac{3}{4}$

praepari agitando per

ss. althaeae $\frac{3}{4}$

biduum. Col. ad de

Contra stomacum

aq. cinamon vin.

Re. oxymel. acrujini $\frac{3}{4}$

n. & dispone in tres loc

tinct. catechu $\frac{3}{4}$

nulas rite claud

mell. rosat. $\frac{3}{4}$

Collet. tria ter die

Contra ulc. mercurial.

Infusa calida

Re. capri sulphur. cry.

Resolventia

aq. dest. simpl. $\frac{3}{4}$

Re. rad. ipecacuan

mirilag. g. m. m. m.

Re. tart. Dep. $\frac{3}{4}$

Re. c. a. q. per

Coel. omni bilioris.
Contra scrophulosis

3) Transectica

Contra hydrop. asthenia

Herb. digital. p. 3

Herb. digital. p. 3

Inf. aq. ferro. q. s. ad col. 3j

rad. calam. aron. 3j

Adde
vin. stibiat. 3j

adde
Tart. boracat 3j

Inf. aq. ferro. q. s. ad col. 3j

Inf. aq. ferro. q. s. ad col. 3j

Coel. dimid. omni bilioris

Coel. omni bilioris

Herb. rad. rhei opt 3j

Herb. rad. serpent. 3j

Inf. aq. ferro. q. s. ad col. 3j

Inf. aq. ferro. q. s. ad col. 3j

Adde
Tart. boracat 3j

adde
Tart. boracat 3j

Inf. aq. ferro. q. s. ad col. 3j

Inf. aq. ferro. q. s. ad col. 3j

Coel. unum quidi horat

Coel. omni bilioris

4) Purgantia

4) Purgantia

Herb. fol. senae 3j

Herb. fol. senae 3j

Inf. aq. ferro. q. s. ad col. 3j

Inf. aq. ferro. q. s. ad col. 3j

Adde
Tart. boracat 3j

adde
Tart. boracat 3j

Coel. unum quidi horat

Coel. unum quidi horat

5) Narcotica

5) Narcotica

34. In furore.
 Thei herb. Digitalis ʒss. lobelia sebae as thea
 Inf. aq. ferro. q. s. ad col. ʒij. Thei rad. valeriana ʒij.
 Add
 liq. nali acet ʒij. - senegae ʒij.
 Syr. althaeae ʒij. Inf. aq. ferro. q. s. ad col. ʒij.
 Add
 M. S. Spir. sulphur. acet ʒij.
 Coch. omni bichorio ʒij. Syr. cort. aur ʒij.
 Tinct. nicotianae ʒss. ʒss.
 Thei herb. nicotiana ʒij. Coch. omni bichorio ʒij.
 Inf. aq. ferro. q. s. ad col. ʒij. Thei rad. valeriana ʒij.
 Add
 Cort. aurant ʒij. - serpentar ʒij.
 M. S. Cort. Peruv. reg. ʒij.
 Gutt. trinita bis die Inf. aq. ferro. q. s. ad col. ʒij.
 Add
 Thei fol. nicotiana ʒij. Spir. muria. acet ʒij.
 aq. ferro. ʒss. Syr. cort. aurant ʒij.
 Sig. in vase glau. p. h. M. S.
 in balneo Mariae ad col. Coch. omni bichorio ʒij.
 Add
 Spir. vin. rectif. ʒij. Thei rad. calam. arom. ʒij.
 M. S. fl. arnicae ʒij.
 Gutt. 40-80 bis die Inf. aq. ferro. q. s. ad col. ʒij.
 Prunella. iacit. ʒij. Add
 Thei fl. sambuc ʒij. acid. succin. empur. ʒij.
 Inf. aq. ferro. q. s. ad col. ʒij. Syr. althaeae ʒij.
 Add
 liq. ammon. acet ʒij. M. S.
 ammon. glyster. pyro. ol. Coch. omni bichorio ʒij.
 sacch. ʒij. Thei herb. palmar. ʒij.
 M. S. Inf. vi. Galic. alb. q. s. ʒij.
 Coch. omni bichorio ʒij. Add
 Syr. cinna. ʒij.
 Gutt. acet. ʒij.
 M. S. Coch. omni bichorio ʒij.

Decocta. In fuso Decocta.

35.

Decocta. In fuso De 2. Purgantia

cocta

Phuolentia
Rui rad. taraxaci ʒij
coq. ex aq. fort ʒij ad col. ʒij
Add
kali tartar. ʒij
nallag. gramin. ʒij

Rui rad. taraxaci ʒij
coq. ex aq. fort ʒij ad col. ʒij
Add
kali tartar. ʒij
nallag. gramin. ʒij

Coct. quatuor omni tribus locat. Das omni bilivis
Rui rad. helios. nigri ʒij
coq. ex aq. fort ʒij ad col. ʒij
Add
kali tartar. ʒij
kali. depur. ʒij

Coct. quatuor omni tribus locat. Das omni bilivis
Rui fruct. tamarind ʒij
coq. ex aq. fort ʒij ad col. ʒij
Add
kali tartar. ʒij
kali. depur. ʒij

Coct. quatuor omni tribus locat. Das omni bilivis
Rui rad. helios. nigri ʒij
coq. ex aq. fort ʒij ad col. ʒij
Add
kali tartar. ʒij
kali. depur. ʒij

Coct. quatuor omni tribus locat. Das omni bilivis
Rui fruct. tamarind ʒij
coq. ex aq. fort ʒij ad col. ʒij
Add
kali tartar. ʒij
kali. depur. ʒij

Coct. quatuor omni tribus locat. Das omni bilivis
Rui rad. helios. nigri ʒij
coq. ex aq. fort ʒij ad col. ʒij
Add
kali tartar. ʒij
kali. depur. ʒij

Coct. quatuor omni tribus locat. Das omni bilivis
Rui fruct. tamarind ʒij
coq. ex aq. fort ʒij ad col. ʒij
Add
kali tartar. ʒij
kali. depur. ʒij

Coct. quatuor omni tribus locat. Das omni bilivis
Rui rad. helios. nigri ʒij
coq. ex aq. fort ʒij ad col. ʒij
Add
kali tartar. ʒij
kali. depur. ʒij

Coct. quatuor omni tribus locat. Das omni bilivis
Rui fruct. tamarind ʒij
coq. ex aq. fort ʒij ad col. ʒij
Add
kali tartar. ʒij
kali. depur. ʒij

36. Decocta Infuso Decocta

4) Infusa. excoctantia. Rec herb. salviae 3j
Contra pleurit. pulmon. 3j. ca. aq. 3x. ad col.

Rec atonica. add

rad. runciae 3j. vin. rubri opt 3j

coct. castorei 3j. ff alb 3j

log. ca. aq. 3x ad col. 3j. add

qm mimosa 3j. Rec coct. Peruv. rez

lig. amom. anis. 3j. log. ca.

sy. balsamini 3j. aq. destile 3j

Ms. Cochl. omni b. horio. ad. remon. col. 3j

5) Roborantia. add

Rec coct. aquae tur. gaur. sp. sulphur. at.

log. ca. aq. 3x ad col. 3j. add

tem. aromat 3j. Cochl. omni cora (op)

sy. coct. aurore 3j. add

Ms. Cochl. omni trihorio. add

Contra feb. putrida thea. add

Rec coct. chin. 3j. add

Coq. ex aq. 3x ad col. 3j. add

succ. citri rec. cop. 3j. add

vin. theuon. opt. 3j. add

sy. rub. 3j. add

Ms. Cochl. omni cora. add

Contra sudor. thea. add

Rec coct. chin. 3j. add

Coq. ex aq. 3x ad col. 3j. add

succ. citri rec. cop. 3j. add

vin. theuon. opt. 3j. add

sy. rub. 3j. add

Ms. Cochl. omni cora. add

Contra sudor. thea. add

Rec coct. chin. 3j. add

Coq. ex aq. 3x ad col. 3j. add

succ. citri rec. cop. 3j. add

vin. theuon. opt. 3j. add

sy. rub. 3j. add

Ms. Cochl. omni cora. add

Contra sudor. thea. add

Decocta. Infusio. Decocta

37

Rei rad. ratanh. ʒij

Theriac. Potius.

Coq. ea aq. ʒxxij ad col. ʒij

Theriac. debiles. refriger.

Adde

Syr. cinnamon ʒij

Rei hordei excocti ʒij

Minat. sulphur. acid ʒij

Coq. ea aq. lbij ad col. ʒij

Adde

Col. omni bilioris

Rei rad. tormentil ʒij

Coq. ea aq. ʒxxij ad col. ʒij

Rei rad. afflicta ʒij

Coq. ea aq. ʒxxij ad col. ʒij

Rei rad. afflicta ʒij

Coq. ea aq. ʒxxij ad col. ʒij

Rei rad. afflicta ʒij

Coq. ea aq. ʒxxij ad col. ʒij

Rei rad. afflicta ʒij

Coq. ea aq. ʒxxij ad col. ʒij

Rei rad. afflicta ʒij

Coq. ea aq. ʒxxij ad col. ʒij

Rei rad. afflicta ʒij

Coq. ea aq. ʒxxij ad col. ʒij

Rei rad. afflicta ʒij

Coq. ea aq. ʒxxij ad col. ʒij

Rei rad. afflicta ʒij

Coq. ea aq. ʒxxij ad col. ʒij

Rei rad. afflicta ʒij

Coq. ea aq. ʒxxij ad col. ʒij

Rei rad. afflicta ʒij

Coq. ea aq. ʒxxij ad col. ʒij

Rei rad. afflicta ʒij

Coq. ea aq. ʒxxij ad col. ʒij

Rei rad. afflicta ʒij

Coq. ea aq. ʒxxij ad col. ʒij

Rei rad. afflicta ʒij

Coq. ea aq. ʒxxij ad col. ʒij

Rei rad. afflicta ʒij

Coq. ea aq. ʒxxij ad col. ʒij

Rei rad. afflicta ʒij

Coq. ea aq. ʒxxij ad col. ʒij

Rei rad. afflicta ʒij

Coq. ea aq. ʒxxij ad col. ʒij

Rei rad. afflicta ʒij

Coq. ea aq. ʒxxij ad col. ʒij

Rei rad. afflicta ʒij

Coq. ea aq. ʒxxij ad col. ʒij

Rei rad. afflicta ʒij

38 *Phosaa*. *Potus*
Phosaa.

Rei fruct. tamarind 3j
tart. dep. 3j
Coq. ex aq. lxxxvj ad coll. lxxxvj

Adde
ff. alb. 3j
M. S. Potus

Rei natri sulphur. 3j
aq. font. lxxxvj
succ. citri 3j
ff. alb. 3j
M. S. Potus

3) Diuretica.
Contra leydreum.

Rei tart. potat 3j
aq. font. lxxxvj
spis. juniper. 3j
myrrhell. simpl. 3j

M. S. Potus

Rei bacc. juniperi
carb. abstr. 3j
aq. ferov. lxxxvj

Figere per v. ca. horas
Colat et ejus vitrum omni

Col. quatuor ter die.
4) Scaphorctica

Rei acet. crud. 3j
lig. amon. acet. 3j
aq. font. decort. lxxxvj
myrrhell. simpl. 3j
M. S. Potus

Potus
Rei cort. ligni vassari

Coq. ex aq. lxxxvj ad coll. lxxxvj
Adde
mint. pyro. tartos. 3j
succ. all. 3j

M. S. Potus

5) Scaphorctica
Contra herp.

Rei rad. curici area 3j
glycyrrhiz 3j
cort. icini 3j
Coq. ex aq. lxxxvj ad coll. lxxxvj

Adde
natri sulphur. 3j
carb. dep. 3j
M. S. Per diem utenda

Rei rad. sarsaparill
Coq. ex aq. lxxxvj ad coll. lxxxvj
sub fia. cort. adp
rad. glycyrrhiz 3j

Cola
Haec quatuor dividit
in part. sedecim
Colat et ejus vitrum omni

quarta horae parte
ante coenam
Rei rad. sarsaparill
ichthyocoll. 3j

qm. minimos
et salphur nig
in modale
Coq. ex aq. lxxxvj ad coll. lxxxvj

Contra regnum in veterat
 exanthema chronica

Rei rad. sarsaparilla 3j
 cort. mercurii 3j

Coq. ex aq. fort. lbj ad col. lbj
 sub fin. cort. adde

rad. glycyrrhiz. 3j
 Mis. Libet. Dimid. per die

Rei cort. mercurii
 stupit. Dulcamar 3j

rad. sarsaparilla
 - bardana 3j

Coq. ex aq. lbj ad col. lbj
 Utendum per diem.

6. Pessolentia
 Re. taraxac. totius 3j

fl. chamomile 3j
 Coq. ex aq. lbj ad col. lbj

sub fin. cort. adde
 cort. aurant

ven. foenicul 3j
 col. ad misce

Nati tartar 3j
 mel. dep. 3j

Mis. Utendum in diebus duobus
 Britat & roborantia.

Rei fol. aurant 3j
 superboij inf. aq. ferro lbj

in oave clauso per xj
 col. adde

vin. Phenan. nobil 3j
 rps. cort. aurant 3j

Mis. Potus 3j
 Re. rad. gentiana 3j

Coq. per hor. dimid col. aq. lbj
 col. ad misce

sumit. centaur. min
 - abroath

rad. calaar. acou 3j
 C. S. Bitra tri ante coenam

Contra robur tum.
 Re. succi. pomorum quatu

duraoti 3j
 succi. citri rec. 3j

aq. fort. lbj
 vin. rubri opt. 3vj

ff alb. g. s. ad gratiam
 Mis. Potus

Contra fluxum. & haemorrhag
 Re. her. b. uone urosi 3j

sumit. mellefol 3j
 Coq. ex aq. lbj ad col. lbj

sub fin. cort. adde
 rad. liquorit 3j

col. ad misce
 rps. cramon 3j

Mis. Utendum diebus duobus
 Contra metrorrhagia

Rei
 asthenia

Emulsiones.

ligni campechicæ ʒij. pl. omni bilioris
 Coq. in aq. lviij. ad col. lviij. R. el. amygdol. ʒij.
 quam calidam inf. c. vitell. ovium unius
 cort. aurant. ʒij.

col. adde
 acid. phosphor. pur. ʒij. Conter. ex parte venarum ad
 syr. candumol. ʒij. aur. cap.

ʒij. plumbi acet. ʒij.
 ʒij. lazias quoties ter die syr. amygdal. ʒij.

Emulsiones.

ʒij. lazias quoties ter die ʒij. lazias quoties ter die
 ʒij. lazias quoties ter die ʒij. lazias quoties ter die

ʒij. lazias quoties ter die ʒij. lazias quoties ter die
 ʒij. lazias quoties ter die ʒij. lazias quoties ter die

ʒij. lazias quoties ter die ʒij. lazias quoties ter die
 ʒij. lazias quoties ter die ʒij. lazias quoties ter die

ʒij. lazias quoties ter die ʒij. lazias quoties ter die
 ʒij. lazias quoties ter die ʒij. lazias quoties ter die

ʒij. lazias quoties ter die ʒij. lazias quoties ter die
 ʒij. lazias quoties ter die ʒij. lazias quoties ter die

ʒij. lazias quoties ter die ʒij. lazias quoties ter die
 ʒij. lazias quoties ter die ʒij. lazias quoties ter die

ʒij. lazias quoties ter die ʒij. lazias quoties ter die
 ʒij. lazias quoties ter die ʒij. lazias quoties ter die

ʒij. lazias quoties ter die ʒij. lazias quoties ter die
 ʒij. lazias quoties ter die ʒij. lazias quoties ter die

ʒij. lazias quoties ter die ʒij. lazias quoties ter die
 ʒij. lazias quoties ter die ʒij. lazias quoties ter die

ʒij. lazias quoties ter die ʒij. lazias quoties ter die
 ʒij. lazias quoties ter die ʒij. lazias quoties ter die

Emulsiones

41

3) *Trichostema*

Contra blenorh. & paralys. *pulmonum*

Res. g. *anemonae* 3j
vitell. ovi q. s.
aq. hyosopi 3j
oxy. mel. scilicet 4j
T. l. a. minor. s.

Coct. omni bilioris
Contra atoniam p. *lunam*
asthma, cooptatio retenta.

Res. *anemonae* 3j
vitell. ovi q. s.
aq. focinal. 3v
liq. ammon. anis. 3ij
res. stibiat. 3ij
sy. althaeae 4j
T. l. a. minor.

Res. acet. squillitici 3j
T. l. a. minor. s. 3j
Add
ol. amygdal. rec. 4j
vitell. ovi q. s.
Nat. nitri. 3j
aq. cerasior. nig. 4j
sy. althaeae 4j

Res. asae foet. 3j
T. l. a. minor. s. 4j
liq. ammon. acet. 4j
Add
aq. focinal. 3v
liq. ammon. apib. 3j
sy. althaeae 4j

Contra rheumat. & chron.

Res. resin. guajac. nat. 3j
g. *umbrat.* 3ij
aq. dest. s. 4v
melley. dulcorat. 3ij
sy. althaeae 4j
Coct. omni trichost.
Contra arthrit. aton.

Res. resin. guajac. nat. 3j
g. *umbrat.* q. s.
aq. focinal. 3j
sy. amygdal. 4j
sy. nitri. alth. g. s.

Coct. Duo ter die.
Res. bals. copais. 3j
ol. amygdal. 3ij
mag. carb. 3j
g. *umbrat.* q. s.
aq. cerasior. nig. 4j
sy. senegae 3j
T. l. a. minor. s.

Coct. omni bilioris
Res. camphor. 4v
ol. amygdal. rec. 4j
vitell. ovi q. s.
aq. dest. s. 4v
sy. fl. aurore. 4j
Coct. omni bilioris

Coct. omni bilioris

112. Emulsiões Mixture e. pulv.

Contra gonorrhoeam. 2 Vomifacientes

Rei mas lubei.

Rei tart. stib. q. s.

o gummi a. J.

o rad. ypericuri. 3

o rad. ypericuri. 3

aq. dest. s. 3ij

aq. dest. s. 3ij

acid. sulphur. dil. J.

acid. sulphur. dil. J.

Coel. omnibus Deca

Res.

3 Lavantes.

Coel. omni bilioris

Rei electuar. lenit

Rei phosphor. q. s. (unum)

acid. tartar. J.

ol. hyoscyam. infus. 3

aq. fl. aarant 3ij

sol. 2ss

aeth. acct. J

qm. minorae q. s.

Coel. omni bilioris

cat. chamomile. 3ij

Rei tart. dep. J.

aq. menth. p. 3ij

o rad. plapp. 3

Res.

aq. foeniculi 3ij

Coel. omni bilioris

succ. rambur. infus.

Contra nephralg. pituita

Coel. omni bilioris

o blennorrh. syph. uropach.

Rei resolventes

Rei cantharid. succ. J.

Rei sulphur. stib. an

anagall. duli. cat. 3ij

succ. figuaret 3

Contra dactur ex a. 3ij

aq. foeniculi 3ij

aq. calis. utae 3ij

syr. altham 3

sacchar. alb. 3ij

Coel. omni bilioris

Col. sin. expressione

Contra mor. mercuri

Coel. dimidium omni bilioris

Rei sulphur. dep. 3

Mixture e. pulvere

aq. dest. s. 3ij

Contra oedem.

o opii v. 3ij

Rei magari. carb. 3ij

Coel. ter. 3ij

aq. menth. or. 3ij

Res.

syr. cort. aurant 3ij

Coel. omni bilioris

Handwritten text on a strip of paper, possibly a label or note, with some illegible script.

44. Solutiones. Solus. Haustus.
 Rec. calcaris chlorid. 3j. Laxantes
 Solus. Rec. mannae 3j-ij
 aq. dest. s. 3vj. tart. natron. 3vj
 Solutioni filtrat. adde aq. foenicul. 3vj
 syr. simpl. 3j. syr. cort. aut. 3j
 M. S. Solus. L. omni febris. Part. diuis. simul suat
 intra febris. quatuor. die. Rec. cochl. omni hor.
 anthe. rheumat. Rec. magnes. sulphur.
 Rec. ammon. carbon. sic 3j-ij. tart. sicc. 3j
 acid. nitri. pur. q. s. aq. milist. 3j
 ad perfect. saturat. Solus. L. duo bis die
 aq. dest. s. 3ij-5. Rec. tart. sicc. aq.
 syr. althaeae 3j. liq. nali aceth. 3j
 M. S. Rec. tart. sicc. aq. 3j
 cochl. omni febris. aq. menth. or. 3ij
 3j. tart. sicc. 3j. ff. alb. 3j
 aq. chamomile. 3j. Rec. tart. sicc. aq.
 aq. quill. simpl. 3j. cochl. quater die
 M. S. Rec. a loco humid. q. s.
 cochl. omni hor. decem minuta. natr. sulphur.
 Rec. cupri sulphur. crist. cochl. quater die
 aq. chamomile 3j. 9s. aq. foenicul. 3vj
 Sether. sulphur. 9ss. M. S. cochl. quater die
 Sol. prior 8 sign. 4j. Quercitiae
 Longe. amplexus decem minuta. Rec. tart. boracat. 3j
 Rec. Ferri sulphur. crist. 3j-3p aq. petrosel. 3vj
 aq. dest. s. 3ij. onymell. villit. 3j
 Solus. oyo. sp. s. murial aceth. 3j
 Sicut potius cochl. omni febris

42

1807

卷之三

11

44

12

22

kyra

...

62

...

34

44

71

Done

caste

17

12

212

46 Solutiones. Solus. Facultas
Contra Struma
 Rec. natr. carb. acid. 3ij
 aq. menth. pip. 3ij
 Dec. tell. v. 3ij
 cat. cort. aurant. 3ij
 Sol. S. ter die
 Rec. cat. marrub. alb. 3ij
 — Dulcamar. 3ij
 aq. foenicul. 4v
 liq. ammon. anis. 3ij
 syr. althaeae 3ij
 Sol. S.
 Cat. S. omni behor. 3ij
 Rec. cat. chelidon. 3ij
 aq. menth. crisp. 3ij
 sp. muria. t. 3ij
 syr. manna. 3ij
 Cat. quater. 3ij
 Rec. cat. myrrh. aq. 3ij
 root. sambuc. 3ij
 aq. hyssop. 4v
 syr. althaeae 3ij
 Rec. S. S. ter die
 Cat. S. omni behor. 3ij
 1/2 parrotia. metallic. 3ij
 Rec. gen. 3ij
 aq. dest. 3ij
 fl. aurant. 3ij
 Sol. adde
 trant. opii 3ij
 aether. acet. 3ij
 syr. simpl. 3ij
 Cat. S. omni behor. 3ij
 Cat. S. omni behor. 3ij
 Rec. trant. opii 3ij
 sp. nitri. acet. 3ij
 aq. fl. aurant. 3ij
 Cat. S. omni behor. 3ij
 Cat. S. omni behor. 3ij
 Rec. nat. carb. 3ij
 aq. fl. chamomil. 3ij
 Cat. S. omni behor. 3ij
 syr. papaveris alb. 3ij
 Cat. S. omni behor. 3ij
 Rec. trant. opii 3ij
 Cat. S. omni behor. 3ij
 Cat. S. omni behor. 3ij
 Rec. cat. ponci. marul. 3ij
 — hyssop. 3ij
 Cat. S. omni behor. 3ij
 liq. ammon. acet. 3ij
 aq. dest. 3ij
 vini. 3ij
 syr. 3ij
 Rec. S. S. ter die
 Cat. S. omni behor. 3ij

Solutiones. Polus. Haustus. 47.

Qui cast. nec. conuicta & incitantes.

aquosij 3.^o
 Microlog. gmn. trahit 7.
 aq. melleo. cr. 3. 1/2
 syr. althaeae 2.

[illegible]

Pice rapti carbonacea 9℥ vi - xj
Solutione rapti sulphur. ℞. raphanoh. s.
ope acali carbon. precipitat. meath. cr. a 2℥
Solve in. 9℥ LII quadragesima p̄is. mur. act 3;
acid. muriat. pur. q. s. Coctel. omni labora

Adde
 sacro. mirrah. 3ij 9/ Ex vitas
 ag. destill. v. g. s. 9/ Extra. febr. ver.
 ut f. lig. 3vj s. Ung. crithias.
 Unga. liquoris 3vj misce. Dec. acet. concalt
 3ij - 11j

aq. dest. 4xx n bochel.
 diuturne hujus solutionis
 semantur
Tinctur. arsenicat. Fowleri
 Rec arsenic, alb
 aq. ror 3v
 syr. - - 3ij
 aether. acet 3j
 Cochl. omni behor
 in aqua carb. 4000

Nat. carbon. ʒij. aq. Lxiiij
 Coq. ad volut. usque &
 aq. dest. ʒij
 Filtra & adde
 spir. lavandul. ʒij
 aq. dest. q. s. ad ʒij

2710-28 12.10.1900. 10.10.1900. 10.10.1900.

45.

Solutioes. Solutio. Haustus

10 Roborantes, tonicæ Coct. omni biphor

adstringentes

Rec. cati. myrrh. aq. 3j

- gentian. 3j

frigidiparat 3j

qu. minutorae 3j

aq. dest. s. 3j

- cinamon. 3j

aether. sulphur 3j

syr. fl. aurant. 3j

Sol. sup.

Coct. omni biphoris

Rec. cati. gentian. 3j

kali carbon. 3j

aq. menth. 3j

Th. cort. aurant. 3j

fl. el. 3j

Sol. s. 3j

Coct. ter die

Rec. cati. hellebor. rigid. 3j

serr. sulphur. crist. 3j

K. amon. 3j

aq. menth. 3j

Coct. ter die

Rec. cati. cort. Seruid. 3j

aq. com. 3j

syr. haban. 3j

aether. sulphur 3j

Sol. s. 3j

Coct. unum vel deum

Rec. cati. myrrh. aq. 3j

- gentian. 3j

vin. Hispan. 3j

Th. aromati. 3j

Sol. s. 3j

Coct. ter die

Contra molliem feni

ventriculi.

Rec. acidi pyro. ligni

aq. fl. aurant. 3j

syr. amygdal. 3j

MS. D.

Coct. dimid. omni biph

aq. saccharina pro

sumenda.

Contra haemorrhag.

Rec. alum. crud. 3j

mucilag. qu. min

vin. Cherax. 3j

Sol. s. 3j

Coct. parv. omni biph

Contra metrorrag.

Rec. alum. crud. 3j

Th. cinamon

syr. deacod. 3j

aq. menth. pip. 3j

Sol. s. 3j

Coct. unum vel deum

50.

Guttac.

Rec beryt. muriat. 3j Rec gutti 3j

ent. absynth. 3j

Ug. nali carbor

aq. menth. pip. 3j Sol. S.

Sol. S.

Gtt 30 ter die

Gtt 20-60 bis die

Rec rad. squillae rei.

Rec nali sulphurat. 3j

Nali acct. 3j

aq. cinnamon

Spir. vini rectif.

Syr. althaeae 3j

aq. dest. s. 3j

Sol. S.

Severe per tres dies

Gtt 10-30 ter die

Gtt 20-40 bis die

2) Diureticae

3) Lavantes

Rec ent. lactuc. uror. 3j

Rec lat. panchymat.

Th. digital. purg. 3j

Collui 3j

aq. cinnamon vin. 3j

Mixtur. pyro-tar.

Sol. S.

Sol. S.

Gtt 30-50 omni b. horis

Gtt 40-60 omni horis

Rec vin. stibiat. 3j

Rec granorum teglii

acct. squillit 3j

laccosteat. 3j

Gtt 50 (quingua) omni b. horis

Spir. vin. rect.

Rec ent. infolii filis 3j

Severe per sex dies

acct. villit 3vj

Gtt 20-40 cup. m.

Spir. muriat. aeth. 3j

4) Narcotica

Sol. S.

Rec morphi acet.

Gtt 60 ter die

aq. dest. s. 3j

Contra hydrothorac. venium Sol. S.

Rec digital. 3j

Gtt 6-15

- chanae Kuskhani

Rec strychnini

Gtt 15-30 ter die

Spir. vin. rect. 3j

Sol. S. Gtt iv-vj

Rei cat. nuc. viciae spirit. Contra amaraia
p. vii. rectificatus. 3j. Tria Rei cat. pulv. 3p
Sol. S. Gtt 20-30 bis die. vin. Hebeat 3p
Rei cat. aconit 3p-3j. Gtt 20-60 ter die.
vin. Hebeat. 3j. 3j Metallia
Sol. S. Gtt 15-30 ter die. Rei cat. amaraia
Rei cat. lactat. vii. gr xvj. Rei hydrargys. murat.
aq. cinamon. 3j. Theriacat. 3j.
Sol. S. Gtt 15 omni b. hori. Sol. S. Gtt 15 mane & vesp.
Contra argen. pectoris. Rei cupri limat. 3j.
Rei cat. digital. p. gr x. liq. ammon. caust. 3j. p
aq. lauro-celabi 3p. Sydere leni calen. 3p
Sol. S. Gtt 15-30 ter die. Rei anis. clauo per
Contra dysenteriam. Tres dies
Rei opii crud. gr iv. S. Gtt. 3-10 ter die
Solue in. Contra exanthema. chron.
liq. ammon. rudi. 3j. & occipit. chron.
Adde
cat. hyoscyam gr xvj. Rei hydrargys. mur.
Sol. S. Gtt 30 ter die. opus. sulphur. acth.
Rei tinct. opii croc. 3j. Sol. S. Martiat 3j.
- castor. 3j. Gtt 10-20 ter die cum
- valerian. acth. 3j. mureo
Rei Gtt 15-30 omni b. hor.
Contra mania & melancholia. 3j Incontinentes.
Rei cat. belladon. 3j. Rei sem. coliciv.
- gratiol. 3j. autumnalrea.
aq. lauroceran. 3j. p. vii. rectif. 3j.
Gtt 30-60 ter die. vin. Hispan. generat. 3j.
Sedare per octo dies

Guthrie. Aquae minerales artificiales

veni rubri vitruviani dimid gtt 20-30 ter die
bibitur.

Rei ley. a. mon. succ.

spis. sulphur. aeth. 3j

ol. casei put gtt vij

gutt 20-30 omni triborio

Roborautes, tomcae

Rei tinct. valeriae 3ij

- quassiae 3ij

- cinnamon 3j

gutt 20-60 quater die

quod contra crepitum

atonicum cum acrimonia

applicandum

Rei extr. cort. Peruv

aq. cinnamon. via a 3j

tact. olei aq. 3vj

bol. s. gtt 70 (septuaginta)

bis die

Guthrie analgetica

Rei extr. cort. Peruv frig.

parat 3j

aq. fl. acurant 3j

aether. sulphur 3j

gutt 20-60 omni triborio

gutta chlorosin & mentha

Rei extr. belladonna 3j

Th perri muriat 3ij

- aloes 3j

- cinnamon 3j

Aquae minerales artificiales

Laxantes

Rei magnes. sulphur.

natri carbon. acid 3j

aq. fort. frigida 6ij

Immitte in lagenam haud

plane replendam. adde

acid. sulphur. dil 3ij

Lagena statim rite

claudenda. s.

Un. quatuor quater die

2. Resolventes

Aq. batn. carolin. artifi

Rei natri sulphur. crist

- carbon. crist 9j 12j

- muriatic 9j 39j

aq. peroxid. 6ij

Im. in lagena plus 6vj

contine. Solutione

peracta adde

aq. Selteran. nativ 6ij

Lagena rite claudenda

Rei magnes. sulph. 275

- carb 9j

aq. Selteran. nativ 320j

Im. in lagen. vitr. bene claudenda

54 Sacchara Tomenta.

Roborantes.

Rei ferri tartarici pur

3ij aq. rosarum 3vj

S. Vitruvini quaterda

Sacchara Tomenta.

Rei natri muriat. 3j

aq. fontan 3vj

acet. vini crud 3j

Sol. S.

ad lavanda pectus, collum

4. brachia aliquoties per

diem. Transpirationis in

febris adjuvatur.

In febris putridis, nervosis

Rei spir. camphorat 3j

acet. crud. 3vj

ios. spec. aromatizata

3ij parat 3vj

ad utendum ut prius

Contra plethor. vixor.

intumescencia hepatis

Rei acid. nitrici pur

- muriat. - 3j

aq. destile 3vj

S. Omnis corporis vni

perforis bis die lavand

Rei hydrargys. muria

Corr. 3j

aq. rosarum 3vj

S. Lavacrum

Rei amygdal. Dulc.

3j

aq. destile 3vj

Solve

ammon. muriat. dep.

3j

tract. benzoes 3j

aq. fl. aurant. 3j

S. Lavacrum

Contra asprederis

Rei Kali carbon dep.

natri muriat. 3j

aq. rosarum 3vj

- fl. aurant. 3j

S. Lavacrum

Contra herpes

Rei calcar. muriat

aq. rosarum 3vj

Sol. S. Lavacrum

Contra scabien.

Rei natri sulphur

vapon. hiofian. 3j

aq. calcar. ust. 3vj

spir. vin. rectific.

infusio.

56 Collyria.

Rei sem. sinapis contus. Aqua ophtalmica
Inf. aq. fer. q. ad coll. 3ij. Solores leuino
Solve 3xvj. Rei croc. Oriental 3j
sapor. Zoncost. 3j. aq. feroid. 3vj
T. Calid. imponendum 3ij. per 10 hor. parten
cum compressis Col. adde
Contra postrum. Th. opii croc. 3p
Rei nali sulphur. 3vj. Me.
aq. fort. lbij. Rec ca tr opii aq. g.
Solve & add. camphor. 9vj
acid. sulphur. dil 3. Contra trachetum
Rei. Lavandam b. terri. sensim ad miricant
aq. distill. fer. 3xvj

Collyria.

Rei nucelag. sem. cydon 3. Rec ca tr Saturni
aq. rosarum 3ij. Decoct. fl. rhoeas
Rei. Collyrium liq. amon. ocul 3. 3vj
Graefi aq. ophtalmica. Rec Colly. calidum i
roborans. infl. ocul. catarrhal
Rei. Zinc. sulphur 9vj. Contra blennorrh. ocul.
aq. rosarum 3ij. Dolonibus lentis, re
nucelag. sem. cydon 3. profluvio continen
Th. opii croc. 3. Rec castr. hyoscyam
Rei. Ltt una b. di. ocul. aq. rosarum 3
instillanda. calcariae 3ij
Rei. hydrarg. miniat. cor 9vj. hydrarg. miniat.
Th. opii croc. 3p. Sol. Rei Collyrium nig.
aq. rosarum 3. Re.
Rei. Oculi instillandum

Collyria

57.

Rei ag. salurnu.	Contra contusionem oculi
rosarum a. 3j	guaiac. extravasat. oculi
opii croc. 3vj	Rei fl. arcei 3vj
Sol. 8	herb. rutae 3j
Rei aceti destillat. 3j	Inf. ag. pers. q. s. ad col. 3xj
spir. vin. rectifcat. 3j	Rei capri aceti. cryst. 3vj
ag. rosarum 3vj	ag. rosarum 3vj
S. imponendum c. compressis	opii croc. 3j
Rei aceti destil. 3j	Boul. bis die laud.
ag. fl. sambat. 3vj	Contra ophthalm. & opuscul.
spir. rois marin. 3vj	Rei Zinci. hydriodii 3vj
S. imponendum c. compressis	ag. dest. v. 3vj
Rei plumb. acet. cryst. 3vj	Rei Zinci. acet. 3j
ag. dest. v. 3vj	ag. destil. v. 3xj
Amorlag. qm. fragacea. 3j	Sol. S. Ag. ophthalm.
spir. camphor. 3vj	Contra obstruat. lentis
Collyrium	Rei ceperi pulp. cryst.
Rei hydroargys. muriat.	foli. stiden a. 3vj
mit. 3j	camphor. 3vj
ag. rosarum 3j	ag. feroid 3vj
- calicaria ust. 3vj	M. esca. torme. decan.
col. hyoscyam. 3j	thetur. lig. limpidas
S. Compressis ocul. impo.	S. Saepe pau. villum
Contra bleannorh. maligna	inter cilia injicien
Rei fol. belladon. 3j	Rei hydroargys. mur. corr.
Inf. ag. pers. q. s. ad col. 3vj	ag. rosarum 3j 3vj
	Amorlag. ven. cryd. 3j
	Th. opii croc. 3j

587 Gallia
Rei lapis divi q. s. Contra spasmodi. pal-
aq. destill. 3j. barum conclusionem
acet. Saturni q. s. Rei extra opii aq.
Th. opii croc. 3j. nali carb. de. 3j.
aq. com. 3j. aq. pl. sam. bui 3j.
Sol. S. Ag. op. thel. Sol. S. Compres. in
Contra conjunctivae infl. Rei ad pupill. exten-
Arthritic & Pleurothorac. Rei extra belladon-
Rei lapis divi q. s. aq. dest. 3j.
aq. rosarum 3j. Sol. S. Gatt. nonnulli
nucilag. sem. cydon 3j. oculi instillandae
Th. opii croc. 3j. Contra puriginem
Sol. S. Compres. imponend. palpebi & dornene
Contra palpebrarum verum Rei Zini. sulphur
Rei herb. hyoscyam. crystallo
— Thii maculat aq. dest. 3j.
sem. lin. a 3j. Sol. S. alpebr. tunc
aq. ad coctis. 3j. Contra obscurat. cor-
Contra pleurothorac. doloribus Rei boraci
remissis & profluvio max. ff. alb. a 3j.
Rei sol. belladon 3j. extra. alow aq.
Inf. aq. pers. q. s. od. 3j. — opii 3j.
add. aq. rosarum 3j.
aq. calvaria ust. 3j. Sol. S.
Hydrarg. mur. m. 3j. Contra op. thel. aq.
Th. S. Compres. imponend. oculo mat. debili
Contra obscurat. cornea Rei lapis divi q. s.
Rei nali carb. de. 3j. aq. dest. 3j.
aq. dest. 3j. aq. dest. 3j.
Rei ad instillandae Sol. S. Compres. in

[illegible]

[illegible]

Collutoria Gargarismata: 61.

Contra iussu facci. c. suppurat. Rxi cort. lun. rub. ʒij
Rxi boracii ʒij. Coq. co. aq. ʒij ad col. ʒij
aq. rosarum ʒij. Solve
melle. rosat. ʒij. camphor. qm. memos
Med. Mebor. tua ʒij
Rxi decoct. cydon. ex ʒij. fruct. adde.
Rxi. parat. ʒij. tinct. pimpernel
Rxi. mororum ʒij. - chin. simpl. ʒij
acid. muriat. pur ʒij. melle. rosat. ʒij
Med. Med.
Contra salivationem
Rxi tinct. pimpernel ʒij. perbenoicum
Rxi. anguile. ʒij. Rxi. capri. melle. ʒij. cryot
Rxi. althaeae ʒij. tinct. nlyoph ʒij
Rxi. fol. pavo. late deglutand - cathechu
Med. Med. Rxi. vino ʒij
Contra iussu. irritans. tinct. pimpernel ʒij
Rxi. anion. carbon. suc ʒij. cas. valb. ex ʒij. port
Rxi. spir. vin. rectifi. ʒij. melle. quid. ʒij
Rxi. decoct. hordei ʒij. Med. Or. lavandum omni
hora
Contra anginam. Croani. Contra ulc. oris. budeta
Rxi. fol. rabinac ʒij. Rxi. inf. herb. confani
Rxi. cas. aq. pero. q. v. ad col. ʒij. Rxi. chin. ʒij. p ʒij
Rxi. spir. co. leorja ʒij. Rxi. melle. rosat. ʒij
Rxi. adde. Med. Med.
Rxi. hydargys. mur. cort ʒij. Med. Med.
Contra anginam. gan. Rxi. decoct. fl. melle. ʒij. ʒij
Rxi. gonor. ʒij. Med. Med. Med. Med.
Rxi. tinct. melle. ʒij. Med. Med. Med. Med.
Rxi. hydargys. mur. cort ʒij. Med. Med. Med. Med.

62. Collyria. Gargaremata. Injections.
Gargarism. antisyphilit. Rec. origanell. aequum
 Thei cort. Peruv. reg. ʒij. Melle. rosat. ʒij.
 Coq. en aq. ʒxxij ad col. ʒij. Decort. cort. ʒij.
 Solve
 Hydraz. ʒij. Melle. cort. ʒij. Rec. herb. rutae
 Adde
 Melle. rosat. ʒij. Inf. i. aq. fer. ʒxxij
 M. S. Col. refrigerata
Gargarism. antisyphilit. laeva spir. cort. leorin
 Rec. camphor ʒij. M. S. Theriac. lactae ʒij.
 Gum. elemosbe ʒij. Rec. fl. arumae ʒij.
 aq. salvia ʒij. Inf. aq. fer. ʒij. ad col. ʒij.
 Th. rataah. ʒij. Adde
 Melle. rosat. ʒij. Melle. rosat. ʒij.
 S. l. a. ment. ʒij. M. S.
Contra laetit. oculor. Gargarism. toni.
 Thei cort. Peruv. reg. ʒij. Thei cort. quercu
 Coq. en aq. ʒxxij ad col. ʒij. Coq. en aq. ʒxxij ad col. ʒij.
 Solve Adde
 alum. puri ʒij. alum. crud ʒij.
 Adde spir. vin. rectific.
 M. S. M. S.
Gargarism. tonicum Injections.
 Rec. fl. rovarum rubi ʒij. Contra gonorrh.
 Coq. en aq. ʒij ad col. ʒij. Thei plumb. aq. ʒij.
 Adde aq. dest. v. ʒij.
 alum. crud ʒij. Coq. rovarum ʒij.
 Melle. rosat. ʒij. M. S.
 Solve.

Injectiones.

63.

Contra gonorrhoeam. Rec. Zinci sulphur. crist.
 Rec. opii crud. grvj. aq. rosarum. ℥vj. ℥vj.
 Sol. ℥ij. tract. opii. crist. gtt. xij.
 aq. pont. ℥ij. Mis. Poterrihocum
 Cole & adde. Contra fluor. albidum chron.

Contra fluor. alb. syphilis. Rec. balcan. Indii. nig. ℥ij.
 Rec. plumb. acet. ℥ij. R. moreli. gtt. j.
 aq. rosarum. ℥xvj. ol. aeth. rosarum. gtt.
 acet. ℥vj. infus. hyperici. ℥ij.

Contra gonorrhoeam. Rec. ononit. millefol. ℥ij.
 Rec. nat. caust. v. grj. Inf. aq. ferro. g. s. ad col. ℥ij.
 mucilag. ven. cydon. ℥ij. Adde
 aq. dest. s. a. ℥ij. Mis. liq. nigr. ℥ij.

Contra suppurationes. Rec. capri sulphur. an.
 ani, vaginae & urethrae. moniat grvj.
 Rec. balcan. copais. ℥ij. aq. rosarum. ℥v.
 mucilag. g. s. minis. ℥ij. Sol. ℥ij.

Contra adde. Rec. aq. dest. ℥ij.
 aq. calcariac. crist. ℥vj. acid. muriat. pur. gtt. xij.

Contra exitum. infl. ad haem. Rec. Zinci. oxydat. alb.
 Rec. vini rubri. calid. ℥ij. acet. dest. g. s. gr. x.
 spir. vis. rectif. ℥ij. Mis. ad purgationem
 aq. dest. ℥ij.

Contra fluor. alb. chron. Mis.

64. Injectiones.

Contra leucorrh. & pyph. & sordiditatem cast.

Ree infus. sem. lini & uini in venoribus

al. oliv. a 3ij Ree ol. chamomili

apii crudi 3j Bals. Ardi. nigri 3j

aq. hydrargys. a 3j ol. terebint. sulph.

Sol. S. - surini nitif

Contra gonorrh. chron. Th. acae foet.

Ree vino gr. xx - castorei a 3j

Inf. aq. pivo. 3xij

Sol. S. Contra menior lesi

Ree Zinc. sulphur 3j Ree liq. amon. cast.

camphor. Int gr. ij, m. d. lact. tepidi 3j

plumb. acet 3j

(i. in quo loco hydrargys raribus vel utro

murdet. corr gr. ij) Ree rad. rotanh. 3j

extr opii aq. gr. v Coq. ea aq. 3xij ad col.

aq. rosarum 3xij

Sol. S. Aceti crudi 3j

Ree alum. crudi 3j m. d.

aq. rosarum 3j Ree ferri sulphur

Sol. S. aq. valv. 3iv

Contra phlegmoria nucilay. gr. m. d.

Ree cupri sulphur. crudi 3j Sol. S.

aq. dest. 3iv gr. ij Ree ichthyocole 3ij

acet. saturni gr. x Coq. ea aq. 3xij ad rem.

Sol. S. S. lali. injicend

Contra otitidem chron. Enema.

Emenata

65

Debita huius derivant:

In febrili bilioso & unita
lebr. partu & arum

Ric. kali nitrici. $\mathfrak{z}\mathfrak{ss}$
Decoct. avenae $\mathfrak{z}\mathfrak{v}$
argente. simpl. $\mathfrak{z}\mathfrak{i}$

Ric. inf. chamomillae $\mathfrak{z}\mathfrak{v}$
pulv. tamarind $\mathfrak{z}\mathfrak{i}\mathfrak{ss}$
ol. lini $\mathfrak{z}\mathfrak{i}\mathfrak{i}$

Ric. aceti crud $\mathfrak{z}\mathfrak{i}\mathfrak{i}$
aq. commun. $\mathfrak{z}\mathfrak{i}\mathfrak{i}\mathfrak{i}$

Ric. ol. crotonis gtt. \mathfrak{ss}
lini $\mathfrak{z}\mathfrak{i}\mathfrak{i}$

Decoct. avenae $\mathfrak{z}\mathfrak{v}$
argente. simpl. $\mathfrak{z}\mathfrak{i}$
ol. lini rec. $\mathfrak{z}\mathfrak{i}$
magnes. sulphur. $\mathfrak{z}\mathfrak{v}\mathfrak{j}$

Decoct. avenae $\mathfrak{z}\mathfrak{i}\mathfrak{i}$
terebinth. laticin $\mathfrak{z}\mathfrak{i}$
mell. crud $\mathfrak{z}\mathfrak{i}$
vitell. ovi \mathfrak{ss}
infus. chamomillae $\mathfrak{z}\mathfrak{i}\mathfrak{i}$

Decoct. avenae $\mathfrak{z}\mathfrak{i}\mathfrak{i}$
natr. sulphur. $\mathfrak{z}\mathfrak{i}$
aceti crud $\mathfrak{z}\mathfrak{i}$
ol. olivarum $\mathfrak{z}\mathfrak{i}$

In comate stupore
apoplexia & coma
Decoct. avenae $\mathfrak{z}\mathfrak{i}\mathfrak{i}$
natr. sulphur. $\mathfrak{z}\mathfrak{i}$
aceti crud $\mathfrak{z}\mathfrak{i}$
ol. olivarum $\mathfrak{z}\mathfrak{i}$
mell. crud $\mathfrak{z}\mathfrak{i}$
infus. chamomillae $\mathfrak{z}\mathfrak{i}\mathfrak{i}$

Decoct. chamomillae $\mathfrak{z}\mathfrak{i}$
sem. lini $\mathfrak{z}\mathfrak{i}$
aq. q. s. ad col. $\mathfrak{z}\mathfrak{v}\mathfrak{j}$

Decoct. nutrice $\mathfrak{z}\mathfrak{i}$
Decoct. amygd. $\mathfrak{z}\mathfrak{i}$
aq. betae $\mathfrak{z}\mathfrak{i}\mathfrak{i}$
leg. ad col. $\mathfrak{z}\mathfrak{v}\mathfrak{j}$

magnes. sulphur. $\mathfrak{z}\mathfrak{i}$
ol. lini $\mathfrak{z}\mathfrak{i}$
Ric. inf. chamomillae. fort. $\mathfrak{z}\mathfrak{v}$
sapon. cornut. $\mathfrak{z}\mathfrak{i}\mathfrak{i}$

Ric. juscul. carnis bo. $\mathfrak{z}\mathfrak{i}$
vinac. vinosole $\mathfrak{z}\mathfrak{i}\mathfrak{i}$
rad. valer. $\mathfrak{z}\mathfrak{i}$
vitell. ovi \mathfrak{ss}

66. Enemata

4) Antispasmod. irritantia	℞: hydrargyri. murex
℞: fl. chamomile. ʒi	Solve in
rad. valerian.	aq. dest. ʒi
herb. menth. crisp. ʒi	adde
Inf. aq. perov. q. ad col. ʒi	opii croci ʒi
adde	humilay. qm. humil.
ol. lini ʒi	℞: Galid. applicand
℞: asae foet. ʒi-ii	In hernis laevaribus
vitale. ovi. ʒi	spasmodis
aq. chamomile. ʒi	℞: fol. nicot. ʒi
℞: edacte.	Inf. aq. perov. q. ad col. ʒi
℞: camphor. ʒi	adde
vitale. ovi. ʒi	ol. lini ʒi
inf. chamomile ʒi	℞: d.
℞: d.	Contra spasmos ureth.
Contra ascarides	℞: fol. nicot. bellad.
℞: fol. sabinae	Inf. aq. perov. ʒi
- rutae	col. ʒi
- abryth ʒi	℞: solventia
Coq. in aq. ʒi ad col. ʒi	Contra haemorrhoid.
adde	℞: hydrargyri. murex
ol. ricini ʒi	ʒi qm. humil.
℞: d.	aq. valerian. ʒi
5) Narcotica	℞: d. Calidam injunct.
Leniens contra diarrh. coliquat	℞: Roborantia, add.
℞: anagly. ʒi	℞: decoct. cort. Peruv.
Solve in aq. perov. ʒi	ʒi parat
adde	asae foet. i. vitili
Tinct. opii croci. ʒi	camphor
℞: d.	℞: opii croci a ʒi
Contra dysentericam &	
diarrh. peruvian.	

Enemata. Balnea.

87

rad. bistortae 3iii balneo cuique acidi
capit. papaver. 3ij velutur 3i-ij. admiscitur
aq. ex aq. 3xij ad col. 3v Rec globul. tart. martiat.
S. pulv. 3i-ij

Balnea.

Localia
S. in Triplo. Portio quatuor
Rec sem. sinapis cont. 3ij. aquae theriac. 3ij ad solut.
natri carbon. crud 3ij. coquitur & baln. admisc.
S. Rec liq. ferri muriat. 3ij

bal. pedum.
S. Rec herb. menth. pip
S. in Triplo. Portio quatuor
Rec acid. nitric. venal 3ij. fl. lavandulae 3ij
- muriat. - 3ij. rad. calam. piron.

Quatuor sufficit ut
S. in Triplo. Portio quatuor
Rec aqua obtineat saporem. S. C. R. S. Aquae theriac. 3ij
S. in Triplo. Portio quatuor
Rec aqua pedum. S. in Triplo. Portio quatuor
S. in Triplo. Portio quatuor
Rec aqua. S. in Triplo. Portio quatuor

Universalia
S. in Triplo. Portio quatuor
Rec aqua. S. in Triplo. Portio quatuor
S. in Triplo. Portio quatuor
Rec aqua. S. in Triplo. Portio quatuor

Formulae pro
in febribus not.
S. in Triplo. Portio quatuor
Rec aqua. S. in Triplo. Portio quatuor

Formulae pro iaput
S. in Triplo. Portio quatuor
Rec aqua. S. in Triplo. Portio quatuor

Formulae pro iaput
S. in Triplo. Portio quatuor
Rec aqua. S. in Triplo. Portio quatuor

68. Pulveres pro infantibus
Pro laes. t. lactatibus contra hydrocephal. chron.

Rei rad. rhei opt.
- irid. slo. 3j
magnes. carb. 3j
ol. foenicul. gttj

M. f. pulv. s.
Coch. parv. dimid

Rei natri carbon. dep. 3j
rad. rhei opt. 3j

elacoff foenicul 3j
M. f. pulv. s.
Coch. parv. dimid ter die

Contra febris gastrici
Rei rad. iperacul 3j

lapid. canos 3j
ff alb 3j

M. f. pulv. s. div. in 4j
part. aeq. s.

Pulv. omni. trichoris
Contra scrophul. & can.

anthem. scrophulosa
Rei hydrargys. stib. sulph.

lap. canos. ppt 3j
elacoff foenic 3j

M. f. pulv. s.
Coch. parv. dimid ter die

Contra syphil. neonatorum
Rei hydrargys. oxydat. nigr.

ff alb
magnes. carb. 3j

M. f. pulv. s. div. in 4j
part. aeq. s.

Rei hydrargys. mura. mura.

hab. digital. p. 3j
ff alb 3j

M. f. pulv. s. div. in 4j
part. aeq. s.

Contra peritussia
Rei rad. valerian. m. 3j

- irid. slo. 3j
- glycyrrhiz 3j

sem. anisi 3j
croci 3j

magnes. carb 3j
M. f. pulv. s.

Coch. parv. dimid quater
Contra peritussia

Rei Zinci oxydat. a. 3j
rad. valerian. m. 3j

ff alb a 3j
M. f. pulv. s. div. in 4j

part. aeq. s.
Pulv. omni. trichoris

Contra peritussia
Rei moschi genuis 3j

sulphur. stib. aurant.

Zinci. oxydat. alb. 3j
ff alb 3j

M. f. pulv. s. div. in 4j
part. aeq. s.

Pulv. omni. trichoris
Rei lact. 3j

Pulveres & liquores pro infantibus 9.

Contra pertussim.

Contra rachit & crophul

Rec rad. belladon gr ij

asthenicis.

— ipetacua gr ij

Rec ferri oxydalis gr ij

sulphur. dep. gr xxxij

elacoff nigred. 3 ij

ff lact. gr vij

M f pulv. div. in xij part.

M f pulv. div. in viij part.

Ter die

Pulv. quater die.

Pulv. oleum tabacis

Rec moschi gemini gr ij

in hydrocephalo chron.

opi crudi gr 1/4

Rec hydrag. mercurit.

qu. minus 3 j

Tharb. majora 3 ij

ff alb. 3 j

M f pulv.

M f pulv. div. in viij part.

Contra rachit & crophul

Contra rachit & crophul

Contra rachit & crophul

Rec ferri pulv gr ij - xij

Rec rad. ipetacua

conch. ppt

ys. alba 3 ij

elacoff flav. citri 3 p

M f.

M f pulv. div. in viij part.

Contra rachit & crophul

Pulv. bis die

Contra rachit & crophul

Rec ferri pulv

Rec ol. amygdal. rei.

reci. guajac. nativ 3 p

expt. 3 p

conch. ppt. 3 p

mell. q. s. ad satiet

ff alb. 3 ij

ys. mannat. 3 p

M f pulv. l.

M f.

M f pulv. div. in viij part.

Contra rachit & crophul

Contra rachit & crophul

Contra rachit & crophul

Contra rachit & crophul

Contra rachit & crophul

Contra rachit & crophul

Contra rachit & crophul

70. Linctus pro infantibus.

Rec. nat. tartar. ʒss-vj. Rec. rad. rhei opt ʒss
 syr. mannac. ʒss. nat. carbon. ʒss
 ol. amygdal. rec. caps ʒss. Inf. aq. perov. q. s. ad col. ʒss
 Inf. f. linct. ʒss. Adde

Cochl. parv. omni b. horis clacoff folium ʒss
 3) Demulgentes. Sol. ʒss
 Coch. omni b. horis

Rec. lyopodi ʒss-ʒiii 2) Percolentia.
 Syr. althaeae ʒss. Contra febr. variatinal

4) Tritantes. Rec. rad. ipuacua. ʒss
 Rec. aq. petroselin. Inf. aq. perov. q. s. ad col. ʒss
 Syr. rhei a ʒss. Adde
 Spir. muscat. aeth ʒss. Syr. rub. ʒss.

ms. Contra asthma mucos. Coch. parv. omni b. horis
 Rec. acid. benzoic. ʒss-vj. In secundo stadio an

lig. am. m. anis. ʒss. Rec. rad. stuegae ʒss
 vin. stib. ʒss. Inf. aq. perov. q. s. ad col. ʒss
 syr. senegae. Adde
 barynell. millit. vini stib. ʒss
 ʒss. althaeae a ʒss. syr. althaeae ʒss

ms. Coch. parv. omni b. horis
 ms. Coch. diacid omni b. horis

III. Symplicia pro infantibus
 1) Laxantia Rec. rad. stuegae ʒss

Rec. fol. senegae ʒss. Inf. aq. perov. q. s. ad col. ʒss
 Inf. aq. perov. q. s. ad col. ʒss. Digere per horam. In col.

Adde
 tart. natron ʒss. Solvi
 mannac. ʒss. nat. carbon. ʒss
 clacoff folium ʒss. ʒss. minor ʒss
 ʒss. althaeae ʒss. Adde

ms. Coch. omni b. horis

Infusa pro infantibus

71.

Contra tinea

Contra hydrog. asthen. post.

Rei herb. yaccae 3ij

scarlat.

Inf. ag. ferro. q. s. ad col. 3ij

Rei rad. helenii 3ij

Adde

Inf. ag. ferro. q. s. ad col. 3iv

ven. stibiat. 3j

Adde

lys. althaeae 3j

nat. carb. aceto rillituo

Cochl. dauid. omni bilioris

ratum 3j

Contra veronul. florid.

lys. fl. aurant. 3j

Rei herb. digital. purp. 3ij

lys. omni bilioris

Inf. ag. ferro. q. s. ad col. 3ij

3j stallimentum

Adde

Rei rad. valerian. 3ij

lig. nat. acetici 3j

ven. sautonic. 3ij

lys. althaeae 3j

Inf. ag. ferro. q. s. ad col. 3ij

Contra hydrog. asthen. post.

Adde

scarlat.

coct. nat. juglandis

Rei rad. spicac. 3j

spir. sulphur. aeth.

Inf. ag. ferro. q. s. ad col. 3ij

tract. cort. aurant. 3j

Adde

Rei rad. valerian. 3ij

spir. nitric. aeth. 3j

Inf. ag. ferro. q. s. ad col. 3iv

nat. juniperi insp. 3j

Adde

Cochl. dauid. omni bilioris

lig. ammon. sua. 3j

Rei rad. serpentariae

lys. fl. aurant. 3j

cort. Pekus. reg. 3j-3ij

Cochl. dauid. omni bilioris

Inf. ag. ferro. q. s. ad col. 3iv

Contra diarrh. asthenic.

Solve

Rei rad. calom. aeth. 3j

tart. boraxat 3j-3ij

Inf. ag. ferro. q. s. ad col. 3ij

spir. nitric. aeth. 3j

Adde

lys. cort. aurant. 3j

zm. minorae 3j

nat. juniperi insp. 3ij

3j alb 3ij

72. Infusa, Decocta & Mixture pro infusa
 Coch. parv. omni bitorio V. Maturae
 Rei rad. galangae
 - Rei opt. 3j Eucetiae.
 Inf. aq. ferv. q. s. ad col. 3j Rei vin. stib. 3j
 adde
 annuon. muscat. mart. 3j argem. villit
 elacoff. menth. 3j arg. alb. acm. 3j
 Coch. dimid. omni bitor Coch. parv. omni hora
contra asthma mellari quarta parte
 Rei rad. valerian. 3j Rei rad. yperic. 3j
 Inf. aq. ferv. q. s. ad col. 3j vin. stib. 3j
 adde
 morchi. gemini 3j argem. villit.
 lig. amom. succ. 3j arg. rub. 3j
 tint. ambrae 3j Rei Coch. parv. omni hora
 3j. fl. aurant. 3j quarta parte
 Coch. dimid. omni hora dimid. Lavantes.
IV Decocta pro infusa. Rei electuar. e sena
In variol. synochi. Tart. nat. 3j
 Rei pulp. tamarind. 3j aq. foenicul. 3j
 Coq. in aq. font. q. s. per sem
 horam ad col. 3j arg. rub. 3j
 adde
 3j. menth. 3j
 Coch. omni hora
 In feb. intermitt
 Rei cort. Piquo. reg. 3j
 Coq. in aq. 3j ad col. 3j
 adde
 cort. chinae frig. por. 3j
 3j. cort. aurant. 3j
 Coch. dimid. omni bitor
 Coch. parv. omni hora
 quarta parte
 Rei rad. yperic. 3j
 vin. stib. 3j
 aq. 3j
 argem. villit.
 arg. rub. 3j
 Coch. parv. omni hora
 quarta parte
 Lavantes.
 Rei electuar. e sena
 Tart. nat. 3j
 aq. foenicul. 3j
 arg. rub. 3j
 Coch. dimid. omni bitor
 Phorolentes.
 Rei nat. carbon. 3j
 3j. aq. 3j
 aq. foenicul. 3j
 3j. simp. 3j
 Coch. dimid. omni bitor
 bitoris

Mixturae syr. neb. 3. 73.

Contra icterum. *onyxell. scitell. 3ss*
Ri. ag. foenicul. 3j. *M. S. Licht. Diuid. omni*
tract. rhei. ag. *bikorio.*
syr. mandat. 3ss. *5) Fontanet. ex citate*
lapid. cancr. 3ss. *Contra arthra Milleri*
Licht. parv. omni bikorio. *Ri. arae fact. 3ss*
Contra acrimonia. *moseli. geniv. 3ss*
Ri. magnesi. carbon. 3j. *mucilag. qm minima 4j*
pulv. rad. rhei. 3j. *Contra arthra acuta 3ss*
aq. foenicul. 3ss. *aq. dect. s. 3ss*
syr. simp. 3ss. *sacchar. alb. 3ss*
Licht. parv. omni hora. *M. S. Licht. parv. omni*
hora.

Diuretica.

Ri. liq. nali acet. 3ss. *Ri. moseli. geniv. 3ss*
aq. petroselin. 3ss. *amon. cub. sic 3ss*
ff. alb. 3j. *ff. alb. 3ss*
Licht. parv. ter die. *aq. chamomila 3ss*
Contra dydro. arthra. *caute s. Licht. parv*
omni hora.

Ri. terebinth. larici 3j. *Contra spasm. neonatorum.*

mucilag. qm minima 3j. *Ri. moseli. 3ss*
aq. petroselin. 3ss. *liq. amon. pure 3j*
syr. simp. 3j. *aq. foenicul. 3ss*
Licht. parv. *s. Licht. syr. althaeae 3j*
omni bikorio. *Phot. Licht. parv. cum bibat.*

Diaphoretica. *Ri. liq. amon. pure 3j*

Ri. liq. amon. acet. 3j. *aq. fl. filiar. 3j*
aq. foenicul. 3j. *syr. fl. eurant. 3j*
Licht. parv. omni hora.

74

Mixturae

Contra spasm. neonator Rii ag. melissae
 Rii leg. amor. pyro. ol. 3/4 syr. fl. aurant.
 ag. chamomill. 4/5 aeth. acetic. qth
 syr. fl. aurant. 3/4 Tinct. opii qth
 Rii. 3/4

Quatuor febres asthenicæ præloquantes

Ph. caajelos. Tut. ʒij. Ph. Decort. salis. tenu
munilag. qm. minorae Ph. Ricci ay. ʒij. 3
sys. althacana ʒp ay. cinnamom ʒp
fl. aurant. ʒi fl. albi ʒij
Ph. Ros. Cold. par

Cochl. pars. omni. choriz. duo. anni. lora.
contra. plumb. pulch. or. Post. ver. min. m. mot.
post. pertus. or. Eui. cotr. nuc. jugl. 3.

Theriacal grxxiv — *tert. ferri* ponal
uncilay. gr. minor 2 *saq. meath. crisp* 3ij
aq. foetal 3iv *off ale.* 3iii
Syr. althaeae 7 *Sol. de S.*
boiled. *dixit ter die*

Cochl. Ter. di. Solutio & pro
h. 2^o Had. periculos pro in antib

Rei causticis gr. *Pebilitates & temporales*
fale. *Rei mali carbon. def.*
gen. minus. E 39. *succ. citri*

Cochlearia excoletiana Gussone C. succulentum
scarcin add.
cum l. angustal. fr. arper. g. v. addy.
Cochl. Diomed. Omicelhoris sty. rub. P. 3.
Veni Feb. 31.

Solutio. Potus. 75.

Coct. Dimid. omni bilioris 2/3 Resolventes.
Contra febris synochicas Rec. aëros. murat. 3/4
Rec. ammon. per bon. viii 3/4. q. n. murat. 3/4
acid. nitru. pur. q. i. 1/2. aq. focant. 3/4
ad coct. saturat. Rec. alb. 3/4
aq. dest. s. 3/4. Sol. Coct. Dimid. omni bilioris
vys. althaeae 3/4. Coct. Dimid. omni bilioris
Coct. Dimid. omni bilioris Contra aerimoniam
Rec. Kali tartari. 3/4. 3/4. ap. kthas
Decoct. kordi. 3/4. Rec. borai 3/4
vys. althaeae 3/4. aq. focant. 3/4
Sol. n. s. Coct. Dimid. 3/4. aq. althaeae 3/4
Contra febris synochicas Sol. Coct. omni bilioris
in primis v. s. l. aq. Coct. Dimid. omni bilioris
Contra febris synochicas Coct. Dimid. omni bilioris
Rec. aq. organici. 3/4. Rec. extr. conii murat.
1/2. 3/4. aq. melis. 3/4. 3/4
murat. sem. agor. 3/4. 3/4. 3/4. 3/4
vys. althaeae 3/4. Sol. s. Dimid. ter. di
Coct. poro. omni bilioris. Coct. Dimid. ter. di
Contra infl. cerebri. Coct. Dimid. ter. di
Rec. magn. sulphur. 3/4. Rec. borai. 3/4
nervae 3/4. Extr. deliacor. 3/4
cunctis. amygdal. 3/4. 3/4. 3/4. 3/4
Sol. s. 3/4. aq. meath. 3/4. 3/4. 3/4
Coct. Dimid. omni bilioris 3/4. 3/4. 3/4
Sol. s. Coct. Dimid. ter. di
die.

76. Solutio

Rei natri acet 3j

aq. foenicul 3ij

Rei aq. 3j

ff alb. 3ij

Sol

Coll. parv. terrib. an

3. Incontinentes

Rei natri carbon. acid

aq. Dest. s. 3j

Syr. rub 3j

Sol S. Coll. Dimid. an

coll. parv. Dimid. 3. vari

itri

Analeptium

Rei aether. acetic. q. t. x

aq. fl. aurant. 3j

- cinnamon. s. 3j

Syr. simpl. 3j

Rei S. Coll. parv. omnib. lib

Contra hydrog. arthritic.

Rei elacoff purpuris 3j

aq. petroel 3ij

Syr. althaeae 3j

Rei S. Coll. parv. omnib. lib

3. Incontinentes

Lactis Lactis

Contra febres adu

Rei ammon. carbon. var

aq. Dest. s. 3j

meat

Syr. althaeae 3j

Coll. parv. omnib. lib

Contra scriptu l. cau

Rei natri hydrod

ent. n. n. pagl

- rei acet 3j

aq. foenicul 3j

Syr. cort. auric. 3j

Sol S. Coll. parv.

3. Tonica, robora

Rei acid. sulphuric. 3j

aq. Dest. s. 3j

Syr. rub. 3j

Rei S. Coll. Dimid. an

Rei elacoff purpuris 3j

Rei chinin. sulph

natri acet 3j

aq. foenicul 3j

Syr. fl. aurant. 3j

Sol S. Coll. parv. omnib. lib

Solutiones.

Guttae.

77

Contra ophtalmi arthra. Rec. sangt. muricat 3℥

aq. Dest. s. 3℥

Rec. ext. cort. Peruv. Sol. S. GTT 10-40 semel

frigide porat 3℥ Contra trophul. Torpid

— ligni Camp. Lici 3℥ Rec. calvar. muricat

torui. 3℥ ext. Dulc. amar 3℥

Dest. valep. tenuior 3iv — mur. jugl. a 3

ys. althoeae 3℥ aq. cinnamon 4℥

Sol. S. Cochl. parv. omni. Rec. Sol. S. GTT 10-60 bis

Rec. ext. Chinae frig. par 3℥ 2) Antispasmod. Die

qm. nimis 3℥ Rec. liq. amon. pyro. ol.

aq. fl. Feliae 3℥ acet. squillit 3℥

sin. muricat. aeth 3℥ ys. mannat 3℥

ys. cort. citri 3℥ Opini s. GTT 10

Sol. S. Cochl. parv. Du. R. S. GTT 10-15 omni behor

omni horu Roborantes

Contra diarrhoeam. Rec. ext. am. jugl.

Rec. ext. columb. 3℥ aq. cinnamon 3℥

Dest. valep. tenuior 3℥ Sol. S. GTT 40-60

clacoff. pocrum 3℥ 4) quater die

Sol. S. Cochl. parv. quater die Rec. ext. ferri pomz.

Guttae pro infantibus aq. pocrum 3℥

Contra pertussim. Sol. S. GTT 10-50 ter die

Rec. ext. Cyonizae 3℥ Rec. ext. ferri pom

vin. stibiat 3℥

Sol. S. GTT 10-15 omni. Chotie GTT 30 ter die

aromat 3℥

78. Solus.

VIII Solus pro infusione Rei
1) Sedulitate temperant aq. port. decoct.
Rei nat. carbon. 3j
Satura i. cur. citri recedens 3j
Addes 9j
Decoct. cord. 6j

IX Collectiones
1) sections
Rei tart. 3j
Coy. per quart. 6j
part. i.
aq. port. 6j
Addes
syr. ribium 3j

X Resolventes
Rei herb. viol. tricol. 3j
Coy. ex aq. 3xvj ad col. 3j
Addes
lact. vaccini 3j
ff. q. v. ad grat

XI
Rei rad. graminis 3j
tart. 3j
Coy. ex aq. 3xvj ad
reman. 3xvj
Addes
ff. alb. 3j

XII
3) mitante, roborante
Rei camp. 3j
gent. 3j
centr. chinat 3j
aq. valo. 3xvj
Contr. i. cap. 3j
fragrant

Callistoria. citus. orio. Huguenot 79.

Rei cort. Chin. reg. Zi. Rei. 1
1144. rosati

q. ca. ay. 3xv ad ob. 3xii: may. roan
of mus. neochat.

Woe
... with fear ...

Sp. Cochlear 4j *Macatur. oleos. bala.*
Tract. myrrh. 3j *Tract opii s. ʒj*

mele. rosat 31. *Leaves open v. sp.*

Litus oris pro infant. Edouini applica

Centra ap. th. Rec. al. oliv.

Pae. ag. cali. ust. — menth. pip. aeth.
— corvi aeth. & J

℞. simpl. a. 3/4 - caror aesth. a. 1
Tinct. opii croc. 3/4

Rei. 311

Calid. abdominale apud
P. truncatula. vertebra

Heart. nupt. l. 3ij. Contracheneby. pertra

mel. Dep. 31. Mei Juni. oayb. alt 3
 8. waci. alt 5

Pseudomonas sulphur. crystall. usq. rosat.

[illegible]

aq. rosar. ℥iij. ʒ. Rci nativ. sulphurat.
Syr. meomon. ℥i.

Syr. montana. 31/ *Japon.* 31
Syr. caroliniana. 32/ *calyc. cent.* 3

Contra angu. gangraenas ac. calcar. ant. ʒij
Rin. h. l. i. j. v. m. t. x.

Ue cat. chm. frigide per 3. per. vna. ret. 3. ii.

aq. rectae ℥ij.
Spir. nucisat. aeth. ʒ.

per. humer. aeth. 3/4 deopere lavand.
male. rooati 3/4. Per. hia. lavandul

Quint
VI Vincentia
Rei Opera la d'auar
lig. emmouais.

St. Maglenova The above application

80. Haquenda. Balnea. Emuata
Contra Rachitid

Rei medull. ov. tauri 3j
Liquorac. depurat. reffi.
geratueq. addi
Rei triv. gloi. balba 3j
balbam. Indic. ueri 3j
Res. Applii. Torro
ad oculis

Rei herb. scapuli
- elidit
- menth. crisp.
rad. calan. laro.
Conc. ueri. S. Ag. Res.
infund. ad balb. dno

Rei spin. lavandul
- roris merina 3j
Tharon. at. 3 iii
Res.

Contra opasmos
Rei asae foet. 3j
vitell. ovi 9.
aq. chamomill. 9.

St. Balnea

Res. Eucma. uerum

Mollipaiqua
Rei sapon. domat 3j
sol. alb. purv. 3j
ol. citri 3al gtt
Res. f. pulv. S.
Balneo adjuvanti
Contra scrophul.

Contra accarides
Rei pell. tauri inf.
inf. absinth. ca 3j
sol. ad de
mell. crud. 3 iii
ol. absinth. act.

Rei natri carbon. 3j
- muria 3j

Res. ad enem. uerum
Contra sparte


Res. Balneo uni
Rei calcar. muria 3j
liq. ferri muria 3j
aq. dest. 3 iv

Rei rad. valerian.
fl. chamomill. 3j
Inf. aq. ferri. g. v. ad de
ol. chamomill. inf.

ad balneo dno

Res. Eucma. uerum

Meuteria medica.



15143

Abroanthium (herb. & summitat. ar.
hemisphae abroanthii) aromatico-amar,
aperitico, anthelmintico, coagulat. ad
caput facit. Usum: contra feb. inter-
mitt., blennorrhoeas, hydrop., hypochond-
dosis: pulv. ℥j-ij; radices et caes. ℥ij-℥j.
c. aq. ferro. ℥vj. Extr. abroanthii (g. ℥ij-xx)
minus coagulat. facit (See caes. abroanthii
aq. menth. pip. vii. ℥ij sol. l. col. l. ter ℥ij
die abdomini implicat. Th. abroanthii
℥ij xv-xxx) magnopere coagulat. facit
ad majores Th. abroanthii comp. contra
cardialgia. potatorium. Alabanth
aeth. (℥ij-iii trit. c. ff.)
Roethem concentratum, analeptico,
antispasmodico, tonic, in majoribus do-
sibus refrigerans, debilitans; ℥j-ij in
mucatur. ℥vj, contra asphyxias et va-
poribus asphycticis, ad lavandas
manus contra morbos putridos,
micantibus 1) Roethem crassum.
commune. Usum aut aeth. concentrat.
in majoribus dosibus, contra morbos
synochicos cum siti & ardore, febres
nerosas synoch., biliosas synoch., con-
gestiones, plethor. abdominis, solutiones
mucos. ad fomentat partes aequales

Chrys. Caricolas, caricolas, caricolas

Interne 3j. reg. ag. ros. l. calceae & 3.
mell. ros. ʒij. Contra ulcera scorb.
varios, gangraenas, angin. & apth. patris
Acid. muriat. Dilut. Mosch. & davis ut
acid. sulphur. Dil. in. oxygenatum.
Acidum muriaticum-nitrosum, acidum
mercurii f. chloricum f. chlorinatum,
cetera, caustic. cetera. Venerum est. Dilut.
uons ut acid. muriat. Dil. Humigationes
oxymercuriae (Rii ngtri muriatii ʒ.
mangan. oxydat. nativ. 3j. Sublim.
pulverat. lavi ag. com. ʒij. ʒ. in vitro
post & senem albunda saepius agitant
acid. sulphur. (Anglii ʒij. ʒ.)
Acidum muriaticum-nitrosum, chlorino
nitrosum, aq. regis in balneo &
concentrationibus, ut aqua acquirat
saponem acidum.

Acidum nitricum purum, nitro
nitricum, spir. natri fumans, cau-
tionem contra verrucas, cariem, necan-
tiam facit. Interne ʒss-ʒij. mat. ʒxij.
Acid. nitri. dilutum, spir. nitr. acidus
invisibilis. Diuresis, appetitus. aug.
mentat. Doce. nimia temperant.
Haec contra febr. synochi hepaticae, ^{agutae} et
erysipel. febr. typho. paralytic. morbo.
an. et ali. urop. actio. Diabet. mellit.

4. Hydros., calcul. urinar., coarctat.
Exterius contra elier. scorbut., scrophul.
gangraenos., gangraen. nothomical., can.
herpet., tinea., veruicem., gonorrhoeam.
Acid. nitric. alcoholisatum analoq.
elien. acid. Haller contra hydros., un.
versal., imo ultimus stado. Maguent.
regeneratum s. nitric. pond. av.
Hydrog. (avang. por.) 3j. acid. nitric. 3j.
Acidum phosphoricum purum ap.
ticum, refrigerans 3j. 3j. s. p. v. b. d. u.
Ures ut acid. sulphur. Acid. phosph.
ex ossibus s. siccum ʒssj. - v in pulv.
c. ara foet. Acid. phosphoric. dilutum
Ures ut acid. sulphur. Del., imprimi
contra morb. osseum, canor. luteri, dia
betes, dysuriam, scilicet, carica
Acidum pyroligneum, maxime ac.
septum. ʒj. - 3j. in uicet. 3j. Extern.
una c. mell. rosarum. contra gastrical.
Acidum succinicum s. val. succin.
antispasmod. & daphoreticum ʒssj. -
contra hysteriam, epileps., chlor. st. lit.
febris nervosa.
Acidum sulphuricum, acid. vesp.
s. infusio caustic. contra veruic.,
morbus canum furiosorum, carcinoma.

Acidum sulphur. dilutum, spir. 5.

antitricoli, antirringens, antiseptic, re-
frigerans, sanguinis expulsa quicquid
viii-vij p. de contra mor. ...
marlat, morbilli, petech, febr. bilios, ner-
vosas synochi. c. plethor, contra interm.
melancholiter; contra haemorrhag. uteri
& pulmon. (acidi. sulph. dil. 3ij-vj. sy. alt.
m. s. Colloidum. omnibus decem. minutis
Cortand. ment alkalin, terrae, salis me-
talli, pilae 6-bar. calcar. 2) Elixir
acidum Halleri. Mixture sulphurico

acida minus antiphlogist, major
tonicum. Usus contra catoniam, system
aegrit & membran. haemorrhag. uteri
ulcer. scorbut, petech; contra vomitum
eruent. habitual, mensa nimios, sudores
colliquationes, imo eruentas, chlorosis,
affect. aton, erysipel & morbilli habitus
tennothegae nimias. Dosis gtt. x-xx
una c. syr. cinamon, cort. agra. & aq. citra.
Decoct. chinac, reba. (acid. sulphur. di-
& spir. vini rectificat part aeq. formant
elix. acid. Halleri) 3) Mixture sulphurica
acida Thoniana. Ros. (acidi. sulph. dil
mor. j & alcohol. par. ter. iii) magis coacta
4) Elixir acidum Dippelii (acid. sulph.

6) Dil. pars; alcohol. part. vi) in major
dosis contra art. rheum. acut. Dolor. dent.
Ministura aromatica acida, elixir
vitrioli Myrrhinae marinae tonicum
contra chloros, scorbut, art. rheum. acut, blan-
corum pulmonum, haemorrhag. petech. ha-
emolentes, sudor. cruent, diabet, polyp.
Dosis gr. x - ℥ i. c. ff, aqua, decoct. chinae
catarrhal. 7) Ministura vulneraria acid.
aqua vulneraria Thederii / acet. rub.
Spir. vin. rectif. 3 acid. nelyphur. ℥ i. null.
Decoctum 2 / Extern. antiphlogist. tonicum
contra singillat, lueat & fractur. com-
plicet.

Acidum Tartaricum, sa Laurentia
Tartari. Dosis minoribus tonicum,
anti dyspeptici, majoribus irritabilibus
demenit, antiphlogistici: est. Uterus con-
synoch. febr. nervos & bilios, coagulatione
haemorrhoidal, haemorrhag. uteri & pul-
Dosis gr. v - ℥ i. cum hora diuina clausa
oxy. althaeae. Contra febr. bilios: putri-
neros, uter, melancolic, coryzae, pu-
tridobiliores dosis minor est gr. i - ℥ i.
Dosis minor demenit coagulatione, co-
lyserum, valerian, musc, castor.
Ministura pyro. Tartarica Diapha-
reticum, causticum. Uterus contra
catarrhal, rheumatic Dosis ℥ i - ℥ i.

Aconitum (Lig. pulchellum, Purpureum) herbi
Aconitum napellus acris nariotenu
anum actionis in plura perficit, tu
dolores capitis, visum flammarum, vomit
tionem, convulsiones, diarrhoeam
gastricam. Usum contra paralyoim, pa
raplegiam, amarois, epilepsiam, glau
comam, antheratorem, rheumatismum
articularium, venereum, mercurialiphthiam,
tubercula loiam, intumescit. Usum hepatis
Dosis gr. iij. c. camphor, resin. guaiac, the
Usum Aconiti usus frequentior est Dosis
gr. v. Thaeniti actheria gr. x - xxx
Aether aceticus, naphtha aceti irrita
tatem cito conuertit, calidat, ten
erat. Usum Aetheris murici, inprimis
contra spasmos sensibiles, hysteriam
Dosis gr. v - xl. Spir. aceticus & aether s.
anodynis vegetabilis usus ut liq. sulphur
aether
Aether muriaticus, naphtha salis men
struum bonum. ol. animal. Sippul, ol. valer
ianae foet. Spir. muriaticus - aeth, sipr.
alis dulce. Usum ut liq. sulphur. aeth,
inprimis ubi cutis & pulmones affecti
sunt. Contra angem, pneumonia.
Aether sulphureus, s. naphtha vitra
alepticus. Usum contra feb. typhosam

8. nervos; putrid, spasm. cloni; hysterie,
Dolor. ad partum masti, cardiodyniam,
micturiti, colic, singultum, syncope, asphy-
xiarum. & gangraen. senilem & simili
rhythos acutas, contra calculos billos
urica c. bl. terebinth. contra Taeniam c. ma-
pil mario Dosis gtt v - xxx c. valerian.
pentar, china, cortex. Externe contra ve-
tigum, Dolores dentium rheumat. nerv.
Spir. sulphuricus aethereus lig. aro-
mineralis Hoffmanni, sp. vitrioli
Ung. & Dosis eadem ut aeth. sulphur.
ether nitriceus, naphtha nitri-
antipart. & diuretic est. Spir. nitri-
aethereus, spir. nitri dulcis novus & do-
ut spir. sulphur. aeth.
Agaricus albus (Ampulliferum) pul-
Gss - v extr. agarici gss - jv contra
Aloe lucida (aloe spissata Shurber)
Drasticum. c. congestiones ad uter, cap-
pectus. Novus contra atoniam sy. ten-
sanguinis, chlorrosia, mola minima haem-
rhaidal, menes, arthrit. aton Dosis
gss - xv. Extr. aloes aquosum f. alo-
Depurata gss - x Elair proprietatis
c. acid. Ph. Lat. 3j - 3j bis die contr.
obstruct. habitual. c. torpore. Elair
proprietas. in acid. in iisdem casibus
maior a tonia c. acrimonia; contra

Rheumatism, amenorrhoea, arthrit. aton. J.
Elix. proprietat. c. rheo in eisdem casibus
Tinctura aloes qttv - xv Elixir chola-
agogum. Massa pilul. balsamicarum.
Massa pilul. aperientium Stahlii
Althaea (filip.) herb & rad (alth. offic.)
Demulcent, laxans 3ij - iv coq. i. aq. lbj
Syrup. althaeae. Ung. althaeae ^{ad potum}
Lumen crudum s. vulgare, ^{vel i. aq. 3ij}
Gilla sulphurea (Alum.) refrigerans,
restringens systema sanguinis & nervorum
organ. reproductiva & excretoria ut
Alum. vitriol. Magn. richt. Uterus contra
toniam, colic. Saturni una i. opis. Dosis
ss - xv, infantibus 9ss - v c. ff. liquirit.
rad. liquirit. qm minus, Tragacanth.
Decoct. foenicul. cinnamom. 3ij - iii in aqua
Decoct. chinac. aq. cinnamom. simp. i.
cinnamom. cort. aurant. (externe in garg.)
injectionibus 3ss - 3j ad lbj. Utant
aut ammon. miniat, Kali acet. tartaric.
Sera. lactis aluminatum i.
aluminatum (alum. crud. 3ij - vj lact. lbj)
Lumen ustum s. calcinatum causticum
contra caru. luxuriant, cariem, pannum
oculi, necrul. corneae, ulc. nostr. conical.
Lumen natrium s. cubicum lenius est
alum. crud. 3v.

10. Ambra grisea physiter macrocephala
aëtiopartii & analepti ut moribus
contra impotentiam virilem, aphaodiam
Dosis gr. - x. Ambrae gr. - xxx. c. el.
veterol. Myrochit. contra vomit. gravidar.
Ambrae moschata eadem, imprimis
contra trion. neonatorum.

Ammoniacum, qm ammoniacum
ferulaceum est, Droribus minoribus roborat
fibi musculares & vasa sanguifera, magis
congest. facit. Usum contra atoniam pulm.
catarrh. pulmon. chron., phthis. pituit. &
tuberculos., spasm. pulmon. chron., hypoch.
obstruit in aëfirmis, morb. lymphat. chron.,
arthrit. aton., rheumatism. chron., amenorrh.
aton. Dosis gr. v - xx omni bilor. str. t. c. p.
viteli. ovi, aet. vellel, aton. aet. ^{ap. p. or yuali. diti.} Ammoniaci
gr. x - xx. Ammoniacale expectorat. v. p.
pervit, congest. facit. Usum contra tussim
vive febr. Dosis coct. j - ij omni bilor.
Syrup. ammoniaci contra tussim aton.
coctel. paro v. aq. focuial. Empl. ammoniaci
ammoniaci nig. levatam c. trebelli contra
tumoris glandul. aton.

Ammonium aceticum temperans, diaph.
ret., diuretic. Usum contra morb. e refrigerat
synochii, tumores glandul. ophthalmic.
quatic, catarrh. oculi, angu. pleuresiam.
pneumonias synochii febr. nervos. in prim.
stadio synochii, exanthem. acuta, oculi vici.

calida, ut crivis per cutem acceleretur.
Liquor ammonii acetici, spir. Min. dereri
Dosis ℥j-℥ij in aq. dest. q. s. in infusibus
cum v. stib. in f. sambuc. rubrica. Menstruum
bonum. aq. foet. proebet & schenckii
pastor. Externe ~~contra~~ contra rugas
contusiones, luxationes & fracturas. Complicat
oci. ophthalm. furuncul. finnas faciei.
Ammoniacum carbonicum f. subcarbonic.
Alkali volatile siccum f. solidum sunt
magnopere excitat system. nervorum, diu
phoriticum, diuretic. antacid. Dos. minima
spasmos efficiunt unus contra spasmos
oporem, febr. nervosus cute sicca, ut
exanthematum eruptis acceleretur contra
varas. & ophthalm. emulsi. Delirium tre
mens, hyster. spasmi. & syncope. Dosis gr. x
Cora una c. valerian. arum. reserba
Bijuna c. acid. vitri. p. spir. Min. dereri
amphos, aq. dest. q. s. in f. sambuc. rubrica
Potissimum est liquor ammonii subcarb.
aqueosus s. spir. val. ammon. aq. (ammon.
arb. 1 aq. dest. v) Dosis gr. v-xxx
Ammoniacum subcarbonicum pyro oleum
volatilis cornu cervi. Unus & unus
et ammon. carb. Contra sunt acida,
alia acida, alkalia pura, tartar.
alia metalla. Liquor ammon. pyro
leus. s. spir. N. c. rectificatus gr. x-1
Ammonium supercarbonicum contra

12 spasmos, acrimoniam, hystericam
Ammonium causticum. Liqueor ammoniaci
caustici s. puri spir. sal. ammoniaci
alkali fluor citr. & valde sensibiliter
auret. Diaphoreticum, Diureticum, ant.
abedum, ^{antiparalyticum} te ferre caustice. Uterus contra
spasm. tonu, tetanum, cataleps, man.
& ophacel. scil, opor. paralytic, amur.
op. paralytic, impot. viril. Dosis an.
tispartes gtt. - v. antiparalytic gtt. iii -
vna c. arnica, catharis, in vice c. nap.
op, camphor, vin, chin. Si - 3 ad mult.
gtt. iii - xv ad enema unum. Linimentum
ammoniacum s. volatile contra
lycos inveterat, rheumatism, arthrit.
tumot. glandul, spasm, apoplex sangu.
necrotism. Uter. ammoniac. camphor.
ne utaris contra narcotism, nec apoplex
sanguis liq. ammon. (caustici) excoct.
gtt. x - ~~xxx~~ xv - xxx exseptis. contra
obros, oppros. pectus aton. liq. aton.
venosus gtt. x - xxx

Ammonium muriaticum depuratum
sal ammoniacus excitat systema
lymphaticum, auret secretionem
& diaphoresin. Uterus contra atoniam
medulla. mucos. system. lymphatic & el.
mucositat, tumot. glandul, feb. & hem.
matic & catereb. cum symptomat.
gastricis & iter, catenat. hep.

13.
in leenis, obstruat hypochondr. c. Torpore,
hypers & atrophiam in faustum, ledum in
thiaria Dosis gr v - xv omni behorio,
3j - iv in solut. p. d. una c. p. aeq. succ. liquar.
ad prout vin. stibiat. Extend. sub allhata
pau. sic & carbon, salia metalli, quorum
acidum minus acid. muriet, e.g. phos.
acetic. Externe resoluens contra tumores
in chymos, contusiva. sine vuln. cutis, hy
droel, catumescat. articul 3j - ij in aq.
loab. 3xj c. acet. vin, spirit. Contra
exanthem. chron, scab. acc. 3j - iv in aq. 3x
Ammonium muriaatum martiatum,
flores salis ammoniaci martiales,
terren. ammoniacale, ens Martes
tonicum. Uocis contra Cleanorh. prin
cipium chron, leucophlegmasia, fluxus
rappul, febr. intermitt. c. Cleanorh.
Dosis gr v - xv c. aq. cinnamon. vel in pulv
Ammonium succinicum liquor auro
um succinici, leg. c. c. succinobas, ten
deras, antispasmodi, diaphoret Dosis
att xv - xxx vel 3j - vj ad usut. 3vj. Uocis
contra febr. rheumat, arthrit, spasmodi
una c. opier. Minder. contra exanthem.
acut. dyspnoe, spasm. pectoris, mens. trua
spasmodi, spasm. vasibilia, febr. typho
una i. valerian, verpenter, raphth, caa
lor. Mitigat effectum nuchii, cautot
chiria, acae lactes. Liquor

14. anarthriticus Ellai (l. c. c. succ.)
rect. sulphur. a) gtt 2-24.

Amigdala (amigdala communis)

Amigdala dulcis 3℥ - 3℥ in the

Aqua amigdalarum amararum 3℥ - 3℥ in the

centro gtt v - xxv loco aq. lav.

2 Amigdala dulcis 3℥ - 3℥ in the

Aqua amigd. dulc. expressa 3℥ - 3℥ in the

Int. c. gtt, rect. ob. 3℥ - 1℥ ad aq.

guttae amigdalarum c. emulsion

Anacardium radia (fuge - brist - Guilij)

Amigd. dulc. aromaticum pulvis (am)

archangelica Uso ut serpentaria

Dosis pulvis. gr 2 - 22, 311 - 1℥ in fund

aq. ad col. 3℥. Externe in foment

contra paralys, atoniam cutis, etc.

aton, rheumatism chron. 3℥ - 1℥ in

calam. aromat, lavender, cham, ment

Archangelica gr 2 - 22 c. quajai, cam

aconit, antimon. Archangelica gtt 24

ten die. Eodem modo Spir. angelic com

contra variol. gangraena, edentula. t

arthrit. gtt. Spir. angelic comp. can

Angustura cortex (Bonplandia trif

amaro. aromaticum adstringens, ro

borat. Uso ut cascarilla. Dosis

gr 5 - 22, 311 - 1℥ in fund rect. c. aq. gtt

Archangelica 3℥ - 3℥ in the

Anisum. Semina Pimpinella anisum.
Dulcoromaticum, calmariorum, galacto-
pocum, phlegmogenum, capiciorum. promoret
Dose. magnas congestiones efficiunt. Ung.
contra tussim vidue pbs. Dosis pulv.
gr v - xxx, $\frac{1}{2}$ inf. ad col. $\frac{1}{2}$ xij. Ol. anisi
aeth. gtt. ii - x

Argentum nitricum s. nitratum
crystallizatum, crystalli lunares, Ung.
antispasmodi, adstringens. Ung. contra
epilepsiam, choream. Ung. una i. valia
chelopod. ambrosoid, fol. aurant. asa-
foet, mosch, castor, ol. animalis sipp.
contra hydrop. post morbum arteria
ura c. Galapp, gth. Dosis gr. $\frac{1}{16}$ - $\frac{1}{2}$ ter
die in solutionibus in vitris obturatis.
Argentum nitricum fuscum, lapis in-
fernalis fortius est. Argent nitric de-
componitur acidis nitricis, sulphur.
phosphor, tartar & horum acidis mineralibus
alkalibus, terris, saponi, sulphure, car-
bone, phosphor, aq. fort.

Armoracia s. raphanus noster, red.
rei (Morrellig) Cochlearia armoracia
acre ammonio-volatile, sensibilis albu-
minis augens, rubefaciens. Dosis bibe
minoribus expectis. Ung. Ung.
in maioribus mucum efficiens. Ung.
contra hemorrh. ventricul. dyspeps. topis

16. rheumatism. chron., amenorrh. aton.,
impotent. viril. torpid., chloros. Dosis
3℥-iv c. ss; 3℥-j c. ss. aq. vel vin. lly. Extr.
rubarbarica contra paralys., rheum. chron.
arthrit. aton. refoveanda, odontalgia
rheumatica, aton. rheumatismum.

Arnica flores & radice (Profluv. lly, Extr.
Arnica montana) are volatilis
mitis, excitans membran. viscos. ven.
trunc. & system. lymphat., tunc cerebrum
& nervos peripheric. Dosis minima an-
guore, vomit. turrit, diarrhoeam, spasmod.
photopsia efficiunt. Usum ^{Morsus} contra pa-
ralys., soporem paralys. in ultimis feb.
acutis. Stad. contra feb. rheumat., catarr.
emaculant. & difficile arduas, amaur.
hydrop. aton. Dosis pulv. gr. iij- \times , 3℥-
c. ss. ad col. 3℥j, 3℥-ii ad port. unan. the.
Usum radice contra diarrhoeam aton.
sine doloribus una c. opio, & cinna-
m. Dosis 3℥-j doz. in aq. 3℥j ad
col. 3℥j. Extr. in foment. Extr.
arnicae e toto gr. iij-vj

Arsenicum oxydatum album, arseni-
um album, acidum arsenicosum virile
vitalem augens & vitalitatem, Dosis
majoribus necans hyperstimulans
an. & spasmodic. Usum contra spasm.
chron., chor. St. Vt., epileps., asthm. con-
surg. pectoris, feb. intermitt. pertuss.

17
c. intermentibus. Lienis & hepatis, infir-
mitates malignae, herp. erect, lepra, ele-
phantiasis, hydrops, pleuroth. chron.,
morb. glandul., bacilli. maligni, scirrhus
carotidum, serophul. Dosis gr 100-160;
interiac. pulv. gr ij. uva c. mali subacta
gr iiii - xij ad aquam. ℞. Solutio arse-
nicalis, solutio Fowleri, guttae
febrifugae ℞i℞ contineant gr j arseni-
oxidat. alb. Dosis grt iiii - xv ter die.
Melior solutio arsenicalis Borra
Dosis grt v - xx ter die (Thei arsen. oxidat. aq.
aq. dest. ℞vj. Sicut loco tepido usq. ad so-
lutionem. Adde aq. cinnamon. ℞. ℞ij. uva
carbon. ℞i℞ Sige loco tepido. Liquor
patris arsenicosi ℞. antipyreticus
Harlessi (Thei arsen. oxidat. aq. dest.
carbon. a gr xxxij aq. dest. calid ℞i℞
Sige in balneo arenae usq. ad solut.
Refrigeratae adde aq. cinnamon. vino
ut totum effeciat ℞vii) ℞i℞ contineat
arsenic. oxid. a. gr iij. ℞.
Antemisia (Soyfer, radex, fibrillae
(antemisia vulgaris) aromatico-a-
marum, irritabit aures, praecipuum in
veteris. Nervus efficit amblyopiam, ver-
tiginem, abortum, amarois, impotentiam
et libatorem. Uov contra epilepsiam, chor. A

18. Dosis 3, bis die, ca. fortibus 3 p.
Asa foetida serp. hypocistis luc.
inspersatus perulae asae foetidae per
laccum, contrabittum aut gem. Dosis
majoribus coarct. efficitur, diureticum
diaphoret. ad hypochondrium. Uterus contra
spasmus atonicos, hyster. chloros, hypoch.
collema convulsiv. pertuss. pertinacem
gravid. e vermibus, cardiacis, colicis
gravid. - x Antiparalyticum cord contra
marasm. & gangr. scil. arthrit. aton. de
mation. Chron. affectiones mercuriales,
roburescent hepatis, leenis. Dosis
trit. c. sept. gr. vitell. ov. In caecum. trit.
c. vitell. ov. gr. xv - Tha asae foet. ant.
gravid. Dosis gr. ii - x antiparalyt gravid.
trit. c. sept. Tha asae foet. gravid. foet.
rionis. x Dosis eadem. Tha asae foet. gravid.
Aqua foetida gr. x - xx perulae asae
foetidae sal. sicc. ol. animalis ess.
foetid. revolvens schmuckeri contra
artum. glandul. articulosum, not.
arthriticos
Asarum huplunum radia asarum
europaeum acre emeticum, expector.
napaeum diureticum, acthelmothe.
contra hydrop Dosis gr. i. gr. ii. - vi
coq. c. aqu. gr. ii. ad col. gr. ii. una c. aqu.
acthel. rob. juniperi. Extract. gr. x.

Aurantium / Spumeyan baum / fol. 19.
flor., fruct. immatur., cort. fruct. / lithus
aurantium / folia aurantii autopsia
modicum, aromatizum hinc contra
paucos, epileps, dos pass. grx - lx ter
die 3 inf. ampere. ad col. grj 2 flores
aurantii, se naphae analaptem, in
etans dos 3j - iii theae gr. d. 34 - is
inf. ad col. grj Aqua fl. aurant. grs.
fl. aurant. v. naphae. fl. fl. aurant.
aether gtt j - iii 3 fructus immatur.
aurantii fruct. grx - xxx fruct. immatur.
aurant gtt xx - lx. 4 Cortex aurantii
flavido cort. aurant. cupessio, inertans,
dos minia dolore capitis x vertigine,
adducant dos grj - xij una i fer, G.S. x
ad conv. pil. The cort. aur. gtt xx - lx
Elacoff cort. aur. grx - xxx Elavir cort. aur.
consp. f. ovocole hoffm. Elav. varicale
Ellini gtt xx - lx cupess contra acrimon,
imbuillit. centrunt genobilem.
Aurum altera. Aurum oxydatum
atq; aurum miriatium contra mor,
glandul. syphilitic dos grj - lx Eadem
dos x usui auri miriatii notro
nati

Balsamum copaiva / copaifera
balsamum / Diureticum, dos hemige
parant, conitum, haematurion, cathura

20 *exanthem. morbillosa efficiunt* *Ung.*
contra gonorrh. chron. una c. Th. gentian.
(Rex. bal. copais 3j - ij. Th. gent. 3vj. Th.
catu. 3j. p. m. Cort. parv. cum tinctura
contra leucorrh. chron. pulv. p. m. Th. p.
tinctos (Rex. bal. copais 3j - ij. Ligam.
aurat. 3j - ij. syr. p. m. Cort. 3j. m. Cort.
parv. cum tinctura Rex. bal. copais 3j.
magis. pur. 3j. Cort. stent in vas. olei
p. d. iii. adde p. m. sem. p. m. g. v. p. m.
120 *pur. lignit. comp. S. Silv. p. m.*
die. 7 *S. Decarb. exoratur, c. Th. op. con.*
puratur vel Th. cinnamon. Dosis gr.
Trit. c. gr. vel vitell. ovi

Balsamum Peruvianum / Peruvianum
nigrum incitans, diureticum / Myrr.
con. peruvianum gr. v - xv Trit. c. gr.
vitell. ovi, in lacte. Externe ad acutis
ulc. terpid. Mixtura oleoso-balsamica
o. bal. vitae Hoffm., syrup. bal. Peru.
o. syr. balsamicus arg. Th. bal. Peru.
gtt. x - xxx contra spasm. pectoris, per.
tuss., phthis. pulm., gonorrh. chron.
pulv. impurand.

Balsamum de Mecca / Gileadense
moscius pretio (Aegypt. Gileadense)
Ung. & Dosis ut bal. Peru.
Bals. Salutarium (Myrocyllum tolu.
Peru.) Ung. & Dosis ut bal. Peru.
Th. bal. Tolut. gtt. x - xxx.

Bardana (Blattarium) radice (arctium²¹.
bardana) Staph. Dureti. Dosis ʒi-iiij
coq. c. aq. q. s. ad col. lbij

Paryta muricata, Terra ponderosa
salita solubilis in quatuor vel sex aqua
partibus, irritat omne systema lymphaticum
glandas, membranas mucosas. Item irritat
tissimae dores sensu^{um} vicinitatis pharyngis
efficiunt, acurritatem cute peridit
& sudorifera, vitium, vertig, vomitionem
trunculat, diarrhoeam & dores supra genas
necant. Uusus contra scrupul, stricaria
phthis, tubercula & pituit, atrophiam
infant, rachit, hydrop. necant, tumores
cutanei & orales. Dosis ʒi-iiij in solut.
ʒi-ij solut in aq. lauroceras, vel foenic.
ʒi gtt x-xxx per die. Externa. usus
contra scab, herpes. Dosis ʒi-ij solut in
aq. rosarum ʒi-ij. Eritutda sunt al
kaliu, acid. sulphur., phosphori, citre
tartari eorumq, salia; praeterea scy-
tophyllum.

Basilicum vivum (Dorriglbaum) Cymum
basilicum) Incitans. Dosis pulv ʒi ʒss
ʒi-vj inf. p. d.

Belladonna folia & radice (Tollhirs) Atropa
belladonna) irritat cerebrum
& oculos. Tunc irritabilitat. excitant,
erectum, reorlaes, antispasmodicum

22. Uusus contra sensibiles hyperosthenes,
neuralg., dolor. faciei, rheum. chron., arthrit.
ator., verru., carcinom., herpet. ecz., prur.
sensibiles acuta, hydrophob., epileps.,
photophob. propter localem excitationem
oculi, e.g. herpet. ecz. nimium seropisimi
efficit, paralys. regionis uris, hydroph., prur.
rocin. incip. ca. l. Trochylacti. guttatur
scarlatinae. Dose Rad. gr. iij - v bis die,
in fac. gr. iij - 1/4 herba. Duple. inter. et
Extr. belladonnae gr. 1/2 - ij, gr. vj ad aq. rosarum
3i pro collyris aq. belladonnae tyrim.
Hufelandi (Chci. Extr. bellad. gr. j, Aq. lau-
roceras 3ss) gutt. xxx ter die contra per-
tinaces spasmos pharyngis. Aug. anti-
spasmi Blanc & Transeau (Chci.
extr. bella-don., Daturae & Transeau D. hy-
oscyam. a gr. ij aq. populei 3ss) Bella-
gutt. x - xxx Extr. belladonnae uterq.
Hyoscyami.

Benzoe, asa dulcis (Styrac benzoin)
ferulaceum, incitans, congest. faciei
ad paln. & genital, descibus minoribus
actropasmodii. Uusus contra spas-
m. pectoris, pertuss., menstruat. spasmod.
chloros, anaphrodis., spasmod. veic. uris.
Dosis benzoes electae gr. iij - vj, 3ss ad
theam. Ad fumand. contra arthrit., rheum.

mercurialis. Tr benzoe apt. anti 23.

spasmod. contra spasm. pector. $\text{℥} \text{ij} - \text{xxx}$

Tr benz. comp., bals. comenda

tori $\text{℥} \text{x} - \text{xxx}$, catenae simplicis.

ulcerib. impuris, lacis. Al. benz. aeth.

Lac virginis Tr benz 31 - ij aq. rosarum $\text{℥} \text{ij}$

enterae contra ineptig. chron.

Bismuthum nitricum praecipitatum

magisterium bismuthi, bismuth. oxyd.

℥℥, album. Thopanic. usus ut stat.

magd. als contra cardiac. chron. spas.

hyster. & pectoris sine congest. febr. in-

fermitu sine sordibus primarum viarum

vomitu in dysenteria Dosis $\text{℥} \text{ij} - \text{v}$

quater die. Coctus. mat acid. phosphor.

tartar. & citric, atq. vulpularia.

Bistorta (Polypogon monspeliensis) radix (poly-

gonum bistorta) adstringens usus contra

hemorrh. haemorrhag. habitual. Dosis

$\text{℥} \text{ij} - \text{iv}$ coq. c. aq. $\text{℥} \text{x}$ col. $\text{℥} \text{ij}$. Extr. bistort.

$\text{℥} \text{x} - \text{xxx}$ (Vide pag. 40)

Borax Veneta s. sepurata s. raffinata

temperans, sensibil. augens & activit.

membran. mucos. exanth. aphthos &

morbillos. efficuus, emmenagog. ant-

tonicum. Usus contra menstria. suppre-

ssionem & c. congest. ad coctum putuor.

ura c. millefol. aq. tamarind. Dosis

$\text{℥} \text{ij}$ ad unct $\text{℥} \text{ij}$. Externe contra aphth.

24 in injectionibus & collyriis (gr. v - xv ad flum.)
Contra apth. 3℥ - j ad mell. rosar. 3℥.
Bryonia giffmiba, giffmiba / radix (Bryonia)
alb. ac. corrosivum, Prastum. Uoni
contra hydrog., stuporem, manum, arthri-
ator. Dosis pulv. gr. x - xx, succ. rei. coq.
3℥ - ij aliquoties die. 3℥ inf. i. aq. vel
vel vin. gr. v ad col. 3℥. coctil. duo semies.
Cacao fabae (Theobroma cacao) nutritiva
3℥ - ij pro dosi trit. c. vitell. ov. oleo cacao
butyri cacao

Cassia, oleum aethereum (Melaleuca
delicoidendron) aethere. aromaticum, pur-
noperu incitans, antispasmodicum. Uoni
contra spasmos, cardialg., hyster., arthri-
rheumat. Dosis gtt. ij - x ad sacchar. vel
volunt in aethere, trit. Externe contra
arthrit., rheumat., spasm., paralyces.
Calamus aromaticus radix (Stemona
maticus) Aromaticum purum, lapi-
teum irritabile, titem. augens, diaphoreticum.
Dosis in rigoribus dolores capitis & vom-
secundum efficiens. Uoni contra ac-
moniam, morb. atonicos, orocium, trophus
arthrit. aton., febres putridas & typhoides
adjuvans mad. sub. tenet, rotundus, caryophyl-
Dosis pulv. gr. x - xx, 3℥ - ij inf. ad col.
i. gr. Sulcor Stomachii. Birchmanni
contra acrimoniam 3℥ - j per diem. Extr. cal-
aron gr. x - xx Th. calan. aron. gtt. x -

25
Calam. arom. aeth. maxime effervescens
R. ii. Calam. arom. comp. R. Stoma-
chica Lentinii. Th. carminativa Medelii
et tinct. Zingiberis.

Calcaria muricata, cala saluta, sal
ammoniacus suavis. Usum & Dosis ut
paryt. muriat.

Calcaria sulphurata, hepar sulphuris
calcareum, hepar calces diasphoret, an-
timetall, aatisporii, dosibus majoribus
emetico, purgandi. Usum contra emacanth.

chron. in lavacris & balneis, calcul.
urinar. Dos. gr. ii - v in pil. 3j - iii pro
bala. ura i. adid. sulphur. Dil vel aliam
Aqua hydrosulphurata s. sulphurata
oidula contra scabiem vel ad praece-

ptand plumb. & virus
Calcaria sulphurato-stibata, cala
antimonii s. sulphure revolvens, dia-
phoretici, expulsi, emetici, purg. Usum
contra emacanth. chron. rheum. chron. artthra
Dosis gr. ii - v, 3j. coq. c. ag. lbj ad col. lbj

ad balnea coq. 3j. p. j. c. ag. lbj
Calcaria usta, cala viva caustica. Externu
ad vivement c. ol. lini, injectiones. Aqua
calcar. usta 3j - v p. d. c. lacte lthor.

Calendula (singulblum) herb. & flores
Calendula officinalis tonicum. Ents. calendula

26 gr 911 - 3, in pilul.

Camphora (laurus camphora) aether
irritabilit. celeriter augens in cerebri, sensu
& nervis, anodyne, antispasmod., Diaphor.
Dores majores vertig., amblyop., essent., genit.
debilitat. ^{Uterus} Contra febres typhoid., febri
mittent. typhos. c. respiritat. cutis, cont.
paralyt. chron., melanchol., stupor., ama.
ros. nervos, exanthema. aton., atthrit. at.
rheumat. chron., dolor. in genitali propter
abusum catharis, impotent. viril. senil.
tal. dorsal, mercurialion. Dosis gr 1-4
infant. gr 1/16 - 1/4 tit. i vitell. ovi. ^{gr 1/2}, solut.
in ^{alco.} vin., aether. ^{alco.} Capere contra art.
chron. aton., rheum. chron., ophthalm. ca.
larrhal., rheumat. c. in oqua sensibil.
in sacculis, contra erysip. oedemat.,
adynamia, ophacel. gang. sensibil. ^{alco.}
v. linum. Camphoratum atq. emph. camph.
atq. camphor. praeterea contra ^{alco.} sanguinem
ex refrigerio. & catharis & ad ^{alco.} dampnum
lactis videt. alia. saponato-camph.
balum. opodeldoc contra intumesc. gland.
perniciet. aton. Spir. camphorat contra
contusiones, sufflat., leniat. Sether.
sulphuric. camphos atq. spir. vulg.
aether. camphos f. liq. nervinum
quater die contra dolores rheumat., art.

27
pasm micoul. faciei & gastrocnem habitus
lunul. v. nure. Rectum canphoratum
contra cutis, singillat, lincationes in aq.
vulner. Thed, contra morb. thyplos contra
gros, pollut. frequent. externe applicand
Pancronum lapides cancrastoides Kap.
quarorum praeparat absorbent gr. xx
Panella alba incitans, tonici, pulv gr. xx-xx
Pannabis veniaa Ganffera scannabis
rativa Demulcent 3ss ad aq. 3vj
Pantharides (Meloe vesicatoria) acce
quimonio volatile, corrosivum, sensibi
letat augens, genital stimulaas, moa.
directu, majoribus dosibus straguriam
laematur, inf. cancras. Uocis at thyplos
contra paralyis, feb. arduas thyplos sop
paralytico, amauros, impotent virilit. thyplos
morb. aton. systematis uropoetic, arthrit
ton, hydrop. exanth chron, epileps, chor.
+ Vit. agnosperm, tetan Dosis pulv gr. 6-7
una i. nure, qu. strab, & d. Digital purp.
Cantharidum grt j-xx, externe rube
facies. Empl. cantharid. ut senapium
praeterea contra inguitig chron, herpet
et vesicat. volano, uel. torpid pedum,
verene. Empl. cantharid. nite empl.
vericatorium nite, empl. vesicatorium
cantharid contra rheum. chron. Uag. canth.

28. s. i. intans ^{coleris} contra putres, spasm, ulc.

Topiv

Peperium annuum s. piper Hispanicum

fructus, acre ammonio volatile $\mathfrak{z}\text{ij} - \text{v}$

capivi Uos contra stuporem, populi, p.

lytic in febr. typhoi, gagr. noxamical

$\mathfrak{g}\text{tt} \text{v} - \text{xx}$ ter die Extr. capivi spir. $\mathfrak{g}\text{ij} - \text{v}$

Carbo vegetabilis anthrepticus $\mathfrak{g}\text{ss} - \text{xxx}$

pulo. In electuos. Inopung.

Cardus benedictus (herba. (centauria

benedicta) sanctorum purum ut gentian

rebra, roborant. Dosis pulo $\mathfrak{g}\text{ss} - \text{xxx}$

$\mathfrak{z}\text{ss}$ inf. aq. $\mathfrak{z}\text{ss}$ Extr. card. bened. $\mathfrak{g}\text{v} - \text{xv}$

$\mathfrak{z}\text{ij} - \text{iv}$ ad $\mathfrak{z}\text{vj}$ col.

Carex arinaria, gramen majus, rida

(Andrinum) Chiracium, Diaphor

Diuretic Uos contra rheum chron, art

atos, carathen, Enalson chron Dosis $\mathfrak{z}\text{ij} - \text{iv}$

coq. i. aq. font $\mathfrak{z}\text{xv}$ ad col. $\mathfrak{z}\text{x}$. Comp. Uos

Carvi. semina (carum carvi) Pulchra

galactopoeum, physagog, Dosis majoris

facultat Dosis $\mathfrak{z}\text{ij} - \mathfrak{z}\text{ij}$, $\mathfrak{z}\text{ij} - \text{iv}$ inf. pro Uos

cyath. tribus. Al. carvi aether. $\mathfrak{g}\text{tt} \text{ij} - \text{v}$

in aether, varchar raro; externe contra

colic. e flatulentia.

Caryophyllata radix (Mallemum)

(Gelu urbanum) Chinacum, errit

Volantiter augens. Uos contra febr. Uos

cordibus remotis; febr. intermitt. typicos
febr. hectic, post morbos arduos Dosis
℥ss - ℥ss aq. c. aq. 3x℥ss ad col. 3℥ss
Caryophylli (Gum. inzanolon) caryophylli
aromatici pur. Thuli; Dosis
maiores. affervere, coagulat. faciens, anti-
ceptiv. Dosis pulv. ʒss - xv. R caryo-
phyll. s. aromatica ʒtt x - xxx ter die contra
dyspeps. sensibil, vomit. chron, post morb.
gastroc. R caryophyll. bals. Stomachici
externe contra dyspeps, flatul, colic.
dolor ad part. anales, vomit, singult,
rheumat. chron. algia aromatica contra
vultus, dolores caput. nervos. Empl. aro-
maticum s. stomachicum contra colic, vo-
mitum. Species aromaticae contra
vultus, colic, rheum. chron, paralyt.
muscul.

Cascarilla, characilla, cortex (Coton
eluteria) chinacum, tonicum, irritabi-
le sanguinis valde augens; Dosis maiores
coagulat, vertigines, palpitat. cord. effluat
Ung. contra imbecilit. chron. sensibiles
praedominante, spasm. nerv., dyspeps.
sensibil, febres intermitt & post ead. Dosis
pulv. ʒss - xv omni tribus c. vino; 3℥ss
inf. vel coq. ℥ss ad col. 3℥ss. R cascarillae

30.

gtt x - xxx Ter die. Est. castoreum
Cassia cinnamomea cortex (Laurus) ca.
 aromat. purum, adstringens, leniens,
 doribus in aortibus congest. faciens. Ussis
 contra diarrh. Dolos. colic. dyspepsia
 sibil. post m. orb. gatt una c. gr. op.
Dosis pulv gr v - xx 3 - 4 inf. ag. cy.
 duobus. R. (cassiae) cinnamom. ad p.
 gtt x - xxx, 3 iii - vj ad dec. c. d. 3 iii con.
 metrorrhag 3. Aqua (cassiae) cinnamom.
 singul. constitutus. miaturae suppt.
 cantu, amar. Ag. (cass.) cinnom. v.
 ut ag. cinnam. R. Elacoff (cassiae)
 atq. syrup. (cass.) cinnam. Ol. (cassiae)
cinnamom. acth. gtt i - iii. Mistura
oleo-balsamica, bals. vitae Hofm.
 gtt x - xxx contra colic. marasm. senil.
 robore cordi impliandum.
Castoreum Russicum, v. Sibericum
 laryis (castor fiber) antispasmodic, ad
 typhusmodi, analepti; doses majoris
 gatt. facient. Ussis contra hyster. hyp.
 chondr sine congest. plethor. chlorot. an.
 norrb. spasmod. Dolos. partu & proflu.
 At. tot. epileps. spasmod. agnic. risus sari.
 parturi Dosis gr. - v Antispasmod. con.
 gang. senil. impotent. viril. aulaur.
 gr. - xxx unac. op. camphor. China.

Castor. Libia. gtt v. x omni ~~die~~ ^{die} ~~divid.~~
horae parte, gtt x. xxx omni tr. horis
principue contra portusoria una c. cat.
hypocyan. Castor. Anglia pro pauper.
Castor. acther gtt x. xxx omni divid.
horae parte, contra rio. Sard. hyoster, cum
dolore ad part. coxand. Castor. am-
monia tu eadem. Castor. comp. pelac.
interinum (Kant. Castor. filicula hyoster
facti gtt x. xxx Castor. acther
gtt j. v. Castor. ut aq. valerian.

Catechu s. Terra Japonica adstrag.
tonicum. Urus contra atonias, pleuritis.
hora una c. cort. citamom, alum. i. cat.
haemorrhag. aton una c. elia. vitriol.
Myrric. Urus g. vj. - xxvj in bolis,
3j. - ij. coq. c. aq. 3x ad col. 3vj. Castor.
Japonica gtt x omni Castor. 3ij. Castor.
ad uic. 3vj pro gargar. contra sal.
antior, aphth, scortat.

Centaurea minori, major (Tampad.
guet. gentiana gentiana
amarum gentiana gentiana
bois gentiana gentiana gentiana
col. 3vj. Castor. gentiana gentiana gentiana
gentiana gentiana gentiana gentiana
3j. - j.

Cera flava (apis mellifica) Penulcens
 3℔ - j pro dat una c. q. vel ol. Ext. ad
 empl., unguent.

Petaceum s. sperma ceti (Bullul)
 seta macrocephalus Penulcens, 3℔ - j
 p. dat int. i. specul., q. utel. ov
Chaeroph. hyllum (Cyloestee) (Wälb. ch)
 herb., res. ol. c. t. Suci. chaerophylli.
 spissat. gr. v - xv in pit.

Chamomilla vulgaris (Fl. cons.) (mat.
 varia chamomilla) aethereo-aroma
 nervos & sens. voluiter incerta, aut
 spasm., nerv. roborans, quum adstom.
 connectum est amaro. Uter. cont. m.
 spasm., colic., flatulent., indigest. c. dol.
 capitis, comitatur, molest. menstr.
 hern. incassaret. spasm., haemorrhoid.
 febr. typhoi., putrid., gastr., intermit.
 rheumat., catarrhal., arthrit. Extern.
 saccul. contra erysip., rheumat., ar.
 Dosis pulv. gr. x - lx in electuar. 3℔ - j
 inf. ad cyath. 1℔. Chamomilla 3℔ - j
Chamomilla 3℔ - j. Chamomilla 3℔ - j.

gr. v - v in aether. guttae coeruleae.
Chamomilla (Prouvaz) s. authensis
 flores emendag., inter. thrit., coagul.
 facit ad digest., inter. perita.
Chelidonium majus (Gillb.)

33.
Chenopodium acre volatile, antiteria,
antisyphilit, resolvens, coctes majores
purgant. Succ. rec. ex pr. chelidon. 3℥-ij
Succ. chelidon. inspiss. s. extr. chelidon
3℥-3, pro die scribit ad verum. Delenda

Chenopodium ambrosiacum s. botrys
Medicinalis herba (Thunbergia) Chen-
podium ambrosioides) empyreumatico-
aromatizatum, imprimis nervi excitans.
Ussus contra dyster, chor. St. pit, epileps.
Dos. pulv. ʒ-3j, 3ij-iii cap. ad col. ʒ vj
vel pro cyath. ij

Chinae variae species a) Cortex chinai
s. cinchonae, flaccus s. officinalis, cort.
Peruvianus flaccus (Cinchona cordana
Humboldt) b) Cort. chinai s. Peruv. reg.
Cinchona angustifolia c) Cort. chinai
s. Peruv. ruber Omnes sunt astring,
aromat, nerv. excitat, tranquilliz,
roborant. Ussus contra febri nervos
typhlos, hectic, putrid, febri. intermitt
sive in fl. sordibus remotis. Externe
contra uli. atro, iniqua, cariem,
ophthal. Formae crudiores sensibilibus
diarrhaeas efficiunt Doses gr. x-xx
- ʒj, ʒj febri. intermitt tert ʒj-ij
c. pulv. cort. cinnamon per aperiens, vel
infus. chinai. Real, vel decoct. chinai

ex 3j quod continendum per octo
 dies, postquam febris finita est. 2. febr.
 interm. test. postquam una c. rad. gentian.
 columb. bismuth. in febr. acutiss. una
 caryophyllat. valerian. serpentar. aether.
 camphor. 6j. febr. interm. quotid. pot.
 formulae leniores, infus. chin. Real.
 In cunctis, rad. valer. naphth. c. febr.
 interm. quartan. formul. fortiori
 postulat. pulv. chin. flor. una c. cati.
 chin. cinis. bismuth. arsenic. in pilul.
 2. In febribus ~~interm.~~ remittent. nervos.
 hypoch. febr. putrid. aptae tantum
 decot. leniora ex 3j c. aq. 3xj ad col. 3j
 c. valerian. arsenic. serpentar. camphor.
 naphth. In febribus finitis infus. chin.
 vin. In chin. una c. vino 3. In fe-
 bribus hecticis caecae, non sanguis
 inf. chin. Real. aptum est a decot.
 leniora una c. lich. Island. op. chin.
 vitriol. Myrsic. B. Ad roborand. per
 morb. ardor. contra tab. dorsal. hypoch.
 aether. adhibend. sunt inf. chin. vin.
 chin. cinis. c. aromat. decot. chin. c. lich.
 Island. C. Contra morb. nervos. Chron.
 abilitate predominante, hystor. upe.
 valerian. contra spas. lactinat.
 opasm. clor. C. Contra febres. Chron.

haemorrh. habitual. ator, menstual nimis
haemorrhag. petech. & morbit una c. acid.
sulphur, contra leucorrh. una c. acid.
sulphur, alun, ratal. contra strophu
rheumit, uli. impura, caligen. una c.
leib. vol.; contra Erum chlor una c.
antimon, aconit, ferr, sulphur E)
Contra paralyi. arduas, sopor. paraly
febr. typhoi. arduas una c. arnica, contra
sudor. colliquatio una c. serpentar, cam
phor, elix. vitriol. Myrsinit, contra diar
rhoeas coliquat una c. op, columb, cinam
Contra haemorrhag. passiv, c. acid. sulph
R cinam; contra moram. & gangg. vint
variol. gangraenos decoct. elix. fortissim
inf. chin. Theal. concentrat, chinin
una c. morch, camphor, naphth, cinam
Dosis ʒ Substantia; si digestio nec
nimis debilitata, nec febris nimis
ardua sit, ʒss - ʒ; ^{omni hora} pulvis una c. R cinam,
R chin. & vin, in morat & pulul. c.
exts. chinac, The chinac, oleum ʒ Infusa
Infusi. chin. Recal quotidie ex ʒss - ʒj
una c. R cinam. ʒ Infusi. chinac
frigida parat (Qui col. Sems. crudit
vort ʒss ag. font ʒss. Trit. stent

36 per hor. xxv saepe agit. Col. forte cog.
adde R. cinam 3℔. i) Infus. Chin tepid
parata (R. C. P. 3, rad. Zingiber 3, g.
superinfunde ag. pers. ℔ij 2) Infus. Chin
vino (R. C. P. 3, cort. cinam 3, grov.
cortus infund. vin. alb. Gallii. bon ℔ij.
Stent per 8 dies vii saepe agitando Col.
Vtrum ^{Dimid} quater die 3) Decocta Chin
a) Decoct. Chin. ordinari (R. C. P. 3; ag. for
3xvj cog. ad col. 3xvj) quam propter
multas partes suas principum apta
sunt contra atonias profund. reprodut.
febr. tert. postpos. plethia. pituit. blen
orrh. ali b) Decoct. concentrat. (R. C. P.
3ij ag. for. 3xvj cog. ad col. 3xvj c.
valerian. serpentar. arnic. contra febr.
tert. pertinaces, paralyes digestionis
nimis diminuta, pro reconvalescentia
4) Infusio Decocta (R. C. P. grov. cort.
cass. ag. tepid ℔ij. Stent per hor. xxv
saepe agit. leviter tota cog. v. d. per
horas quadrant vel dimid. Col. adde
R. cinam etc) contra febr. tert. pertin.
reoidis, febr. hectic, blenorrh. 5) Ext.
Chin plurimas partes concentr. con
tinent, carent autem volatilibus
Ext. Chin ag. s. ordinari, s. simples

gr̄s - xxx omni tñkoro contra leuorh
 omnes a tonicis c. aluam. Extr. C. S. pingu
parat., anima chinæ, carissimum gr̄s - xxx
 omni tñkoro c. colom. b. rheo, ratanch. tñk.
 digestionem uocalis Extr. chinæ Real
magni effect. Extr. chinæ pro reconvales
Extr. chinæ singul. pro sensib. hysteri
 gr̄s - xxx quater die i. vino, Th. valer.
 castor, pro reconvalesc., post delirium
 traneus gr̄s - xxx - 3ij omni tñkoro c. vin.
 Th. quatr. ginger, aq. menth. Extr.
chin. composit., elix. roborans Roberti
Weyth idem uous & doois Extr. chinæ
obus. uinosa cocti i - ij ter die
Quininum s. cinchoninum (chinæ alk.)
 bid pñtobilitat. maxime augens, san
 guinem incitans, nervos tranquill. De
 componitur alkal. terrie, Sylosephe.
 a) Chinin. sulphuricum gr̄s - xvij pro da
 contra febr. intermitt. pertinaces, sagibili
 tate praeponderante & indigestione in
 ualida c. praeferit ad recidiv. dys
 pepsi & post morb. arduos gr̄s - v - vii
 b) Chin. arct. idem uous & doois
cinæ s. santonici semen (githonifera
Alum. parum (Artemisia contra)
 aromatico - amaro - irritanti tonico

38. maxime anthelmintic. Dosis majori
gastritis. efficiunt Uoni contra vermes
hypertroph. infant. digestionem debili.
potatorum Dosis 3j-ij ter die, infant
℥j-ij cum trichorio c. melle, roborant
lyg. citri. c. ros. 3℥ inf. ag. 3vj Ext.
cinæ æther infant. ʒss-vj, adultus ʒss
mane & vespere.

Citrus (Zitron) cortex (Citrus medica) ara-
matico-amara. Elacoff placidius citri
ʒss-ij - x veritabilis. præcipue in artibus
St. ætherum cort. pomorum, ol. citri
ol. Bergamottæ, ol. de cedro. huc. vlt.
Elematis creta s. flammula Dosis
herb. acre corrosivum. Draconi
æthydrop. & ut putatur anthelmintic
dosis p. ʒss-v 3j-ij inf. 3vj

Cochlearia (Rostkbrunn) herb. (cochlearia
officinalis) acre ammonio volatile, anti-
corbuti. Luxi. cochlear. rec. coq. 3℥-ij
c. succ. citri. herb. rei. cochlear ʒss-ij
inf. ad col. ℥ij. Spir. cochlearia ʒss-ij
ad uinctur ʒvj. Conserva cochlearia
3℥-ij p. Dosis contra corbuti, Dilut. c.
aq. salo. Aq. cochlearia

Colchicum (Zigillo) radia, semina
(colchic. autumnale) acre expectorans
diuretic, purgans, coag. facies ut illi

resolvens; antihemorrh. in ejas 39.
non tantus sis Sosis pulv gr̄ss - jv. Tinctura
colicis contra hydrog. gtt̄ss - 3j. Crymel.
colicis ^{pro Sosis} gr̄ss - 3j. Th. huius colicis gtt̄ss - 3j.
contra arthrit. ator

Colocynthis pulpa (cucumis colocynthis
aere purgans, tonicum, coagulat. facinus
ad caput, pectus, uter. Usus contra hydrog.
hydrothoracis, ascitis, vermes Sosis pulv
gr̄ss - j rar, vel ut colocynthid. praeparat.
fac. s. trochiscis. Abadial gr̄ss - v in bolis
pil. Coct. colocynth gr̄ss - vij. Coct. rae
aq. menth. pip. vin 3j. s. extr. ab-
sint 3j. extr. colocynth 3j. in lacte
poro. Ter die abdomini impingit. Coct.
colocynth. comp. s. catholici. Colo-
cynthid gtt̄ss - xxx; contra arthrit. ator,
ubi incitat. gaudet gr̄ss - v (Pec. Th. colocy-
gtt̄ss aq. menth. crisp. 3j. aq. citrac. s. 3j.
in lacte omni hora)

Colombo, colombo radica (Menispermum
palmatum Lamark.) amarum purum
lente sed longum tempus irritabilit. au-
get, quiescit; majores autem doses conge-
stiones faciunt. Usus contra dyspepsiam
sensibil. diarrh. doloros. sine febre et inf.
diarrh. hemic, deposit. ad vomitionem.

40. Dosis pulv. gr x - lx; 311 - vj coq. v.
aq. fort. 3x ad col. 3vj una i. opio, R
cinnam, macid, gr. minimos. Extra colom
gr x - xxx Recolom 3j - 3;
Conchae preparatae (Ostrea edulis)
acidis decomponuntur, absorbent. Dosis
pulv. gr v - xxx x ad consp. pil.
Conium maculatum, Picuta terrestris
(Gyfladhr Spurling) herba. acri-naroc-
ticum, fortius aconiti, resolvens Urus
ut aconiti, praeterea contra syphil.
inveterat, Gymnema, cataract. incip.
epileps, asthma convuls, pertuss,
morb. glandul. Dosis pulv. ʒj - xxx.
Ea tenae contra abscess. frigidi, hydrocele,
hydrop. artikul. in catapl. foment.
Extra con. macul. v. creat
Extra aconiti Succ. aconiti iros, ʒj - v
omni trichorio. R. conii macul. Sticta
Euph. conii macul. v. creatae contra
indurat. apon una i. euph. Exl. hyome-
campelos. Al. cicutae casu ad frictum
c. liq. saminos. caut.
Contrajerva (radix) Gyflung gr. 311
Stenia Braviliensis aromat. pur. in
octans at imperatoria Dosis pulv. gr. 34 - xv inf ad col. 3vj.

41.
Coccus Cyprianus (coccus, siccus) narcotic
irritabilis. potest in arteriis, congest.
parit ad uterum & pulmones, antispasmod.
Dosis \mathfrak{ss} - \mathfrak{ij} p. dori contra tussim & dolores
gastro-intestinales ad unam thecae port.; \mathfrak{ss} - \mathfrak{iii} ad ca-
topl. unum. anodyn. in abst. mammari-
22 cocc max. effect. contra tuss. dolos
gastro-intestinales, contra arth. aton. menstruat. de-
ferent \mathfrak{gtt} x - xxx Syrup. cocc \mathfrak{ss} p. dori

Cotton, oleum (Cotton, tygium) acre
purgans, drastum, jam nonnullae est
utilit. iofrit. purgant lens. contra
obstruit. pertinas, kern. in arverat.
Dosis est $\frac{1}{8}$ - $\frac{1}{2}$ in aether, alcohol, ol.
posas, gtt v - xv contra taeniam

Cuprum aceticum alterans, Decomponit
alkal, acid. sulphur, phosphor, mercur
& nitri a) Cupr. acetic carbonic auz

aer viride, viride aeris usus inter
ut emeticus propter effect. dubium rarus
Externa contra herpet. leunius 6) cuprum
subaceticum aerigo crystallisata s. de
stellata Donis gr $\frac{1}{4}$ - in solutione, aut
gr $\frac{1}{10}$ - v. in $\frac{3}{4}$; solent pro ejectionibus
Ocymel acruiginis externe in linit, in
flet. Cerat. acruiginis s. lang. Reggiana
absoluit

Cuprum sulphuricum crystallisata
vitriol. cupri, s. coeruleum s. Veneris
v. de Cypro, cuprum vitriolatum aut
autem, parum, tonic, emetic. Antepi-
modi usus contra epileps, chor. & M.
Donis gr $\frac{1}{4}$ - in omni tribus c. liquirit. aut
in solut, vel ut gargar, vel in pil, an
valerian, ad fort, amon. Emetici cupri
sensibilitate maxime documenta, v.
neu. narvat, thaplan, mania. Donis
gr $\frac{1}{10}$ - v. in solut, vel ut Marrubii
Dry vomitici (Thei cupri sulphur, test
Quatru a gr $\frac{1}{10}$; Donis in $\frac{1}{2}$ p. aq. b.
Pulv. omnibus decem horis manita
Tonic usus contra feb. intermitt, hep
blennorrh, gonorrh & fluor alb. chron.
scrophulosis, pituita v. amaris, aut

hydras alternatim c. purgat. a tonis, contra
Diarrh. chron. in climacibus calid Dosis
ss-ij Externe contra herpet, ulc. veru, hinc
℥-3, ad anung 3j; 3℥-ij solut in aq. 3℥j
℥vj-xxiv solut in aq. d. 3vj ad collig. & in-
jectiones; in puls. ut styptic contra hae-
morrhag. ca. ulc. scorb.

Suprum aluminatum s. lapis Divinus.

Opthalmicis maxime adnugens, can-
thar. usus contra opthalm. chron. c. lachry-
mationem, decubet, ulc. impur ʒvj-xxij
solut in aq. dest. 3vj; contra gonorrh. &
H. alb. chron. 3℥-ij solut. In aq. d. 3vj

Suprum sulphureo-ammoniatum

Suprum ammoniacale Mercurio, tonicum

antispasmodic. usus contra epilepsion
inchoat, chorcan. ℥. ℥t. feb. intermitt
inapurent. primarum vicor. remitt. Dosis
ss-ij in solut (Thec caps. sulphur. pur
℥v-℥ lig. ammon. pur 3℥-ij solut. addi
aq. valerian. q. s. ut tot. efficiat 3℥℥.
ter die gtt. x-xi una c. mirilag) aliquot
caps. ammoniato-muriatici 3℥ in 3℥
aq. dest coct. j. omni tr. horis. Aether
caps. gtt. v-℥.

14 Cydonia (Quitha) semina Syrus
cydonias demulcens. 3℥ fuit c. ag. 3ii;
mucilago fit

Digitalis purpurea Lingua foli
i. herba Digitalis sens. astior. in pharynge,
vomitarit. Diarrh. Dolores efficit, thori
puls. spasmodici, picro, icter, intermitt. doli
capitis; tum sequitur puls. lentus, congestus
ad caput putans, vertigo, pupill. extensa
auctae duricis expectorationes, mania;
majoribus paralyi, amaro, asphyxia
mors adducitur. Usum antiparalyticum
contra hydrop, hydropemur, abstinere.
Ex d. Kali accl. gutti, ramos, aloe, in vine
vill, gratiol. in hydrocephal. nimis ex
contra scrophul, struma, prostatica, orchitis
puls. debil intermitt. exanthem. chron. hep
ticam, arthrit. abou, rheumat, morb. chron
adduct. syphil aut Gonorrho; contra em
orria sine plethor, paralyi pulmon, lingua
impotent. viril, melanchol, stuporem
Usum antispasmodicum contra epileps, notu
leps, palpitat. cordis spasmod, abstin. conu
morb. spasmod. cord. & pulmonum, haemorrh
spasmod. Dosis herb. siccae ʒi 1/4 - ii 1/2 ter
die, ʒi - 3℥ inf. ag. fers. ʒij, dig. p. hor. dimid
3℥ - i℥ coq. i. ag. 3℥ ad coll. ʒij Succo rec.

iiii - 3; Herb. rei coctus imponend. 45.

Strum, nod. arthrit. Re Digital. purp.

simp. gtt v - xxx Re Digital. p. act. gtt v - xxx

Extr. Digital. purp. gtt - iii - x Rec hab.

Digital. p. 3; liq. ammon. accl. q. i Dig. p. 6

Lxiv Col. Lym. Coch. parv. omni biloriz

contra palpitat. cord. Acinacotium

Dulcamara (Cuthus. Reliquum. Stipit

solanum Dulcamara) acinacotium

mucoem volens, Diaphor. tit. narcoti

us contra morb. reproduct. chron.

eroplant. exanthem. chron. aton. arthrit.

aton. rheumat. chron. hydrargyros chron.

morb. artium. catarrh. pulm. plethia.

pituit. tuberc. hepatit. chron. icter.

melancol. neurot. cessant. Dosis

pulv. grv - xxx 3 ii - iv inf. ag. liq. prod.

3 i - j ag. fort. 3 ii Maier. p. hor. xxiv ag.

per h. Demid Extr. vel succ. insp. Dulca

3 ii - xxx in solut. pil.

Elemi qm elemi (Albun. pur.) Amur.

elemifera) balsam. Diaphor. Dianet. pi-

stans. Ung. elemi s. bals. Arac. contra

ulo. torpid. laxa.

Euphorbium (Euphorbia officinarum)

resin. acre corrosiv. Drastii. Urus inter

gastrocnem. grv - iii in mist. ol. aut pil.

Re euphorb. externa sicut empl. euphorb.

contra vit. rheum. arthr. rheumatism.

46 Tarfara (Zuplatzig) herba (Lussilago
 farfara) Tonicum. Dosis pulv. in electuar
 gr. x - lxx. 3ss - j coq. ad col. 3ss; cyath.
vel tauri v. bilis bovina amarus
 purum, resole. tonii, aucto pasnod. Ung.
 contra algore col. dyspepsi. 3ij - v in aq.
 menth. p. v. vel vino. vel tauri coq. p. v.
 gr. v - xx in solut aut pil. Entericis
 lumbri.

Terrum muriaficum ex gutta
decomponitur alkali, nitr. phosph.
salibus acet., tart., borac., sapon.
hepat. sulfuris. Servit ad praepar.
a liquor ferri muratici i. ol. Martis
entero. in baln. 3/4 - j ad baln. naum.
Ph ferri muratici Ph Martis valent.
s. aurea Eoenbuaghenorum Nos crat.
aton. telae cellulosi, membran., systemat.
lymphat. venarum, oligacemion., a mem.
aton., chloro., charact. Liquis gtt v-xx
omni. Forhoris una i. ag. citracon., cad.
sys. simpl.

100. single
 of spir. sulphurico aether martiatum
 Diatherica ferri munita. R. R.
 nervosa. Betulae ferri. R. R. aurea
 vicia. Locia de la Pottin. lig. an
 mineral. mortat. Rous. contra. atom

universal. sensibilitate acuta, p^{er} h^{ic}.
hysteria. sensibilia, disposit. ad spas-
m^{os}, syncope, epilepsia, & ad apoplexiam.
Dosis gr^{ss} x - xl in sacch. vel ura d.

aq. cinnaom, cassia

Terrum limatum purissimum s.
limatura Martis s. alcohol Martis

Usum contra aton. chron. systemat. vasa
digestione non nimis debilitata. Dosis

gr^{ss} - v in pulv. c. fl. cassiae, faba p^{ur}pure.

Terrum oxydatum nigrum, aesti-
Martis

corus Martis, ferrum cal-
cinatum nigrum ut ferr. limat sed in

majoribus dosibus gr^{ss} iii - xx

Terrum oxydatum fuscum, corus
Martis aperitivus, ferrum carboni-

halo saepe appellatum gr^{ss} iii - xv

male adhibetur contra ulc. maligna

Terrum sulphuricum purum s. cry-
stallisatum, octroolum Martis s.

viride maxime adstringens, Stygia
decomponitur alkali, terreis, vel. ammoniac

sal. nitri, natri, argenti, hydrargyri,

natri. muria, sal. acetic, sapone, keph.

sulphuris, cygloseph. Usum contra aton.

localia & universalia, disposit. ad emphy-

sema sensibili, post crach, sulph. cont.

hemorrh. haemorrh. aton, laetit. ligam.

48 Dosis gr. - ʒ in solut^{ne} electuar^{um} Lat^{ina}
in bala ʒss - j (Rei octrofol. Mart 3vj - xj
fl lavandul ʒj - ij M. S. tal. Dov. vj) xal
injecit atq^{ue} lacera

Ferri pomati extractum usus contra
aton^{iam} systemat. sanguis & abdom^{inis} genit^{alis}
chlorosi, animum, post mor^{bos} arduos
omnium Dosis gr. - xxj ter die.
cot. curant, rad. rhei, gentian. rub^{ra}
R^{ex} ferri pomati q^{ui}tt^{us} - xⁱⁱ omni h^{abitu}
R^{ex} ferri cydoniata Dosi. & usus ut R^{ex}
ferri pomati

Structura ferri acetici acethica
rothii, liq. anodyna - martialis
q^{ui}tt^{us} - xxvj ut R^{ex} ferri pomat, p^{ro}nt^{us}
ad apoth^{ecam} v^{er}g^{it}ur

Ferri hydrocyanici & Zoot^{eriaci}
Borborocida gr. - vij brevis ante
paracoc^{um} feb^{ris} intermitt^{ens} p^{er} h^{abitu}
gr. - xij omnib^{us} quind^{ecim} minut^{is}
contra cavernat. & crepro

Filix mas (Sedum) / radex Polyp^{odi}
filix mas) acce aromatatum, an^{thelm}
3j - jv ter die^{bus} postea drast^{ica} ʒss - j
o. aq. q^{ui} ad col ʒojj. Extr^{actum} feliv^{is}
senosum v. balsamicum contra t^{um}
gr. - xxx vespere & mane diei sequ^{entis}
in post horas duas ol. ricini ʒij

Foeniculum (semen) (Anethum foeniculum)
dulcorans, expectorans, congest. ad phlegm.
faciens majoribus in dosibus. Ung. Rosae
et anisi Ag. foeniculi. Elacoff foeniculi
Syrupus foeniculi. Pulo. galactopoeus

Fumaria (Fumaria, Largalla) herb. Fumaria
officinalis amarum purum, irritabile
eugens, resolvens usus contra catarrh.
pulmonal. chron., phthis. putrid., infarct.,
emanth. chron., roborat. Dosis gr. $\frac{1}{2}$ - $\frac{1}{4}$
3j - 3ss coq. ad col. 3vj; Lucc. rec. expr. 3j - 3ss
c. millefol., Rosae Ext. fumarie
3j - 3ss in pil., solut.

Galanga (Galanga) radix (Maranta
galanga) aromati. purum, carminativ.
toxic., excitans ut Zingiber Dosis pulv.
gr. v - xx, 3ij in f. ag. q. ad col. 3vj R.
galangae gtt. x - xxx

Galbanum qm galbanum (Mustafa)
qm ferulaceum aptius ad congest. ecci-
tans quam qm amariore. Ung. contra
hypochondr. amenorrh. aton., arthr. aton.
rheumat. chron. Opprimet in affert.
pulmonum Dosis gr. iii - xv in pil. vel
matur. ol. trit. c. qm aut vitell. ov.
3j - 3ss in enemat. R. galban. gtt. x - xx
Ext. in empl. c. acet., turbiath. Empl.
ie galban. croci & empl. oxycervicium

contra intumescent glandul, profundior
 pectoris Dolores rheumat. *St. galli. celtica*
 gtt. i-iii ut *St. gall* contra arthrit, am-
 norrh. maxime aton astrictus est ad con-
 Externe in liniment. caupit.

Gallae Turcicae s. quernae astringent
 Usus contra fluxum, Diarrh. menses
 henteriam, flux. coeliac, haemorrh. aton,
 a Haemorrh. remedium cruditus est. Dosis
 in pil, pulv 3, -iii coq. in ag. fort. q. s
 ad col. 3, -iii contra infect. operacum
 tart. stibiat. Externe contra fluxum
 chron. genital, prolaps. recti, uteri,
 vaginae, nos. haemorrhoid. Dolos, ha-
 morrh. cauli. scrobis in inguine
 3, -iii coq. in ag. 3xx ad Albi
 d. alum

Gentiana rubra (pel terrae) radix
Gentiana lutea aniarum parum
 irritabile. aget, sanguis. effervescit
 sensibilibus diarrh. facit. Usus
 dyspeps. sensibil. i. acrimon. A vomitibus
 una c. rhus, maid, moschet, cenan, cari.
 ad apoth. therap. morb. gastric, feb. interm.
 dysenter, verum. c. cenan; contra
 arthrit. aton c. gajac, camphor. Dosis
 pulv. 3, -3, 3, -iv infus. aut coq. ad

Cotr. gentiana gr. 14 - xxx Th. gentiana 57.

Si-3, Th. amara gr. 1 - xl contra torpor.
hypersthenia etc.

Geoffroya cortex Geoffroya Lurcanum
aere corrosivum, emetici, drastici, aet.
helminth. tonic. Dosis pulv. gr. 1 - xx, 3/4
coq. ad col. 3 viii

Gramen (Linum) radix Anticium repens
ut cassa arenaria. Mellago graminis

3 i - ij ad 3 vii ad delicifac. et involuc.

Granatum, cortex pomorum, malicorum
appellatum (granum granatum) aet.

ut gallae toris toris pulv. 3 i - 3 ii, 3 ii - iii
coq. ad col. 3 vii cortex radicis granati

ma. a. anthelm. et. Majos. Dosis ver.
vomit. dolor. abdom. efficiunt Uter contra

tacniam Dosis pulv. 3 ii - j series die
infant. pars dimid uval. c. Et. 3 ii coq.

c. aq. 3 xviij ad col. 3 xij sumend in tribus
part omni hor. dimid el. vicin. 3 ii di

ante sumptis

Graphites (Crystall.) Uter contra herpet.
Dosis pulv. gr. 1 - 10 in pil. et. 3 ii coq.

ad col. 3 vii in elect 3 i - ij pulv. otto die
Ecce 3 ii ad axill. 3 ii radix

Gratiola (Quadrifida) herba Gratiola
officinalis revolvens tonicum purgan

tonificans, aere corrosivum Uter

52 contra infarct, hydrops, Stupor
vermes Dosis pulv. gr. i - xx, 3 - 3ij coq.
ad col. 3vj Extr. gratiolae gr. iij - x Rad.
Guajacum (mugosifol.) Lignum i. lign.
sanitum Guajacum officinale Pho-
phoret, Meret, irritans, maxis Dosis
pariunt exanth. mobile, inquiet. Uter
contra arthrit. aton. rheumat. Chor. Extr.
Dosis 3i - ij coq. c. ag. Uter ad col. 3ij
pro debui duobus luna i. liqu. rad. pari.
rad varia pari. Species liquorum i.
medicamentis Phlegma Guajacum i.
trit. c. cytis omni Behavio Extr. liqu.
Guajacum gr. iij - xx Resina Guajacum
nativa diaphoret. resolvent. Uter
contra affect. uteri aton. obstruct. hypo-
chondrii Dosis gr. iij - xv trit. c. Uter
vite ovi Phlegma Guajacum ammoniat.
colletit. Extr. xv - Lx pro torpid Sapo
Guajacum gr. i - xx tor di.
Gutti, gr. Guttiae (cambogia gutti)
age Marfan, emeti. ducat. coag.
acheni Uter contra hydrop. tachy-
styporem. obstruct. torpid Dosis gr. i - x
trit. c. vite ovi Sapo Gutti Phlegma
Gutti elati 3vj Rad. pari. 3ij coq. c. ag.
3ix coq. ad coagulat. in ip. adde Rad. pari.

3ij in aq. dest. 3j solut. Coq. l. a. ad 33.
Constit. saponis 3j gr. iii - xx
Helenium, emula, inula (Blanchet)
Inula helenium acri-aromat, Diopht
monteous incertans, mucum solens.
Usus contra catarrh. pulmon. cheou
anorex. & alios morb. catarr. Dosis pulv.
para 3j - 3j, 3j - 3j, 3j - 3j, 3j - 3j.
Extr. helenii gr. v - xxx. Colere contra
scabie.

Helleborus niger (Helleborus)
radix acre corrosivum, purgans, doctus
majoribus Drastringum; resoluens incertans
Usus contra arthr. aton. amenorrh. aton.
Dosis parvis pulv. gr. ii - v 3j - ii
infusum ad col. 3oj Extr. hellebor. nigr.
semissperituum gr. iii - x R. hellebori
nigri gr. x - L

Helleborus albus s. veratrum album
radix acre corrosivum. Usus catarr.
ut hellebori nigri. Extr. contra scab.
pedicul. & pulvis sternutatorius. R.
hellebori albi gr. v - x contra taeniam,

hedrop. stuporem
Helminthochortos (Munimwood)
anthelmint. Dosis pulv. in electuar.
gr. x - L 3j - 3j in f. ad col. 3oj p. di.

54.

Hippocastanum (Euphorbia) cortex (acotulus hippocastani)
amaro-adstringens, mucosum. Ung.
Ung. contra hemorrh. uter. Dosis ʒiij
coq. ad col. ʒvj Ext. hippocastani

Hydrargyrum depuratum Mercurius
beatus s. currens depuratus contra
obstruction. mechan. tubi intestinalis
convulsus. intestina, intest. duodeni
intestina. superiora, ileum & infl. venter,
hern. incarcerat ʒss-ij

Hydrargyrum ammoniatum s. mercuriale
s. mercuriale precipitatum s. oxy.
datum mercuriale ammoniatum Mer.
curius precipitatus albus s. cosmeti-
ci mercuriale Ung. extern. tantum
est contra vapores oculi. ophthalm.
pediculi, scab., herpet., tinea capitis
ʒss-3j ad oculum. proci. ʒj vel solut
in aq. rosarium ʒj

Hydrargyrum nitricum oxydulatum
crystallinum resolvens, resorptionem
facilitans. Dureti., act. syphil., lenius
sublimato Dosis in pil. c. pulv. albi
ʒss-ij Liq. hydrargy. nitri oxydul.
P. Proci. ʒtt. s. c. mucos Liquor

Hydrargyri. nitric. oxydati Ph. Bor. 55.
ut loq. Ballo^t externum tantum applica
Ung. Hydrargyri citrinum

Hydrargyrum hydrocyanicum s.
Zooticum, s. Zoonicum s. Zooticum
s. Zoonicum solubilis in octo part.
aquae. Effect. profusus. & celer pectus
& abdomen non valde afficiens. Uons
contra syphil, ulc. syphilitic. pharyng
dolor. osium venereos. Dosis initio
gr. j. p. die, subinde gr. j. - iij. in sol.
Rec. Hydrargyri. Zootin gr. j. - vj. aq.
laurocerpi ℥j. Sol. s. gr. xx - xxx
omni trihorio i. linct. crys. amygd
- aq. foenicul. Praeteron alvitis
applicari potest)

Hydrargyrum muraticum
corrosivum Mercurius sublimatus
corrosivus antisyphil. resorpt. ca-
ritans, resolutus, alterans, die-
phoreticum, Duraticum. Effectus
est celer & vehemens, haemorrh
pulm. & uteri atq. abortus, quia
propter vitandam est, quam tuonia
doloros. sive incedat. Vitanda sunt
Decomponitur alkali puris & carbon.

56 Ferris, sulphur, hepat. sulphur,
phosphor, metall. sulphur, sapor,
gelatin, synglodeph, substant. ol. purpur.
muro, opio, sclerine autem album.
Usum internu contravagantem rei,
quam inveterat qd in pro die progre.
ad qd in solut & pil (Pici & sub.
corr qd - is ammon. muriat. de qd -
solue in ag. dest. q. s. add. cat. cort.
aurant. 3j purv. cort. aurant 3j (can.
3j - i vel op. crud qd - iij) h. f. pil 64
cons. & cort. aurant 5. lil xj - xvj pro die
(Ret hydrargyr. muriat. corr qd - i is am.
mon. muriat. corr 3j - i solue in ag. dest.
3iii add. syr. liquid 2j h. f. cat. tra
vel quatuor p. dies) Externe contra carum
qd - vi in ag. dest. 3j uva c. ammon.
muriat. qd - vii, contra ulc. perteni.
exalt. charo, herpet, fin. caput, vater.
contra aciem faciei qd - iv in ag. ros. 3j
cum Ole. beazois 3j - i, contra ophthalm.
choro, ophthalm. neonatorum (Pici & sub.
qd - iii ag. rosarum 3j simil. sem. opio.
1) Aqua phagedaenica v. aurea (alt. p. p.
muro) qd xviii ag. cali 3xj) caustic.
ulc. vener, bubo apertis, contra exalt.

porric & herpes 2 / Spir. camsternus 57.
ad condylomat. Thursti / Ex saplin. con
3 / calypso 3; spir. vini rectificatus 57.
3 / Ung. mercuriale de Cirillo (Ex subl.
con. 3; ac. cog. por. 3; / contra syphil. in
veterat, praecur. cariem, videri 3-3
bis die palmis pedum infragendum
Hydrargyrum muriaticum nite.
Mercurius dulcis irritabilitatem &
productionem altiorum diminuit, re
solucis, resorptionem incitat, plasti
citate. Delt, secretiones mucosas
hepatis & intestinum excitat, anti
syphiliticum, maioribus dosibus purgan
Decomponitur alkalibus & terreis, ferr.
plumb & cupro oxydatis, salibus sulph.
nitri, muriaticis, chlorina, iodina,
hepate sulphuris, rapone. Uusus contra
infl. vehementes, laryngit, tracheitis,
bronchitis, scarlat, morbill & alia
exanthem. synochic, nec contra ga
stritis nec enteritis ʒss - ij oum bi
horio; ~~contra~~ syphil. in veterat. c.
affect. ossium ʒss - ter die; contra
vermes ʒiij - v ter die c. jalapp. gutt
elect, haemorr. Haless, filic. near.
ut purgans in obstunt. peritiae. infl.

58. nervos, febr. synochici, in primo stad.
febr. nervos $\mathfrak{g}\mathfrak{ss}$ - \mathfrak{ij} omni hora c. liquirit.
cocta. Ut critani pro prodruct. profusa.
contra coact. chron, morb. membr.
nervos & glandul. chron, scrophul.
atrophica, hepatitis. chron, icterus
c. sulphur. aures. cat, anisaris, rheu,
jalapp.

Hydrargyrum oscydulatum nigrum
Per se, acthiops mercurialis per
Mag. hydrargyri cinereum, ung.
Neapolitanum s. Terebrathina contra
inflaccol, bronchit, tracheit \mathfrak{z} ad
empl. imponend; contra uli. syphil.
prim. ar. syphil. universal. in alterat.
ut frictio \mathfrak{z} - \mathfrak{ij} ter die, postquam ut
 \mathfrak{z} in intera. frictura & organa di.
gestio. affecta fuerint. Contra per
dicul, roscien, hygrophob. vulveri.
impositum ung. ad valicat. Ut urit.
 \mathfrak{z} - \mathfrak{iii} quotidie ung. ad valicat contra
hydrocephal, hydrop. anasar, gland.
intumescat una c. galban, ammon.
ol. Terebinth; praeterea contra art.
acut, rheum. chron, colic. Saturn.
Mag. hydrargyri cinereum c. Terebinth.

1. Ung. Neapolitanum iisd. indicat. 59.

adhibend, quibus ung. prius, cute caerte,
torpida, paralytica 3) Ung. hydrargyri

inereum fortius ʒj-ʒj pro die contra

hydrocephal, tumores ossium, glandul &

articul. 4) Empl. hydrargyri. s. mer-

curiale, ut ung. mercur, contra inf,

furuncul, tum. glandul & articul,

toph. vener vel arthritic, orichidon,

hepatone

Hydrargyrum oxydatum rubrum

Mercurius praecipitatus ruber Intern

contra syphil ʒss - ʒij Extern ca-

stui: contra ali. syphilit, bubon. apert

condylom, vuln. & morsu canis furios

(una c. ʒss d. & belladon dosibus magnis)

contra ophthalm. uncos. chron, ophth.

Aegyptiaci, pann. ocul, macul. comes

in pulv vel ung. ʒss - ʒij ad astring

pore: ʒij (lentis magnitudine oculi

applicandum)

Hydrargyrum oxydatum nigrum

praecipitatum Habacuamii Merc

solubile Habacuamii. Mercurius

praecipitatus niger, turpethum nigrum

60 non molest. faciens contra syphil.
innoterat gr^{ss} - j ter die c. liquorit. cort.
contra ulc. pharyngis in liq. (Pur^g &
solub. Flaku gr^{ss} - lxxi. syr. althaeae, ag.
foenicul a 3/4 spir. sul. ammon. anis.
M^{us} Coch. omni bilionis) Contra morul.
corneae gr^{ss} - j ad olivum. 3/4 Deco.
ponitur acis, sal. acid, sal. muriatic.
hepate sulphur

Hydrargyrum stibato-sulphuratum
s. aethiops antimonialis altera
resolvens systema glandul & cutem.
Diaphoretici Usus contra arthrit.
atou, rheum. chron., exanth. chron.
ocrophul gr^{ss} - xv quater die c. vin.
guaiac, camphor, cat. aconiti

Hydrargyrum sulphuratum nigrum
aethiops mineralis s. mercurialis
puro. hypnoides ut aethiops an-
timonialis Externi contra exanth. chron.
scab, paedial 3j ad acnag. 3j

Hyoscyamus (belyubant) herba
(Hyoscyamus niger) narcotium, act.
auget irritabilitat. in cereb, sensor.
pneumonibus, anodynum, antispasmod.

Dosis maiores spasm., coagulat. ad 61.
caput, ocul., pulmones afficiunt, vertiginem,
anxietatem, respirat. molest., apoplexi-
am contra spasm. con., praecipue
in febris. typhos., eclamps., hyst., epi-
leps., hydrop., spasm. pectoris resolu-
tum, perhustia v. mosth., castor., colic.
Satura v. alum., contra dolores vehementes
neuralg., vuln. nervorum, praecoracis
contra trism. & tetan.; contra dolores
ossium arthrit., vener., Eriol., tussin
dolorosam, abcess. mammae, urethritis
chor., verru. Dosis gr. iij - x omni trihor.
in pulv., pil. Extern. contra spasm.
vesicae, tenesm. recti ex haemorrhoid.
vel dysenteria, contra colic. spasmod.
in dysenter., lienteria, cholera ℥ij - i
c. spec. emoll. ℥iij. Extr. hyoscyami
gr. - v part herb. hyoscyam. praeterea
sensibilitate praedominante, haemera-
phobian. oculorum sensibilitatem
in collyr. gr. v - xv ad ag. ros. ℥ij. Pilulae
sedativae pro pauperibus Stufelandi
herb. & extr. hyoscyam. a) Empl. hyos.
contra tumores glandul., didymus. dolor.
c. empl. mercurial. contra rheum. fix.
c. camphor., oleo.

62. Empl. hyoscyam. Kufelandi Ric
empl. hyoscyam $\mathfrak{z}\mathfrak{i}$ opii pur. \mathfrak{ss} Malac
temporibus applicandum. Alin hyoscy
suppurum vel coctum contra colic, Dol
ad port. vehement, tenses. haemorrh
rheumatism. ^{31-ii \mathfrak{ss} exenatib.} Th hyoscyam simpl
Th hyoscyam. aether $\mathfrak{g}\mathfrak{tt}\mathfrak{x} - \mathfrak{xxx}$ omni
triborio ut antispasmod. praecoc
Hyoscyaminum contra iritid, vido
propterea, iridosquech. menacent, cata
ract, aut coratonyr, blepharospas
in collyr; contra spasmod. colli vesica
arivisinae, ad supportand. operation.
~~vesicari~~ recte; contra part. diffusi
in injecit, catapl, uog. Semina hyos
cyami contra tuss. Dolo, cruent in
emuls. Ric. sem. hyoscyam $\mathfrak{g}\mathfrak{s}\mathfrak{x} - \mathfrak{xxx}$
sem. papav. alb $\mathfrak{z}\mathfrak{i}\mathfrak{j}$ ag. ceras. nig $\mathfrak{z}\mathfrak{j}$
syr. amygdal. $\mathfrak{z}\mathfrak{i}$ in f. l. a. emuls. s.
Cochl dimid velj omni hora
Hyosopus ($\mathfrak{z}\mathfrak{j}\mathfrak{ss}$) herba (hyosopus) ^{irritat}
nalis aethereo-aromatic, revolvat
expectorans. Uoni contra catarrh
pulm. chron. Dosis $\mathfrak{z}\mathfrak{j}$ rasurad. vel
aag. ad aquam cyath $\mathfrak{z}\mathfrak{i}\mathfrak{j}$

Jalapapa, jalapa, nadin, convol
vulus jalappa acre purgans, tonic
doses majores emittit, coarctat. facit
Uterus contra impuritatem primarum
viarum mucos. in febr. putrid
febr. intermitt, hydrops, verminibus
dosis pulv. gr. x - xxx, in faustig. iij
Pro jalappa 3, iij ss. di. trit. i. oys. 4
ochlos. c. rheo, oys. manna. Doctea utitur
in loco De ghajai contra arturitatem
pauperum una c. Ricroris oys. si
diarrh. faciat. De lavativa De jalapa
oys. singul. 3 / each. parv. iij - iv, in faustig.
ochl. parv. i. Resina jalappae
pulv. emuls. solut. basi calore
gr. v - x, in pul. Capo jalappiacis
gr. x - xxx carui est. Marra pilularum
resina jalapp. s. pil. Ecles s. purgans
gr. vii - xii ter die. Pil. jalapp. Th. v. e
oys. jalapp. 3 pulv. rad. jalapp. 1)
Plectuarica anthelmintica Hoer
ochl. parv. ter die. Extr. jalapp
agrosan ut extr. rheo ag. in dosib
minoribus, in primis contra hydrop.
toppid.

Ichthyocola, colla piscium
impul. blasp. Scorpena Thoris, stellari
hudo) nutritias. Galatina ichthyoi
iii ad 3oj, in pot. 3ij ad 3ij ita Empl
coy. c. aq. liij.

64. Anglii. praeparandum aceticum
Imperatoria (Maifanum) radin
(imperatoria astruthium) aromati
pauca, irritans roborans, diaplo
ros. majore dolor. ventris facit. ut
ut rad. serpentariae, angelicae
pulv. ʒss - xxx, ʒij - vj. adcol. 30
Jodium, jodina, jodum diminuit
deur. batt. systen. lymphat (secundum
Trachelia recropt. auget, systen. glan
stimulat) dores majores digestio
molestat, vomiturit, dolor caput
constrictionem pharyngis, gastritis
mortem efficit. In dispositione
ad haemorrhag. pulm. petri & a
phthisin, vitandum est. R jodina
(jodin. puriss ʒxlviij. spirit. vini
alcoholic. ʒij) qttiii - 2 bis die
tinct. muc. vel aq. ff. contra
pul. tumor. artic. atroph. h
Tum. phthis. tubercul. hydro.
scirr. pinguitud. (man. c. purgant.
Cuti pingui collabenti facient. co
aq. Saturni & extr. belladon. impo
contra chlori & amenorrh. aton.
in vicay. c. ferr. radina, mellef.
croci tester jodina Boere
aeth. sulphur p. ʒij ut R jodin.
Torpid. typhus. Kali hydriod.

minus effervescent quam jodina. 65
quapropter adhibetur in statu sol-
uto inflato ut liquor natri hy-
driodici (natri hydriod. $\mathfrak{z}\mathfrak{j}$ aq. dest.
q \mathfrak{t} \mathfrak{z} - \mathfrak{xxx} in \mathfrak{f} rec. liq \mathfrak{t} . Th. n \mathfrak{a} st.
hydriod. jodinata (natri hydriod $\mathfrak{z}\mathfrak{j}$
jod. pur. \mathfrak{ss} spir. vin. alcoholis. $\mathfrak{z}\mathfrak{j}$)
ut liq. natri hydriod. sed magis effervesca-
tis. natri hydriodici (natri hydriod.
 $\mathfrak{z}\mathfrak{j}$ aq. $\mathfrak{z}\mathfrak{j}$) contra strumam, tumores
scrophulosos, tumores albi, auris magnitudi-
ne frangenda. Melior est solutio natri
hydriod. in spir. lavandul. aethere
Empl. jodinae (natri hydriod. $\mathfrak{z}\mathfrak{j}$ empl.
olei $\mathfrak{z}\mathfrak{j}$)
Ipécacuanha (Simpson) radia (ce-
phaelis ipécacuanha Willd.) aere
emetica, antispasmodica, expectorantia,
diaphoretica, dantur majora emetici, maxime
diaphoretica, expectorantia, interdum purgans.
Emetici, quod maxime evitandum. Aug \mathfrak{t}
 $\mathfrak{z}\mathfrak{v}$ - $\mathfrak{v}\mathfrak{ij}$ omnibus decem minutis
melius, quam \mathfrak{ss} - \mathfrak{j} semel. Nauseas
resolvit, evanescunt tibus regressis, melan-
cholia incipiente, contra hepa-
tici, asthen. convulsiv. spastic. he-
patit. chron., hydrog. sacca, tumores
chron. $\mathfrak{z}\mathfrak{j}$ - \mathfrak{j} Antispasmod contra
spasmos, dolores ad partem affectam.

66. *Spasmod, asthma, pectoris, portus, spasm*
cutis, epileps, chor. & lit 2 1/8 - jom
hora una. c. castor, fl. junci, capro, sp
trachioi ipecacuanhae 1-11, omni
behorio ut resolvens. Super. ipec
uanhae (rad. ipecacua 3, infund
aq. her. 3ij) optim est ad vomit
Coche, j omibus decem. muniti, inf
coche pars. Vinum ipecacuanhae
ut via. stibiat. Emetrum, emet
(hand sine periculo) 9 1/8 - 11
Juglans (Gulump) cort. virides &
Metamora (juglans regia) amara
aromatu, tonic, ant helminth. 3ij-11
inf. vel coq. ad col. 3vj. Externe contr
ulc. scorb, verrucul, & rles. Ect.
nuc. jugland 9x-xxx
Amberis baccae & liquan (juni
peris communis) acre & aromatu. bal
& amio, irritans, moriue Druretu
Dosis. major. vomit hinc & vomit. for
Practerea expector, ant rheumat, art
arthriti usus contra hydro, aton
system. uropoetici. Dosis plus 3j
3ij-4j inf. ad coct. 11. Lute juniper
inspissatus i. roob juniperi 3j-4j
omni tihorio. R. juniperi 3j-4j. R.
juniperi acth. gtt. x una & tereb. Th

vitale. ovi. Laterae in limbo. 167.
ut autem a telic. Aqua purpur
Spir. purpur 3, - 1, amant tri horis ut
adjuvans met. Dureticum signum
purpur 3, - 1, coq. c. ag. l. v. ad
col. l. ii.

Nali aceticum, terra foliata tar
tari, arcannum tartari temperans,
advalens, maxime dureticum, leniter
laevans. Quod cum aere enpositum
fluit, in pil. aut pur. non dari potest
sed solut. 3, - 1, pro die, vel liquor
Nali aceticum, liq. terrae fol. tart

lous: contra feb. synoch. lenis quo
onnis per cutem promovetur; contra
ophthalm. erysipel. faciei synoch. en
cephalit. coag. ad casum pectus
3, - 1, pro die in aq. rub. R. Sacchar
servit ad velend. qm gutti, alios
contra ebrietatem. Pro pauperibus
ad foucat. a. a. p. l. o. g. i. t. in istius
loco adhibetur liquor Nali aceticum
ruber. R. Nali subcarb 3, - 1, coq.
vin. q. s. ad saturat. liquor Nali
aceticum spirituosus (R. Nali acet 3,
Spir. vin. rectif. 4,) q. s. xv - lx maxime

68. Diureticus prodest contra oedem, atroph., rheumatid., neurosit., plethor. abdominis. Guttac aperientes Rec. liq. Kali acet. $\mathfrak{z}\mathfrak{i}$ R. rhei aq. $\mathfrak{z}\mathfrak{i}\mathfrak{j}$ Coch. parv. anni beloris. Liq. Digestivus Boerhaavi Rec. Kali carbon. $\mathfrak{z}\mathfrak{j}$ - \mathfrak{ij} acet. cret. $\mathfrak{z}\mathfrak{i}\mathfrak{j}$ - \mathfrak{iv} aq. com. $\mathfrak{z}\mathfrak{i}\mathfrak{j}$ - \mathfrak{iv} Coch. anni horu. Decomponitur omnibus Kali carbonicum depuratum: acidis, acid. barai. & oleo. exceptis, & salib. sulphur., phosphor., nitri, muriat., tartar., succin. Kali carbonicum depuratum, Kali subcarbonicum depuratum, alkali vegetabile, sal tartari, cineres cl. bellati, potassa depurata, resolva. temperans, laxans, Diureticu., acrimonia. absterge., quapropter antispasmod. & ant. emetici. Uterus contra acrimonia & colic. iade oritur. dolorosum, spasmos, vomit. Rec. aq. pennis ulcerarum s. $\mathfrak{z}\mathfrak{i}\mathfrak{v}$ \mathfrak{ss} . rhei $\mathfrak{z}\mathfrak{i}$ R. mead. $\mathfrak{z}\mathfrak{j}$ - \mathfrak{ij} liq. Kali subcarb. $\mathfrak{z}\mathfrak{i}\mathfrak{j}$ - \mathfrak{iv} R. Coch. annib. decem minutis) contra Trism. & Tetan. trism. mastic., chos. St. Vit., epileps., hyster. uaa c. valeriana, fol. aurant., asa foetida; contra dolores ad partem v. spasmod., cataleps. uua s. sal. lacant.

contra asthma convuls, spasm. in 69.
maath. aort, angin. membrang,
elampo una c. lig. c. c. s. Ut Dureti
ad promovend. crisis per urinam in
molest. catarrh, arthrit, & ad temperand
effect. scilla, seneg, juniper, contra
cancer, in quibus acrimor. ventricul.
nascentur, herpet, phlebot, scrophul.
morb. hepaticus a c. rheu, amaris, chinac
contra calcul. urinar, format. Tophorum
Dosis gr iiii - xv in solutionibus. Externa
contra macul. corneae s. infl & in pedic
lucis, 3ss - ij ad pedicem. Liquor Kali
subcarb, lig. salis tartari, sol. tart per
deliquium gtt x - xxx omni b. horis.

Kali carbonicum acidulum s. neutrale
apertius est contra acrimon, vomit, lithiasin
qua plus ex acid. carbon. expectand. est.
Aqua nephytica aloalina

Kali causticum siccum s. fuscum
Kali purum, alkali vegetabile cau
sticum, Kali causticum Chirurgorum
hydratum Kali maxime causticum
resolvens, internus sensibilitatem
augens, Dureti. Usus contra hyper
tonias irritabil, tetan, natales Dosis
ss - ij c. mucus Externe ut caustic
contra callositat uli. sicc lacorum
abcessu glandul in coact gr i - v ad 3ss.

70. ad aperiri. abscess. tales & hydro-
cele. Contra aton. & torpiditat. cutis
in exanth. chron, contra letan. uatol.
in balo 3ss. ad balu. unum. Liquor
kali caustic. lixivium caustic.
gtt. ʒj - xx omni bilisio contra lapid.
urinar. in balo 3j ad balu. ʒi. Kali
s. antimonii acris s. regulina gtt. ʒi - xl
omni bilisio c. mucos. contra arthritid
atou, rheumat. chron, scroph. lapid. urinar.
Kali nitricum depuratum, Nitrum
depurat in septem part. aq. solubil.
maxime temperans & directu. laxa-
toris majores gastritid & haematem-
efficiunt. Uous contra coagulationem
& infl. febr. synochii, hydrof. arthrit
febril. Dosis pulv ʒss - xv c. qm, 3i-iii
ad aq. rub. ʒi, sambuc. pettozel ʒij.
Praeterea adhibetur ad corrigend. opium
camph. musc. valerian. Pulvis
temperans s. salicim (kali nitri
& sulphuris part. aeq.) ʒss - xv omni
decem minutis. De compositione acid. phosph.
Kali oxyuriat. s. chloriani
et cald oxyuriat, sed minus volabi-
est Dosis ʒss - x in solut quoties
contra neurodynia. recurrenda.
Kali sulphuratum, hepar
sulphuratum salinum, resolvens

ut calca sulphureata. Usus contra II.
infect. metall. gr. iij - vii annis. quicque
minutus; contra splen. colic. Toruen.
gr. ii anni bilios ^{an} ~~an~~. licet; contra
arthrit. aton. rheum. chron. ana i.
canept. opid. guajac. contra Diabet
mellit. Detur in Charta. cerata.
Externe contra ecceath. chron. arthrit.
aton. rheum. chron. phthis. petuit. tuber.
cul. asthma petuit. In baln. sp. ii
in baln. j ana i. spir. vitriol. 3 part
almon. crud. 30j & in lacris 3 part
aq. pluvialis 1ij; pro diebus 2 vel 3
Secomponitur acie, ^{valis} ~~mo~~ acid,
aq. fontan. metall. acie.

Nali sulphuricum, tartar. vitriolat
arcanum duplicatum, sal de trobas
sal polychrestum Glaseri, alkali
vegetabile vitriolatum in aq. frigida
part. x. aginti volubili, lente tra.
perans, sed loqu. laxans, acmulator
dilat. Usus contra plethor. abdom.
congest. haemorrhoid. hepatit. obstru.
hypochondr. Dosis temperant 900 - xv
in pulv. & solut ana i. Tart. dep. fl.
in liquore, elocoff lacrimat. Pulvis 2.
rebutivus (na & on lythua part ii lap. cancr

72 ppt. S_1 - ij pro doli. contra amonit.
kali sulphurici. decomponitur in
sulphur. tartar. & nitrati, calce
laryta. ^{argent.} Valibus hydrargyri & satur.
kali sulphuricum acidum. Kali
hypersulphurici & bisulphurici, tartar.
in triol. acidulus in aq. part. dual.
solubile magis temperat, iten. del.
minu. lantat. Usus contra haemorrh.
& congest. actus. Dosis ss - 3j om.
hora in pulv. vel solut.

Kali tartaricum, Tartar. tartaricum
s. solubilis, sal vegetabile, temper.
resolvens, diuretic, leniter laxans.
Uvus & dosis ut natr. sulphur. gr.
Lx in solut. vel pulv. violast, purgat
3ij - 3j. Decomponitur valibus
sulphur, phosphor, natrii & nitrati
sal. metallic & aq. calicis.

Kino, gr. kino adstringens, effluens
aliquantul. Usus contra blennorrh.
haemorrhag. a ton. uteri & ali. scorb.
micotum cruent. Dosis gr. ij - xx in pul.
vel pulver, sed ne coaguletur c.
alkal, alkaloidibus vegetabil, gelatin.
album, sal. neutr. alkal & torr. alum.
enacpto. Melior est in kino qthx.

Præter. Nerv. 31-ij coq. ad col. 3vj

Humus renovatum v. pulv. stypticus
Lactucarium, Thrida sili. i. inspiss.

Lactucæ sativæ, somnum faciens
sine Detrimeto, anodynum ʒss-xv
in pulv., pil & solut.

Lactuca virosa, acri. narcotici, resolu-
in pectoribus. Extr. v. succ. respiratorius

Lact. viros contra portus, asthma colicus
ʒss-xij in pil & solut

Lepidium acutum (Grindumay) radice

Humus oblongifolius ^{acri singler} revolvens, dis-
creti, diaphoret. ʒij coq. c. aq. qv ad
col. 6vj. Externe in decoct. fortior.

Laurocerasus, folia (prunus lauroce-
rasus) Aqua laurocerasi ʒtt v-lx

pro dori, anodynum, antemetici. Uoni
contra vomit. spasmod. dolores in venter
ventricul, diarrhoeas dolor, dysenter.

Choleram morb, neurodyniam, hysteriam
hygrophob in primo Stadia. Externe

Empoasid. carcinomat uteri, tumor. lact
& dydymidum (ʒij c. extr. belladon ʒij)

Laurus, baccæ (laurus nobilis) ex-
infus, aromatic, balsamic. ʒj in f. via

ʒij St. laur. expressum contra
spasmod. & flatulent, spasmod. vesic, colic

74; dolor. post part. spasmod.

radum palustre, rosmarinus sylvest.

herf, Mollumbum / folia. Narcotic,

aere, effervescentia peritans. Uterus contra

arthrit. aton, ematb. chron, putus,

spasm. Dosis ʒij inf. ad col. ʒij

Lichen Islandicus, mucosus Islandicus

(Petraria Islandica Acharii) China,

eupepti, maxime nutritiva, tonica

sanguinem effervescent. Uterus contra

aton, inactiones, post erysipelat,

bet, contra phthi, Pleunorth. Dosis

ʒij coq. c. aq. ʒij ad col ʒij

c. China, Caryophyllat, ratan, ʒij-vj

infus. ad col ʒij sumed. per den

una c. glycyrrhiz, anis. Gelatina

Island

Lignum Campechianum (Lampro

(Kacmatorylon Campechianum) China,

astring, tonii, aromat, astring. Uterus

contra febr. intermitt. in loco, China,

pleunorth & diarrhoea, chron, Dosis

ʒij coq. ad col. ʒij Extr. lign. Campe

ʒij-v

Linum (Ani) semen (Lignum corticatum)

emollient, carolueas ʒij coq. c. aq. ʒij

H. lini recens ʒij-v ad mult. ʒij

emmenatibus ʒij-v

Liquor pyro-tartarius, spir. tartari^{73.}
acid. tartar. gtt x - xv decomponitur
alkalibus, terris, salibus carboni
Lupulus (Lupulus) strobili humilis
Lupulus, narcotica. tenuis, expectorans,
diureticus, arter. cerebri officina, coagu-
lones faciens 3 i - i v coq. ad col. 4 o j.
saccul. contra oedem. pedum. Extr.
Lupuli grv - xv contra cardiac. chron.
arthrit. aton. dispos. ad vomit. uaa v.
aq. lupul. rhiz. Th. lupuli gtt xx - xl
contra arthrit. aton. rheumat. deficiant.
Lupul. 3 i - iii decoct.
Lycopodium (Lycopodium, Lycopodium)
semen s. pollen (Lycopodium clavatum)
maxime diureticum 4 x - xxx, infus
3 i - ii aq. dest. 4 v Extr. 3 ii
4 v - 4 in lenit. 4 a uoy. exsiccant 3 i
ad ~~anag.~~ pomod. 3 i
Nactis myristica moschata (Nactis)
aromaticum ut nux moschata
Nactis grv - xv Th. nactis gtt x - l x contra
vomit. spasmod. colic. Th. nactis. aether
4 i - iii. Tut. c. ff
Magnesia carbonica s. alba s. aerata
absorbens, acrimon. delens, leniter lavans
decomponitur acid. & salibus acid, alum.
argilla muriet, ammon. muriat. Urosi
contra acrimon. i. feb. inf. & obstru.

76 Dosis ʒss-ij, infant grss-vij, c. rhus
Pulv. antepileptici. Marcobonium (Pec
magnes. carb ʒi, visci. quern. salta ʒij)
grss-xx contra eclamps. Pulv. magnesia
c. rhus. (Pec. magnes. carb grss-vi elect
foenicul grssxij rad. rhei grssvij rad. iud.
Alor. grssxij) atq. pulvis puerorum citrini
(Pec magnes. carb ʒss rad. iud. al. reman
ff alb ʒss croc. i) infant grss-xx contra
spasm, colic, vomit ex acrimonia & flatul.
Magnes. calcinata s. usta Houss & Dosis
act magnes. carb; minus laxat. Magnesia
sulphurica, sal antimoni
temperans, resolvens, antepileptici, laxans
non valde afficiens tub. cat. Dosis
ʒss-ij in pulv. c. magnes. carb ʒss in solut.
Res laxans ʒss-ij. In enemate ʒss-ij. De
compositis alkali & salibus alkali,
sal. calc & baryt, plumb. acet, argent.
& hydrargyt. nitric, aq. calois
Majorana, herb. (Origanum majorana)
irritans, carminativum ʒiii-vj ad coctum
ad saccul, baln & foment. aromat. Mag.
s. butyrum majoranae contra verum
obstruit. catarrhal.
Malva, herbe. (malva rotundifolia)
demulcens

Manganum oxydatum nativum 77.
magnesia vitriariorum) tonic., activit.
Digestionem incitans. Usus contra
chlorosia, scorbut, syphil. Dosis pulv.
telivini gr. iii - x in pil. Ung. mangan.
oxydati nativi 3 iij ad ungu. 3 i.

Manganum muristicum gr. iii - v in pil.
Manganum acetum in idem Dosis

Manganum sulphuratum gr. i - iii, in
ung. 3 i ad ungu. 3 i.

Manna deudgens, lacana 2/3 - ij
in aq. 3 viij Syrup. mannatus

Marrubium album (Andromeda) herba.

Marrubium vulgare) amarus, stimu-
lans, adstringens (expectorans) Usus contra
plethor., infarct, fl. alb., amenorrh., hae-
morroid., hydrog. Dosis 3 ii - iv in infus.
vel coq. ad col. 3 viij Extr. marrubii

Marum verum (Andromeda) drachm. 9v - xl
brans) actheo-aromatic (Tenuum
marum) incitans roborans, antispasmod.
3 ii - iv in infus aq. 3 viij contra hyster
R. marum veri qtt x - xl

Mastiche (Pistacia lentiscus)

resinosa, balsamica, tonic gr. iii - viij in
pil. Spir. mastiches compositus: mastic

78. matricaria, inter 3j, magis extenu
Matricaria (Muth. ~~trunc~~) herb (matricaria
parthenium) aethereo-aromat, irritans
carminatis, antispasmod Usus & Dosis
chamomile vulg. contra menses. hyster. etc.
Melissa herba (melissa officinalis)
aethereo-aromat, invitans, leniter, carminans
Usus ut menth. pip; 3ij-vj infund ed gale
Tris Agua melissae composita aq. Carminans
Litica gtt x-xx contra spasm. hyster. 3j-ij
contra dolores ad part. anquale, colici
Mentha crispa herb. aethereo aromat, ut
menth. pip, sed magis tonici 3ij-iv infund
ad gale. ii. Th Menth. crispa 3j-3j Ql. menth.
crisp. aeth., optim. carminat, gtt i-vij
Mentha piperita herb, cito irritabil. per
omne nervorum system. augens, astringens
carminatis, astringens, antispasmod. Usus
contra febris typhlos, putrid, marasmod, syncope
en caantione & terrore, dolores ad part. spec.
Ag. menth. pip. simplex, cochl diluid. Agua
menth. pip. vinosa praecipue contra delirium
tremens, pro potatib. Ql. menth. pip. aeth.
gtt i-iii in ff contra spasm, syncope, colici.
Mezereum cortex (Pindulbust, Billisfallum)
Daphne mezereum acris ammoniac volatilis
invitans, diaphoret, diuretic, doctus, proflu
sanguinis, faciens (Pci cort. mezer 3j-ij)

rad. althaeae, rad. lignum a 3j ad 9.
c. aq. foot for ad coll. 3ij. Col. seg. 36j.
pro hic in part. tribus summa. Externe
ut cautorium aceto calido molle factum.
Mag. mercurii at cautorium, praeterea
contra scab. herpet.

Millefolium (commutates) Phlegma,
Spasmi (Achillea millefolium) aromati
amarum, irritabile. augens in arter, con
gest. faciens, expector. tonic, carminativ.
Ung. contra catarrh. chron. pulm, plethor
pituit, flux. alb. chron, mens. suppressos
3ij-vj infund. ad cyath. tres, herb. recent 3j-ij
in pane, c. butyro. Succ. rec. caps 3ij judic.

ana i. Saccharae, trisfol. Extr. millefol
grx-xxx Extr. millefol. frigide porat.

St. millefol acether. 3ij-vii

Mimosa gummi, qu. Arabicum. (acacia
torilis (Hayne) involucras, nutritivas Dos
piss. 3j-3j Mucilago qu. acacia.

Ung. moschata aromat. pur., ex
pectoration, tranquillum ventrum
in testu Ung. contra vomit.

dearrh. c. dolor. & spasm, colic. dysent.
post morb. gastr. Diuturnos, circa
periculum Dosis pulv grx-xxv
vino calido. Praeterea adhibetur

88. ad composit. pil. Q. mucosae
cofr., bals. mucosae (Mucosae)
Interne contra colic. diarrh. dolor.
vomit. dolor. ad part. abnorm. mol.
neurot. hyster. paralyt. Eodem
modo bals. stomachicum

Moschus opt. S. Sanguineus
in microdosisibus antispasmod. ton.
quillit., analept., in major. effervor.
Dyspleurit., spasm. facient., antijord.
Uter. calypsalgt in uteristad. febr. typ.
Delirius, sopore paralyt., gangren. & ma.
acil., imptent. viril., amaroos. pleth.
hyperemesis. paralyt. post apopleu. caries ver.
nimis dures Dosis gr ij - viij Uter. ant.
Spasmodic. contra spasm. in febr. & coarct.
febr. veru. portuissu. arth. coronario, de.
S. Ut epileps. Dos gr ss - ij Delapsu.
moschatu. R. moschi gtt xxx - Lxx Uter.
Uter. dand. in spasm. gtt v - xx. R. moschi
ammoniatu., R. moschi arth.

Myrrha, gum. myrrhae (amyris Kato.
toro v.) amar. aromatic. adstring., tonic.
antisepti., antiecorbuti. Uter. contra
Menorrh. genital., phthis. pituit., men.
Struat. coarct., chloros. Dosis pulv. gr ij
- xx Externe in ulc. caruic., corbut.

cur. Dent., salivation., sphaerel. 80.

Extr. myrrhae aquosum minus con-
gestionibus facibus caefinis adhibetur
quam subitaneis. yos in dosibus grv-xx.

Quotidie 3i-ij masticentur contra foetorem

oris Liquor myrrhae, ol. myrrhae per

deliquium satern, in gargarism 3j ad 3xij.

Th. myrrh., essent. myrrh. 3i-111 ad 3xij.

Pulv. dentifricius Th. Hannover.

Natron acetum, terra foliata tartari

crystallisata non ingratis sapore, datur

ut nali acet grv-xx, omni bichorio; non fluit.

Natron carbonicum depuratum, s. subcarbon.

depuratum, sal sodae dep. tenuius, gratus

& certius est nali subcarb. aptum est

in dysenter, diarrh. doloros, vomit, strum.

Dosis grv-xx in purv. c. cort. aurant. rheo.

& in aq. cinamom., foenugr., valerian. solut.

Rad. emollior in dysenter. unus est 3j p. die.

Natron subcarbonis recitatum 31111-xxij.

Natron carbonicum acidulum s. neutrale

natron supercarbonis, subcarbonis opt.

antacid, antemet., antispasmod., lithon-

aptici pro sensibilibus. Usus & Dosis
ut not. subcarbon. Pulv. acrophorus

82 Ph. Hannov. (Pne notr. carbon. acut. 3
acid. citric. 3ss ff alb 3. M. Colic. parv.
omni quart. hor. part.) Aqua natr. super
carbon. ut aq. nephritic. alkali lagen.
una pro die (Pne notr. supercarb 3ss -
solv. in aq. Selter. lagenul. j) contra acrim
vomit. dyspeps. scorbut. & calcul. Aqua
Selterana artificialis (Pne notr. supercarb
solvi in aq. lagen. j & adde acid. moriat
seum gr 75 Beh. obturat. stet in loco frig
dies novidie.)

Natrum phosphoricum s. subphos
phoric in quatuor part. aquae solubil
minus laxans, sed magis diuretic.
quam natr. sulphur. 3ss - j in solut
Decomponitur alkalibus & purior
carbon., sal. amar., alum., colic. b
& sal. metallic.

Natrum sulphur. crist., s. l. mirabil.
Glauberit, alkali minerale vitric
Natrum in tribus part. aquae solubil
temperans, cito laxans, antiphlogist.
Diuretic. Usum. Contra feb. inf. &
cicautem. Symplicia, encephalit, tra
cheitid, pleurit, hepatit, pnia. feb
nervosa. Stac. synochia, congest. ad cap

habitual, obtundit. hypochond. 83.

habitual. ^{una qd sup. citat} Fructus corrigendi Temper

est valerian, licia Jos 31-11 p.

die, congeat 31-iii, ad ment. 31

Decomponitur allial. pur. & carbon

nat. actri, muria, tartaracet

(sine detracit. effect) ag. cal. salib

phosph. bi, hydrazyl & baryticis. In

cucurbit. 31; Sal Carolinum arc

tificiale (Pci natr. sulphur. cryt

gr 66(200) natr. carbon. cryt. gr 66(200)

(134) natr. muria gr 66(200) ag. Lettera

lagum. 11 ^{sumptum} ^{debetur} ^{regula}

contra plethor. obdu, congest. ha

bitual, vertig, pinguitud.

Natrum sulphur. vice part dimid

dogis natr. sulphur.

Nicotiana, folia (nicotiana

tabacum ^{acris} narcotic vomiturit

vomit, diarrh. foecus, postea stupor.

neem; praeterum diuretic. Urus

contra paraly, cytoparaly, in

cucurbitibus, glottoparaly, (ma. tu

tus) amandrosin, hydrop, contra

spas, artro. cono, obstruet. hypochond

cardialy hyster, colic & spas. & pleth

hor. in alcerat, cytoparasm, tetan.

84. Traumat, colic. Saturni, Dolores dent
auris rheumat. Dosis. ℞. j. infund.
ad col. ℞. j. Infus. nicotianae Fowleri
(℞. fol. tabaci Virg. rec. ℞. j. inf. ag.
fero. ℞. j. Stet vase clauso loco tep.
per hor. Col. & adde spir. V. rect. ℞. j.
℞. j. Gt. ℞. j. - 9 Ter die in ag. cin.
menth. cr.) ℞. j. infund. ad enemurum
Nicum nicotianae Fowleri ℞.
fol. tabaci. Virg. ℞. j. vi. Hispan. al. ℞. j.
Sig. per 2. iv. col. s. q. t. x. - 1. x. Fowleri
Nicum nicotianae parat i. spir. Vin
ut vin. nicot. a Simmons accommen
data contra icterum, senil. ab Westberg
contra arethritid. contag. Extr. nicot.
℞. 1/4 - vj contra perituss, asthma. contra
Ung. nicotianae contra tumores
grophul. furunc. bubon. inveterat
Nic. vomica acris narcoticis initio
sensibilis. augeat vomit. Deorah efficit
tum irritabilis. potencat, in all.
spinal, nerv. motio. excitat. Ung.
contra paralyi. vesic. uteri, extra
amauros, hydrog. exa. rheu. chron.
atou, feb. intermitt. perituss (i. t. h.
gentian) contra rheumat. chron. arth.
atou, vern, gleuorrh. cap. tra spasm.
epileps. chos. St. Vt. hyster. Dosis per

praeparat. c. Tragacanthi gr. ʒ - v den
die. R. nuc. vomica gr. ʒ - x omni bichoris
c. nuc. Ext. nuc. vomica. aquosum gr. ʒ - v
Ext. nuc. vomica. spirit gr. ʒ - iii praeterea
contra amenorrh. aton. colic. Saturn.

Lychinium, alkaloid. nuc. vomica. fe.
hociss. reme. d. gr. ʒ - ʒ - ʒ. Lychin. nitric.
officinale ext.

Oleum animale aethereum s. oleum
Dippelii antiparalytic, congest. facit
antispasmod, incitant. leu. contra
chol. St. Vit. epileps. Josis gr. ʒ - x ana
c. valerian. ad. facit in pil. vel c. sacch.
vel spir. nitri d.

Oleum animale foetidum s. ol. c. c.
foetid. ol. pyro-animale s. ol. animalis
empyreumaticum, antiparalytic, an-
tispasmod, congest. periculos. facit
Josis gr. ʒ - ii. c. ol. amygdal. vel in pil. c.
ad. facit. contra chol. St. Vit. solut. in spir.
nitri d.; contra tæniam gr. ʒ - x omni
bichoris una c. theriacale. Ext. ad. contra

Oleum olivaceum (Olea Europaea) demul-
nutrens. Colic. gr. ʒ - iii

Olibanum, thus (Myrrum) Boswellia
serriata (Colebrooke) bals. naturale

86. irrit. coarctans, efflorescens Dosis \mathfrak{ss} in pil & pulv. Ad sum. ad. contra arthrit \mathfrak{ss}
Cononis (Gnaphalium) spinosa radix (Cononis
spinosa) Diuretic. \mathfrak{ss} - \mathfrak{ij} coq. c. aq. \mathfrak{ss} \mathfrak{ss}
ad col. \mathfrak{ss} \mathfrak{ss}

Opium ^{crudum} (meconium interdum nominatum) pa-
paver somniferum narcotic. purum,
Dosis minoribus coarctans, analeptici,
ante spasmod, mediis majoribus narcot
congest. faciens ad caput & pulmones,
mort. apoplect. Antidota sunt magnae
V. sectiones, Ex d., emetici, mucilag.,
anemonialia, cathartid. Usus contra
febre typhos, putrid, nervi. c. anconus
teatia, agnosc. diarrh, vomit. spasm, ura
c. valerian, serpentar, camphor, china,
coryophyllat. contra spasm. clon, colic,
vomit. crut, teneson, dolores ad part. spasm
spasm. hyster, spasm. vesic. urin, pecton
arthr. convuls, portari, epileps; contra
melanchol, delirium tremens, post coitu
frequentiores; contra dolores arduos
heccinat, arthrit, Exa l., molest. han
morroid, menstrual, stranguaria c
cathartid, contra urethritid. costag, ulora
dolores carcinomatosa, dolores caput
& otalgia autem augetur) Contra diarrh.

87
Doloras; colicis, Dyenter, Diarreas
Choleram. Contra haemorrhag. spasmos
una c. Th. cinnamom. ipecacuanh. acid;
dia. vitriol. Myrrit. decoct. ratali,
alum, ferr. muriet. Contra sudor. colligat
c. acid, alum, ent. salo, ratali; contra
bleuorh. pulmonum i. ratali, ratali.
China Doveri $\frac{1}{8}$ - $\frac{1}{2}$. Ext. opii aq. magi
neroot. opii crudi Dosis $\frac{1}{16}$ - $\frac{1}{4}$. Pulvis
opiatum Rh. B. Thci op. $\frac{1}{2}$ gr. Arab $\frac{1}{2}$ gr
Pulv. ipecacuanhae opii Thci s. compositus
s. pulv. Doveri, maxime diaphoret, ar.
Dynam, non valde obstruit Ungt. contra
thecurac., artth. abou, osteodyn. venerx
Ext, salicac. Ext. Doveri $\frac{1}{16}$ - $\frac{1}{4}$ vespere
Morru pil. arodynorum $\frac{1}{2}$ v continent
opii crudi $\frac{1}{2}$ gr. Morru pilularum de aq.
glorrio $\frac{1}{2}$ xv continent opii & ven. liquor
a $\frac{1}{2}$ gr. Ungt. contra thci nocturna $\frac{1}{16}$ - $\frac{1}{4}$
Syrup. opiatum continet in $\frac{1}{2}$ opii $\frac{1}{2}$ gr. Ext.
opiatum s. cephalicum contra rheum.
Choroi, nodos artthrit, spasm. Th. opii ven.
 $\frac{1}{2}$ xxx effect. sunt opil $\frac{1}{2}$ gr; Dosis $\frac{1}{2}$ gr - xx
omni bilioris una i. aq. cinnam; $\frac{1}{2}$ gr - l
in enemotibus. Th. opii croci, lactam
liquidum Sydenhami magis afferunt

88. contra tuos: doloros, arthrit. acon, ment.
Dosis gr̃ss ii-xx; 3j continet opii gr̃ss ij & efficit
gr̃ss l. Opium Chenopodii (Th. Thebanica) acon.
Stilletur oculis, quum multum spiritus
continet. Opium benzoicum s. clivarium
paregoricum; contra tuos: doloros, acon.
gr̃ss v-xx Morphium s. morphinum taen.
datur ut syrupus: morphii & huius 3j-3j
Morphium aceticum in pure, pil. vol.
gr̃ss 1/8 - j Vigues morphii aceticus (Thei
morphii lect gr̃ss xv aq. dest. 3j, acet. vi
spir. vin. rect. 3j) gr̃ss i-xx
Opopanax (pas. tinaca opopanax) gr̃ss
ferulaceum, excitans resoluens, cari-
minativum gr̃ss v-xv in pil & mixt.
Trit. c. gr̃ss sub. vel vitelli ov.
Origanum Preticum herb (Ros. L. quum
Dioscor.) dulcaromatici, expectorans, irrit.
effervesc. 3j-ij infus. ad coct. 1j. Or.
origan. aether. externa.
Papaver capsula s. capita in mixt.
Mercotii. Rajat 1-iii ad theae post.
pro adulto contra tuos. perticacis, acon.
xoleat. Contus. ad cataplasma. exodya
abdomini inposit contra colic, dyocenter
tension. dyocenter, carinaon. Est. papa

Lincet; q. j. - ij. ter die contra in
 vomitibus, spasmi, Dolores. Symp. Diacodion
 oil parv. j. - iv Symp. Rhocados s. popos
 rubri. Semina popaveris matura ad
 uncio. ʒj. - ʒij ad uncio. ʒviii. St. popov
 recens ut fol. anagidal.

Petroleum s. oleum petrae, excitans,
 effervescent, nervinum. Inter qtt iii - xv in
 Symp., aether. Extern ad ulcerand.

Petroselinum semina (apium petroselinum)
 excitans, Diuretic, carminatis. ʒij - ʒv
 infund ad coct. ʒij. Aqua petroselin
 Mellandorum s. joeniculum aqua
 horum semina, Dulcaromati, ex-
 citans, expectorans, carminatis, diu-
 reticum, antispasmod. Contra plethor.
 pituitos, uli caton. Dosis p. co. ʒv - ʒx
 anni b. horis, ʒij - ʒvj infund. ad coct. ʒij

Phosphorus valde sensibilis augeat praec-
 ipue in ~~visceribus~~ organ. sensibil, ocul, q-
 nital. Dosis nimiae cardiac, vomit,
 mor. hectic facit. Hous contra
 Paraly. universal, in ultimis stad
 feb. Nervos. arduarum, exanthema. typho
 soporen paralyti, variol. gangraen,
 paraly. post scarlat, apoplex, epileps

90 contra emaros, impotent. viril, ar-
thrit. atoa, rheum. chron. Dosis gr^{ss} -
gr^{ss} soluti in acth. sulphur. pur 3, gttv - xv
omni hora, et ut gr^{ss} soluti per diem
naa i. moco, vel soluti in ol. amygdal.
acthos, or pyle 3j in mixtura oleos. rim
mentum phosphoratum Theri phosphor
campior 3j, ol. amygdal. 3j, rubefac. oleo
in paralyi, apoplex, syncope.

Pisbunum, faba (saurus pisbunum) ero-
moti. pur, ut nunc moribet, Dosis pur.
P-ij Th pisbunum

Pimpinella (bibrum) raden (pimpinella
sacri fuga) acris aromati sectiones aug-
tus contra angin. catarrhal, tonsillar,
catarrh pulm. chron, phthis. pituit
Dosis pulv grv - xx, 3j - iv inf. ad col. 3j
3j coq. ad col. 3j pro gargarismat. Th
pimpinella, semis per se 3j - xv
pimpinell. gtt. lxx in gargarismat.

Pini turiones (pinus sylvestris) distillat
succitans, diaphoret, diuret. 3j - ij coq. i. col.
ad lxx. Th pini composita Th lignorum

P-3ij
Piper album & nigrum, aromati, cauti
Effervesce. Dosis pulv gr^{ss} - x Piperina

Piperinum 915 - 97 in pil. contra 91.

Feb. intermitt

Pice navalis s. Burgundia, s. liquida

excitans, antiseptic. Extern. contra

ulci. impura, laca, contra tumores ar-

ticul, rheum. chron, ad fumand. cont.

phthis. pituit. Empl. pice. lig. ura.

camp. rot & tart. stib. Aqua picea

infus. pice. liquid (pice. pars i infus. aq.

part. ii) contra leucorrh. flux. alb. 3j

ante coenam

Plumbum, Saturnus, molybdos, numa

repurator metallorum, mors, aurum

philosophorum omnibus praepa-

rates refrigerans, anodynum, exsic-

ca. & excretionis diminuens ut opium

Plumbum acetum (crystall. st.) ff

Saturni Uous intern contra excretionem

enhaurientes, leucorrh. chron. genital.

phthis. pulmon. pituitos. Dosis pube

91-4-11 c. opis. Uous extern contra aph-

thas in ultimo stadio phthis. c. diar-

rhoea doloris (Rec. plumb. acet. parum

91-11-9 aq. rosacea, mucilag. ven.

cydon a 3ij M. S. Linguae applicand.)

Contra infl. secret. fical, dolor. part. d.

92. ophthalm. catarrhal, rheumat gonorr.
rhoeam chron 3j - 3j solut in aq.
rosaceum ʒojij, gʒojij ad ~~ad~~ ^{ad} ʒij
1) Plumb. acet. liquidum, aceticum
Saturninum s. Saturni, liquor plumb.
acet purum contra ustiones profundas
contusiones per vellam, pararit.
superficial, vulner. causet Dilut
Quoddecim aq. dest. part contra plumb.
pararit in oi, nod. haemorrhoid, varic.
ophthalm. e stimulo mercur. vel chemico
gonorrh. Lenior est 2) aqua Saturni
volatis plumb. acetici Diluta 3) aqua
vegeto-mineral. Goulard 4) Ceratum
Saturni s. uag. Saturninum ceratum
contra nodos haemorrh. dolorosiss.
c. pulv. galli Turci ʒj - ij, contra Decub.
gangren. ʒj c. pulv. myrrh ʒj - ij
5) Ceratum Saturni tabulatum
Plumbum oxydulatum semis
Lithargyrum ^{bluydubly} adhibitum ad praeputium
penis. Lithargyri simp. s. caupl. dis.
hypon simp. 6) caupl. Lithargyri
c. resina pini s. caupl. aceticis.
caupl. 3) caupl. Lithargyri caupl. aceticis

Gummosum s. eu-pl. Daichyl. composit
gummateb. maturans abros.
stigid, abros. lymphat, glandul 4/ung
matris s. s. ferum 5/ung. lithargyr
nutritum

Plumbum oxydatum rubrum, minum
adhibet in eu-pl minii s. Norickum
Norinbergensi (Protophylla)

Plumbum (subacetico) carbonicum,
crassa alba, oxydum plumbi alba
blagum adfergo, adhibitus eu-pl
crassae s. alb. cort. c. eu-pl. fol &
aliis malaxand. 2) Mag. cerassae s.
alb. viupl 3) Mag. cerassae composit
olggala amara (bitter Amigbla)

adumirgale radix, amarum purum,
scorbonis angari, expectorans tonicum
riteas, maiores doses comestur effi.
& purgant. Ussus contra aton. pulmon.
post Typhum on. hecticum Doris

Mag. 3j-3j, 3j-1j coq. ad col. 3vj
truncus padio (truncus hiff.) costea
parotic, tonic excitant, fortias Ussus
contra febris intermit. rheum. iron,
anthrit. aton. Dos pus grs xv-3ij
fund, vel coq. ad col. 3vj. (Phicort.)

94 prun. rad. ℥i infund. spir. V. ℥i.
aq. cont. ℥v sig. & col. Resid. coq. c.
aq. post. ℥vi ad col. ℥iv Col. amb. min.
Aqua prun. rad. qttxxx - Cxx

Pulegium (poly) herb (mentha pule-
aethere. arom. analeptici, antispas-
mod. herb. menth. crisp.

Pulsatilla nigricans (Pulsatilla)
herb (anemone pulsatilla) raci-
marcotici, urens. Usus contra paraly-
amuroi Dosis 3i-ii; infund. ℥xij - xvj

Pati. pulsatillae gr. ij Aq. pulsatillae
destill. coct. ℥i. Anemonium gr. ℥ - ℥i

Pyrethrum (pyrethrum) radia.
(authentic pyrethrum) britan. effen-
vescent, urens Dosis pulv. gr. x - xlv, ℥i
coq. ad col. ℥vii. R. pyrethri qttv - xx

Quassia (bitter-salt) lignum, cortex.
(quassia amara) amarum purum, ed-
tingens, tonic, portius rad. gentianae
Dosis majoris congestiones, an. bl. opo-
sarcin. Usus contra dyspepsia, sensu

arthrit. eton. nerv. belli. sensibilib.
praidon. inorte sine feb. & congest.

Dosis pulv. cort. quassiae gr. s - xx
Aq. in aq. ℥xvj ad col. ℥vii. R. quassiae
Cinnamon, macidiv R. quassiae

Extr. quercus gr v - xx

95

Quercus cortex & glabris (quercus
robur) adstringit, ut gall. Turci, sed
difficile erigendum. ℞ coq. c. aq. lēp
ad baln. j. Balnea cyclospina

℞i cort. querc. con. lbj - vj coq. per
horam c. aq. q. v. Glandes quercinae
tostae ℥ij, coq. ad ℥iij coq. c. aq.
q. i ad cyath. iij; maxime tonicum contra
scrophul., rheumat., osteomalacia, cariem
maxill. aton., arth. eton., leucorrh.,
diarrh. mucosae.

Ratanhia radix (Krameria triandra

Ruiz.) adstringens, maxime tonicum,
facile digesta visus contra leucorrh.,

diarrh. mucosae una c. apis; contra

diabete c. alum.; contra ulcera

eton., haemorrhag. habitual una c.

acido, alum., cort. cinnamon. Dosis

℥i - ℥ij. ℥ss - j coq. c. aq. ℥ss

ad col ℥x. Extr. ratanhiae ℥ss

mai bitorio. R. ratanhiae ℥ss

Rheum, rhabarbarum radia rhu

et s. Russici, acce purgans; doibus

carois cupypti, tonit, diarrh. tollens

purgnis purgans c. doloribus ventris

contra aton. unversatib. catenata

96. c. cinnamon. ventrui, Proposit ad
Diarrh. habitualis, vomit, oligochol,
hepatoni, splenoni aton. Dracul. pur.
97. v. c. cinaris, adstringent. Contra
impurit. primarum viarum
Bilium. 98. x-xxx c. jalapp, rhu.
tartari. 31-ij infus. ad col. 30.
Elett. rhu. ag. 99. v-xxx Th. rhu. ag.
31-ij Th. rhu. composit. s. amara
tonic. contra dyspepsis, hypochondr.
31-ij rhu. c. ag. menth. pip.
Decoct. cort. chinac. Th. rhu. rhu. rhu.
Dulcis ut anterior. Symp. rhu. len.
purgans tonic. pro infant. c. Th. rhu.
Symp. cichorci c. rhu. ut anterior.
Elett. rhu. comp. Ph. Bot. 99. v-
maxime purgans.

Rhododendron chrysanthum (Sium)
Solcia; acri nerv. Th. antispasmodic,
irritans, narcot. Usum contra aeth.
aton, amenorrh. aton, rheum. chron.
Flos pulv. 99. v-xx
Rhizinus, oleum (ricinus communis) va.
voluens, laxans 31-ij Th. c. vitell. ov.
Rosmarinus herba (rosmarinus offic.)
aethere aromatiz., crataeg., rhu. rhu.
emmenagog. 31-ij inf. ad col. Cyath.

Proris morini s. anthos ℞-3j. ℞. 97.

ros. marini s. anthos ad ung. aromat. contr.

colii, rheumatis. Spir. rois marini s.

anthos contra boates, colyquos, laet.

lydient Ag. reginae Margarina

Ag. valerianul ^{tenosa} ~~tenosa~~ eodem un. Ung.

oris morini comp. s. ung. morini

contra paralyt, artit. ~~to~~, Dol. chro.

Rubia ~~stictorum~~ (Bryg) radia ad

Tringens, tonicum, nutritus. Usus contra

aton. chro. part. indiffer, coarctum. cot.

Menorrh, dyspneu, shockit, atrophiam

infest, chloroi, isterus, menstuation

ressant. Dosis pulv. ℞-3j. ter die.

℞-j. coq. c. ag. 3x ad col. 3oj. sub fin.

post adde rad. calam. arom vel abs.

liqui sarsap.

Ruta (Ran) herb. (ruta graveolens)

ethereo-aromatiz, incitans tonic, an-

ti spasm, carminatio. Dosis pulv.

℞-3j; 3ij-iv infus ad col. 3oj.

Ruta rutae destillata. Conserva rutae

℞. ether. rutae gtt. i-iii. Acet. rutae

Labadilla semina (Sap. pu. Veratru)

Labadilla Petz. uoce corrosio, antihelm.

98. Intern. contra vermes $\text{℥ss} - \text{℥ss}$
bis die, in fort $\text{℥ss} - \text{℥ss}$ c. mell.; contra
ascarid: ℥ss coq. c. ag. ℥ss ad col. ℥ss pro
enemet. ℥ss Extern. contra pediculos
decoct. c. aceto. Pulvis contra pediculos
s. pulvis Capucinarum ℥ss ; contra
pediculos ℞. Sassafras ℥ss applicati
ipso externa periculosa est.
Sabina (Cudibum) folia aut herba
Acere aromatici, sanguinem irritat,
congest. facit ad genitalia, animum, emme
nagogy, in locis apertis caustici.
Usum contra amenorrh. aton, fl. al.
chloros, arthrit. aton, rheumat. chron.
una c. camphor, opio, acorut; contra
hydrop. aton una c. scill, ℥ss d. Dosis
pulv $\text{℥ss} - \text{℥ss}$ ter die $\text{℥ss} - \text{℥ss}$ coq.
c. ag. ℥ss per dimid. hor. Extern. ad
perp & decoct. contra vericem vite, con
dylom una c. ℥ss proci. & nali subac
Extern. sabinae $\text{℥ss} - \text{℥ss}$ ℞. sabinae
aether. $\text{gtt} \text{ss} - \text{ss}$ ℞. sabin $\text{gtt} \text{ss} - \text{ss}$
Sagapenum gummi ℞. sabin
℞. sabin ut aro foetid.
Salap, salap (ortus moris) in
volvans, demulgens, nutritio, solut.

Decoct. J. - 3, ad col. ℥vj. 99.
Salix, cortex (vela fragilis) Tonic,
roburans. Uss. contra blennorrh. chron.
genitalium. 3iii - vj coq. ad col. ℥vj.
Extern. in decoct. concentrat. contra
varicell. scorbut, scrophul, ascleth,
salivat, gangraen ura c. Th. nyct,
katechu. Ad balnea coctio 3iii - vj
Extr. salic. J. - ii

Salvia (herb) salvia officinal Tonic
Tranquill. Uss. contra sudores colligat
ij - iv infus. aq. frigida ℥vj. Externae
ad gargarismat ut decoct. salic. Extr.
salvica grv - xv ter die. Aqua salvia
robata ura c. alum, elix. vitriol. Myo

Sambucus flore & baccae (Sambucus
nigra) acce ammonis-volatile, diapho-
retic, diuretic; dos. maj. vomitum.
faciant. Uss. contra catarrh. rheumat
ad promovend. crisi per cutem. 3ss - j
infus. ad col. ℥vj. Extern. ad garga-
rismat, foment, catapl. Aqua samb.
constituent materia diaphoret. Succus
rob. sambuci dep. 3ss - j in aqua, & ad
catapl. contra tumores glandul. nod. luct.

100.

Sapo medicatus effect. althol, absorber,
resolvens, inaporibus doib. purgans, de-
componitur omnibus acid, salicis acid,
succ. fruct. acid, sal. metalle, seclodeph.
Dosis grv - xxx. Extera ad foment, enemata
Cj - ij Balu ℥ij - v sed ~~per~~ his sape do-
mestici. magis convenit. Spir. Saponatus
cutanea

Saponaria radia (saponaria officinal)
leniter resolvens. Dosis. ℞i. ccjss ℥ij -
℥ss. j. coq. ad col. ℥ss.

Sassafras radia (Smilax sylvatica)
acre aromatic, leniter diaphoret & diuret
in doib. regionibus vomiturit. facies.
Ung. contra catarrh. chron, rheumat.
chron, arthrit. aton; Grialism, eocatth.
chron. aton. Dosis pulv. ℞ - iij. ter di

℞i. coq. c. coq. ℞xxiv ad col. ℥ss. ^{rasura} Lauris

Sassafras legum cortea (aromat.

purum, modicum diaphoret, regionib.

doib. eocatth. rub. & morbilium

facies. Ung. contra arthrit. aton,

rheum. chron, eocatth. chron. aton,

sypthil, selivat & col. Dosis pulv.
℞i - j. ℞ss - jss coq. in ay. ℞xxiv ad col

101.

Villa s. squilla (Maryginabal) radia
are capiteoas, mundum resoluens, di-
ntu, dosibus majoribus enecti; doses
minime congest. parient. Uter contra
affect. pulm. ^{ator}, hydrog. Dosis pur
gr. - viii. Morru pulul. scillicet contra
affect. pulm. ator gr. v - x, hydrog. gr. x - xx,
ter di. Oxyguel scillitica caten.
pector. 3, ^{dose} ag. formant, ut enectic
3, - iiij uva c. vin. Feb, ipecacuanha, R
catos, contra oppress. pectoris, catarrh.
pulmon, asthma pituit. Racetum
scilliticum. vehemens, contra hydrog.
solam. c. digital. p. gutti alve Dosis
3, 7 ^{v. d. r.} am. upr. carbon. q. s
3, 1 ^{v. d. r.} fus. Sillae verbum gttv - xx
Th sillae simpl gttij - viii contra hydrog.
gtt x - xxv Th sillae c. mali acct.
eadem Ectf. sillae gr. ii - xij. Tyf. scillicet

Scordium (Asperula odorata) Scordium
 scordium / irritans, tonic, carminative
 3ss infusd. ad cyath. ij. Extr. scordi
 3ss - 3ss

Scorale cornutum acce aromatice in
 dosib. parv. vomitum faciens, magni
 emetic, purgans, nervos. Morus contra
 dolores ad part. deficient, nimis in-
 ternitt; debiles, si spasm. in aliis
 partibus oriatur, exitu foetus vel
 placentae tardante, contra tooth
 profunda aut debil, fluor. alb. proph
Dosis pulv. ʒij - xx Ter omnibus
 decem minutis; 3ij - vj infusd ad col. ʒij
 Secundum Hal. fortius necat.

Senega (Blagayofflangum) s.
Polygala virginiana radice
Polygala senega) acce expectorans,
 diuretic, dosib. majoribus emetic,
 purgans, congest. faciens Morus
 contra aton. chron. organorum re-
 spirationis, phthis. pituita & tuber-
 culos, si expectoratus deficiat. contra
 hydrop. uas c. & d. Kali acet. Dosis
 pulv. ʒss - xx 3ss - iij coq. a. aq. 3ss
 ad col. ʒij c. extr. graminis, syr. allium

Coct. senegae gr. ij - vii c. aq. socia. 173.
Pr. senegae gr. x - xxx contra asthm. & ril
pituit; catarrh. pulm. chron. Symp.
senegae 3ii - iv.

Senna (Mexandriace) folia (cassia
leucolata Forst.) purgans c. doloribus
matris, doibus nimis emeticis. Dosis pulv.
gr. v - Lx, 3iii - v infus. ad col. 3vj una c.
alibi purg. reg. auri, rad. Reginia
gr. iiii, m. m. Infus. senae composit
c. Lavationum Kennaense s. potio laxativa
gr. j omni hora; infus. c. syr. rhei Elea
tuarium e senae s. lenitionum. gr. j omni
horis. Pr. senae 3ii - iv omni horis

Serpentaria Virginiana radex (arist.
lobelia serpentaria) amaram puram,
initalit. valde acria. Ung. & sen-
toris atq. arteris peripheris, valde
capthorcti; dose nimiae exa-
themata morbillaria faciunt Ung.
contra febr. nervos, febr. putris, exanth.
in ultim. stad. typhos cute paralytica
inerte; contra sudores coelestis. c. aq.
mineral, contra variol. gangraen, scarlat.
retrogressu, vel non progredientem, angin.

104. pulv. x. sphaeclos, garysac x
marasm. senil. contra febr. intermitt.
c. Dermoparalyse una c. opis, chinin;
contra paralyse. chron, amauros. nerv.
una c. arnic, cantharid; annuor; contra
ecanth. chron. aton x ad apothorapion
morb. arduorum. Dosis pulv. gr. v - xxx
3ij - v infund ad col. 3vj Th. serpentor
gtt. x - Lx

Serpyllum (Linn. de, herb. Hyman) herb
x flores (thymus serpyllum) dulcarom
iacitans, carminatis; 3ij - iv infund. ad
cath. iii; Praetera ad bala. coronati,
saccul. herb. Spir. serpylli ut sp. larunda
oris maris.

Sinaphe (Thapsia) cortex (quassia
sinaphe) amarus, lenis, quassia
x gentiana, sed mucus; Dosis majoris
vomit, diarrh, anocet. facit. illius
contra diarrh. Dolores, vomit. habitual,
proposit. ad colic. una c. opis, gr. minor
Th. cinnamon, muci. Dosis pulv. gr. v - xxx
3j - i coq. v. ay. 3xij ad col. 3vj. Th. sin
aphe 3j - ij Ext. sinaphe 3j - 3j

Sinapis, minima (sinapis nigra)
acra annuor. volatile ut arbor. aton.
pedes 3j - ii, contra amon. aton.

paraly. vocie. uria & extrahit. 109.
infer. Sinapium contra paraly. univ.
& local in febr. typhos., & paralyt.
typhos. & paralyt. & ad promovend.
exanthem. cutis. Sinapium fortior
Spigelia anthelmia rad. & herb. acre
corrosiv., drast., anthelmia. Sosia
pura gr x - xij; 3j - ij confund. ad col.
ziv.

Spina cervina, baccae (Prunella)
Chama catharticus) valde purgans
Syrup. spin. cervin 3j - ij

Spongiae marinae carbo, s. Spongia
alba (Spongia officinalis) & albus,
incitans, praecipue systema glandul.

Uros inprimis contra struma gr viii - 3j
naa c. elaeoff. foenicul., baryt. muriet,
sulphur. stib. aurant. Pulvis strumalis

officinalis (Pulvis spong. marin. tort. ziv
kali sulphur. 4; rad. vinetona 3/4
clavum 3; h. s. pulv. S. & omni hora

Pulvis strumalis Kaulentneri (Pulvis
spong. marin., tort. crud a 3iv alum.
crud., lapid. spong., cori. Ruosic 3ij c. c
m. calvin. ex vas. p. tit. beac clavo per

106 Puls. hujus nigri 3vj. cog. c. ay 3vj ad col. 3x
quadr. ut f. pulv. liq. 3. J. Oryza (cor)
Præterea spong. int. vel spong. 3ij. 1v ad col. 3ij.

Stecnum leucatum, leucatura Stanni
machani. contra tæniæ. Jj - 3ij in elect.

Stibium, antimonium (Zingibery) ex
massis, peripheriis, secretis & excret. augm.
Diaphoret., expectorans, univ. volvens, emul.
purgans

Stibii muricati liquor s. liquor Stibii
chlorisici, bulgum antimonii, can-
thium antimoniale caustic. contra
verru, staphylov.

Stibium oxydatum album s. antimonium
diaphoreticum. Diaphoret., resolv. putref.
Dosis puris. ʒss - xx

Stibium silyphuratum nigrum laevigatum
antimonium crudum Diaphoretic., nigro.
Dosis. cunctis. Dosis contra emaciationem,
arthrit., rheumat. chron., hydrogrosu.

nos c. jalappi, guajac, camphor., acmit.
Dosis ʒss - ʒss quater die. Stomachic.
alkal., acid., nutriment. & potus acid.

Stramonium herb. & semina Satura
Anacardi (M. foppe) narcotici, resolvers,

Dosis. per v. Dolores & spasm. mitigans, nervos
nervos excitans, inde postea irritab. laqueat.

Contra sensibilit. praedominant, nimiam 107.
sensibilit. timidit. Deposita ad spas. epileps.
chor. St. vit. hysteric, asthma spasmod, photo-
phob, hysterophob, neuralg, rheumatism.
noct. aton. Dosis pulv. herb. rara $\frac{1}{4}$ - $\frac{1}{2}$
ter die; $\frac{1}{2}$ - $\frac{1}{2}$ infusa ad col. $\frac{1}{2}$ - $\frac{1}{2}$ Ext.
stramonii $\frac{1}{4}$ - $\frac{1}{2}$ Ext. stramon. e semib.
 $\frac{1}{8}$ - $\frac{1}{4}$ Ph. stramonii Ph. Boerh. (Thei sem.
stramon $\frac{1}{2}$ vin. Rusp. $\frac{1}{2}$ - $\frac{1}{2}$ spir. vin. rectif.
gtt v - x Ph. stramon. aether. Ph. Boerh.
in cadae dori

Succinum, electum (Linn.) excitans
balanici Sp. 3/4 tnt. i. vitelli ovi. Tenuizat
contra rheum., arthrit., & rical. Species
ad suffundum Ph. succini & Ph. succini
aetherea ut Ph. castorei contra spas.
hysteric, epileps., chor. St. vit. gtt x - xxx
Oleum succini aethereum & ol. succini
depuratum s. rectifcat gtt, - x. Resina
succini balsamica s. moschus artifi-
cialis $\frac{1}{2}$ - x

Sulphur, irritabilit. valde aeger,
expansivus, diaphoret., antineuralg.,
moib. magis. diarrh. faciens
Sulphur depuratum s. sublimat. s

108 s. lotum, floris sulphuris toti
usus contra affect. pectoris chron, ca-
tarrhi. chron, rance dinen, asthen-
itum, exanthem, phthis. pituit &
tubercul, rheum. chron, arthrit. a-
ffect. hepat & ven. portarum a-
maculoroid. a-
ton una c. hes, aloi,
millefol, teranai, tart. dep; praeter
contra exanthem. chron. Dosis grv-xx
Vitanda sunt acid & alkalia. Mag. vial
pluratum vial contra scabien,
3j pro dieb. iv Mag. sulphur. comp.
3j pro dieb. ij. Mag. contra scabien
Casseri pro dieb. iii
Sulphur praecipitatum, hydratum
sulphuris, lac sulphuris, mag. vial
sulphuris grv-xx omni tritorio in
sum. contra exanthem, chron, affect. pectoris
a-
ton, arthrit. a-
ton, rheum. chron, vial
vial. Sol. Gum terebinthinae sol
pluratum, balsam. sulphuris tereb.
thiratus contra perniciem cantharid.
rheum. fix, tumor & articulorum.
Empl. sulphuratum s. diosulphuris
codon ubi. Manisi sulphuratum;

Sulphur. sulphur. anisatus gr^{ss} 109.

Sulphur stibiatum aurantiacum
Sulphur auratum. antimonii Diapho-
reticum, mucum. solvens, Dosis
magnis emetic & purgans. Ungt contra
atou. pulmon post pneumonia, plethia.
pituit, tubercul, catarrh. pulmon.
cocanthem. Chron, atou. oculis post co-
anthem., atrophiam, charit, arturit.
atou, rheum chron, hydrogys. Dosis
gr^{ss} 4-11. Secundum tur acid, succis
fructum acidis, salib. acid, salib. metal
xyloceph, chinu. Sapo stibiatum gr^{ss} 11-xv
liq. vaporis stibati i. R autem vni. stibati
gr^{ss} v-xv

Sulphur stibiatum rubrum, hermes mi-
nerale ut sulph. stib. aur. gr^{ss} 4-7
Tamarindi fructus (Tamarindus Indica)
temperans repleas, purgans 3j-ij tog.
c. ag. 3j-7. Sulpha tamarind. 3j-7
in electuar. & mixtur 3j-7 in cacao
Serum lactis aqua madescit.

Sassafras (Cinnamon) minimatus,
Sassafras vulgare aromaticum. serum
infectans, antihelmint, emmenagog, ant
arthrit, ut cina. Dosis pulv. herb 3j-ij 3j

110. infund ad col. ℥vj. Semina tanacet
in pulv. vel elect. grx-xxx; ℥ij-℥ij
aqua vel vini ℥vj ℞. tanacet aether
℥ij-℥ij

Tanacetum herb. & rad s. tanacet. Potan
(contodu Tanacetum) amarum purum
resolvens, tonici. Usum contra pleurop
obstruit. intestin. & vas. affect. hep
atro. Succus recens express. Tanacet
Totius ℥ij-℥ij more sumpt. Extr. ta
nacet. liquid s. mella. Tanacet ℥ij
ad unct. ℥vj cum i. aq. ferient, decit

Tartarus ammoniacus s. Tartar
solubilis, nati ammoniac Tartarus
cremos tartari volatilis Temperans
resolvens, corrigens. Usum & Dosis at
nati tartari Decomponitur acidis
salibus acid, alkal. pur. & carbon, tart
calc. & baryt. muriat, magnes. sulph
salib. metall.

Tartarus boracatus, cremos tartari
solubilis ut tart. ammoniac, in pur
contra mentis. suppress. Decom
precipue alkal, ammon & Dosis
sartarus depuratus, (cremos tartari
nati tartaricum acidulum, crystall
Tartari Temper, laxant Usum contra

110
situm & ardorem in febr. synoch. bilios, contra congest. habituales, haemorrhoidal, plethor., inter. febril., erysipelatos, affect. hepat. acut. Dosis per gr. x - lxx, ut laet. Zij - 3vj; 3ss - jss pro Di. cochl. puro. Dat. una v. sulphur. Dop. vel ut Solutio tartari depurati Mensur. j p. d. Zij - iv solut. in aq. Mens. j per os. Bag. crystallinae tartarus natronatus, nat. tartarium natronatum, sal de Seignette, temperans, laeviss. ut nat. tartarium pro acrothi sensibilibus 3ss; c. aq. facient. infus. venae, valeriana 3ij & syr. rub. P. & ut corrigat. temperans infus. valerian. Dosis. 3; ad 10. Decomponitur ut tart. boracat. Tartarus stibiatus s. emeticus, antimonium tartarizatum. in Dosis parvis nauseans, temperans resoluens, Diaphoret., in magnis emetic. Usum nauseant & resoluunt contra mania. suffocation in pertussi, asthm. pituit. convulsis, hydrothorac., anurod. & catarrh. reccat., enath. regred. vel lente progredient, hyster., inter.

112. mesent. glandul. chron, exanth.
chron, hypochondr., melanchol., hydro.
Sosis $\text{ss} \frac{1}{6}$ - $\frac{1}{2}$ omni horis, quibus
dosis irritabil. diminuit, antipleg.
gentic. est, quia, propter datur quoque
contra febr. bilis, catarrhal., synochi
haemorrh. Nous emetu $\text{ss} \frac{1}{2}$ - $\text{ss} \frac{1}{4}$ in
dosis partitis, doses maiores hyper.
emesi, gastritid. faciunt. Emetu
 $\text{ss} \frac{1}{2}$ - $\text{ss} \frac{1}{4}$ contra asplegi., apoplex., obstruct.
Emetu, cystoparalyt., hern. incarcer.
Emetu catarrh. contra carn. leuor.
atop. ulcer. in pect. ut irritans in
collyr. contra macul. corneae, pann.
hyper. $\text{ss} \frac{1}{2}$ - $\text{ss} \frac{1}{4}$ in aq. ros. $\frac{1}{2}$ - $\text{ss} \frac{1}{4}$ contra
exanthem. chron., scab. $\text{ss} \frac{1}{2}$ ad aq. $\text{ss} \frac{1}{2}$
Ung. Stibiatum (Tart. emet. $\text{ss} \frac{1}{2}$ ad
oleum $\frac{1}{2}$) $\text{ss} \frac{1}{2}$ ter die in frict. contra
rheumat. chron., affect. pectoris int.,
exanth. int. Ung. irritans Stenrith
(Tart. Stibiat. $\text{ss} \frac{1}{2}$ per oleum. $\frac{1}{2}$) contra
perthuss., asthm. convuls., pectus, hydro.
Thorac. Empl. Stibiatum (Tart. Stibiat. $\text{ss} \frac{1}{2}$
empl. Diachyl. c. $\frac{1}{2}$) ter die alon.
impositum contra pleurit., otitid.
ophthalmias, odontalg., rheumat.

Vinum Sebastiani v. antimoniatum 113
vin. antimoniat. Stechani ut tart.
stib, resolvens, iocid, diaphoret, contra
mucum. tenacem pulmon. & intestina,
contra affect. rheumat, exanthema voc
c. spir. Minder, ag. sambuci gtt v-xxx
infus. Doz. Dimid. Emetic Dosis
cochl. β -joun. Decem minutis c. Dublo
oxygale stillat, syr. cichor. & huc.

Taxus (libanum) folia (taxus baci-
cata adre. narcotici, lumina qog contra
rheum, arthrit, febr. quart., epileps
recomendat. Dosis pulv grj bis di
Coct. Taxi grj-vj

Terebinthina Laricina s. Puncta
(Pinus larix) & Terebinth. communis
(Pinus sylvestris) effervescent arte
ricellitatem peripheric, pulm, catu
uter, maxime Diuretic, ita ut icteru
nephritis efficaciter, purgans Dosis
grv-xx trit. c. vitell. ovij & magnesi. pur.
U. terebinthinae ^{rectificat} praeterea antihelm
ictern usus contra arthrit. aton, rheu
chron. iocid. nervos (3ij-vj c. mell. $\frac{ij}{ij}$)
pro die / contra aton. chron. universal
exanthema aton, hydrop. post exanthema

114. contra morb. system. uropoeticu
calcul. urinar. acurion. uhoration
bleanorrh. gonorrh. chron ʒttij - xv
iura s. sub. citri (Thei ol. terebinth
rectif. ʒss vitell. ovi jss. menth
s. ʒss. si aurant) ʒij. M. S. Colch. par
quater die contra tancian ʒij - ʒij
emel die c. ol. ricin ʒss - ʒij. Externe
contra vulu. Tendin. ~~Walsom~~
splacel. uli. atou. rheum. chron. ur.
paralys. paralys. local. intumesc.
articulorum atrophat. ~~Chonori~~ chron
frigid (Thei ol. terebinth ʒiv spir.
camphor ʒij. liq. ammon. pur. ʒij)
Linimentum diureticum ad prous.
ven. J. secret. urinar. in torpore
system. uropoeticu & crisi per urina
in fine febr. rheumat. Sapo terebinth
natus contra intumesc. & indurat
Liquor nervinus Beerboonii s. bal.
vitae externa s. liq. saponato terebinth
contra paralys. atou. system. uropoeticu
Ung. terebinth. inatun. s. Digestion
ut uog. bal. liq. contra uli. ~~Chon~~
ad sustinend. uli. art. foriat. terebinth
cocta J. ij. quater die in pil. contr
arthrit. atou. rheum. chron. ~~Chonori~~

Tormentilla, radix (Tormentilla erecta,
Helioscopia, Rhus) ut rad. rotund.
 tonic. adstringens. Dosis pulv. gr. ss - xx
 3ij - iv coq. ad col. 3vj. Ext. tormentill.
 3j - 3j

Toxicodendron (Guttifera) folia (sh.
Toxicodendron) acrocarotic, diuretic,
 diaphoretic, excitans, narcotic. Usum
 contra paralys. universam & local, pa-
 rapleg. aneurysm, cystoparalys. Dosis
 pulv. gr. ss - iv 3; coq. ad col. 3xij.
Ext. Toxicodendri gr. ss - v - xx
 bis die contra paralys. herpet. Toxicodend.
gr. ss - xx

Trifolium aquaticum s. febrinum
Trifolium, Trifolium herb (meny-
 anthes trifoliata) amarum purum,
 adstringens, Dosis majores vomitum.
 faciant, ideo symptom. narcot. Usum contra
 catarrh. pulm. Chron. phthis. pituit. post
 pneumonia. Succ. rec. expressus trifol. 3j - 3j
 3ij - iv infund ad col. 3vj. Ext. trifolii
febrini gr. ss - xxx Ext. trifol. febrin. liquid.
 s. mebay. Trifol. aquat 3j - 3j omni
 horis

116 Ulmus, cortex interior (ulmus
campestris) Tonic, sanguinea purificans
℥i-ij coq. c. aq. lbj ad lbj; per cyath.
Uva ursi, ^{folia} herb. arbutus uva ursi
acre aromati, tonic. adstringens, impu-
necans. mucos. system. uropoetic, diuretic
lithotriptic. Urus contra dysuriam
atru, catarrh. veric. urin. colic. urin.
Dosis pulv. grs. - Lx ter die. ℥ij coq.
c. aq. lbj (duabus) ad col. lbj per cyath.
℥ss-ij coq. ad col. ℥ssij una c. rad. ligni
Valeriana minor (Suldan) radia
(valeriana officinalis) empyreumatico.
aromati, adstringens, asth. spasmod.,
diaphoretic, in Cordibus magnis spasmos
faciens; antihelmint. Urus contra febre
typhos. c. spasm., in ultimis stadiis febr.
nervos, febr. putrid uae c. china, elix.
~~acid.~~ vitriol. Nigrosict, caryophyllat;
contra febr. intermitt. spasmod. uae c.
china; contra morb. nervos. chron. c.
sensibilitate praedon inante, hysteria
molest. menstrual c. spasm., Flores
ad part. spasmodic c. chamomill, cinnam.
cassia; contra metrorrhag. c. acid, cinnam.
specacuali; contra epileps, chorea.

usa c. & d., *Levi. oxydol. a.*; contra 117.
colaleps, *haca cotan. obstruoi c. ammon.*
unriat; contra vermes c. spasm. Dosis
puls. grv - LX - 3ij; 3j. infus. ad
col. 3vj; eq. frigidi, calid 3j - vj ad col 3j.
Th. valerianae *angetia* gtt xx - lx contra
menstruat. difficil, dolor. ad part. abnon
Th. valerianae *anodyna s. aetherea*
gtt x - lx Ext. valerian. gr x - xxx Ext.
valerian. frigide paratum Th. valerian.
aethereum gtt i - iv Elacoff valerian. 3j.
Vanilla, *siligna vanillae* (vanilla
aromatica *Schivert*) *suppurativa*
aromatici; cataplasmod, genetal. accita
Usus contra spasmos legitor, cardiaci,
molest. menstrual. spasmod Dosis puls
gr iii - xv; 3j. infus. ad cyath. ii. Th.
vanillae gtt x - xxx
Verbascum (*Brugis kora, Anolichant*)
flores & herba (*Verbasc. Thapsus*) per
cotinum, denudens 3j. infus. vel
coq. ad col. 3vj.
Pola tricolor, *parca*, herba c. floribus
vaagiuam purificans (*trifurcata*
trifurcata) acce volatile mite Usus
contra tuncam capitis, tuncam lactea

118. Iovis 3j-iii cort. c. lact. 3℥ pro di-
pulo. 3℥ 3℥

Viola odorata acre volatile mte. Symp-
violae contra tussim c. syr. mounst

Piceum album s. quercum (sispum) mte.
ut lichen. Blasodrus lous contra epilep-
3℥-iii in electuar 3℥-ij. cog. od. col. 3℥-ij.

Zedoaria (Zithum) mte. pro dia. car-
cum Zedoaria Ros. aromatatum purum
ut rad. Zingiberis, irritans tonicum
Iovis pulv. 3℥-3℥ Zedoariae 3℥

Lincum oxydanthum album, flores
Linci, calceolinci anti-prostrudum
contra spasm. clonici, sensibilitate pro-
Dominante, spasm. hysterici, edangui-
c. acrimoniae primum, periculum, cardiac
pertus, asthma coarctato, chol. A. M.
epileps 3℥-ij, infusibus 3℥-ij c.
regulatio. cort. Decomponitur acidi
salibus & succ. acidi. Externe contra
ustiones sensibilibus, excoarctationes,
decubitus, vinosa effect. cathartici
siccatione, ophthalm. doloros, praecipue
rheumatit & post infect. mcholicis, ulc.
doloros, coarctatione, suppur. prurient,
scabien, tuncant, capitis 3℥-ij ad calicem.
3℥-ii ad astring 3℥-ij & ol. olivarium s. popalini

q. ut p. uog. Tunc pro uog. ophthalm. 19.
Zincum sulphuricum, vitriol. ferri
s. album ~~adstringentia~~ usus contra hydro
menorrh, febr. pituit, febr. intermitt.
obstruac, haemorrhag. habitual etoac.
cachex. scorbutica Dosis gr. i - ii cum tribus
sub quomodocumque usus contra chor. St. Ut
epilepsi, patur. c. compress. pectoris,
rhephania, hydropoth. Dosis gr. i - j
Emetici contra dyspnoea, infect. nar.
cotie, maniam, morb. psych. sensibilibus
praedominante gr. iiii - vii omnibus deca
minutus. Externe contra scabiem, herpes
tenuem capitis, ophthalm. mucos. chron,
gonorrhoei (gr. vj - xj in aq. dest. 3vj)
fl. alb. chron, prolaps. uteri & vaginae
i - iii in aq. s. 3xij) ut styptic. contra
haemorrhag. habitual ex ali. scorbut. c.
catarrh, nino in pulv. Vitatur alba
& pura & carbos, terrae (aq. calc. & baln)
salia phosphor, nitri, muriat, acet,
tartar, ammos. & boracii. & succinic
hepar sulphuris, adstringentia.
Zincum Zostericum & hydrocyanic
ut zinc. oxydat. alb gr. i - v.
Zingiber (Zingiber) radia (Zingiber)

20 aromatici. purum, incitans tonic.
Usum contra dyspeps. post hyperstimul.
Dosis pulv. gr. v - x. Zij. cas. ad col. Zij.
Etenim in catapl. aromatici Zingiberis
gtt. xx - lx omni biliosis contra
anorecticam, vomit. mui. chron. pestil.
hydrop.

Addita.

Stannum lucyptum, lunatura stanni
s. rasura stanni medic. metal. Usum
contra taeniam, praecipue latam,
leucobryd; ʒi - ij. infus. sub annis duobus
ʒss - j pro die in elect. c. pulv. filii.
maris, gutti, scammon, ʒss j.

Natalum oxydatum aurantiacum,
oxydum plumbi aurantiacum. aurantiacum.
ʒss - ij - iv in pulv. contra morb. chron.
vici. lymphat. & glandul. hydrop. scroph.
magis in debilibus emetici est.

Plumbum arcticum. De expositione me
acid. sulphur, phosphori, aurantiacum
lactarii conuq salibus, borace, al
dequat. sulphur, calce, adstringent, univ
agur fort

Carbo vegetabilis rec. notus, carb
filiae rec. notus mechanice contra
vermes, chemice contra malua. odon

ore propter scorbut, cariem dentium
una c. myrrh, ~~terre~~, caryophyll,
contra ulcera in pueris & ut pulv.
Dentifricius c. lina, catechu pang.
Dracenis, myrrh, caryophyll. aromat.
Liquor alicuius sulphurati, hepar
sulphuris volatile, spir. sulphuris
Beynii. Effectus ceteris & periphericis
in cutem, pulsiones & organa ex-
teriora. Usus: contra arthrit. acut.
rheumat. chron., leucorrh. chron.
pulsiones, scrophul., gonorrh., ca-
terrh. veric. urina, Diabet. mellit
gtt iii - x omni hora in oleo; contra
affection. metale, arseni, sublimat
gtt v - xv omnibus diebus vicinis
una c. solut. sapon.; contr. valisat
mercurial, colic. Saturni, tab. ar-
senical gtt v - x omni biberio una
c. ol. lini, vicini. Non sumendum
est c. aqua.
Helminthochortou contra luabrias,
virch 3i-iiij, infusa 3ss in pulv. &
electuar. 3ss coq. c. ag. 3vj ad col. 3vj
Bonna, Botanum ut facia affect

122. Systema Lymphaticum

Magnesia pura, usta, calcinata.

Calceum contra eczema, calculum urin.

concreta. phosphor, diabet. mellit

gr. vj - xxx omni bichorio in liq. vel

recitatur, i. a. s. a. t. g. p. - iv (contra dol.

3j, s. s. i. s. die

Natrium purum s. causticum, soda

caustica, alkali mineralia caustica

lapis causticus mineralis lenius

kali caustic, Diuretic, lithontrip

Lapis medicinalis s. medicatus s.

simplicia murem solocae, antacidum

antivertigin, Dosis majoribus laxa

xxx - xxx in pil. contra lapid. urin,

scrophul, rheumatid, topus art. rheum.

und i. c. ammoniac, galbana, terebinth, con

infectionis salibus metallicis & acid. con

centratiss 3ij - vj in ag. mucos. i. Ca

terae contra obstruct. alvi, praecipue

in hernia incarcerat 3ij - vj solut in

ag. chamomill. calid. Decoct. ven. liij

& ad cataplasm. emollientia 3ss - j

ad opus. emoll. 3vj, contra ex. art. rheum.

chron. in balneis lbj - ij ad balneum

capitis, torpore universi
omnes contra paralys, atrophiam,
hemat. chron, arthrit. aton
Millepedes mucum solent, diuretic
contra hydrog, blennorrh. pulm &
similes affect. paralytic

Citricum. Effect. simil. acid.

Tartar. Continctum a Juci. citri

Cimomum. Temperans, sicuti delect
antiscorbutic, aromatic additas dia
phoretic. Adhibetur ut acid. tartar.

& acetic & Pulpa tamarindorum

purgans temperans in morb. chronic.

in primis bilios una in salibus acetic

infus. fol. scam. ʒi-ii in aq. fervid.

Natrum phosphoricum in quatuor

aque partibus solubil, minus

caus sed magis diuretic. natro sulph.

Natrum nitricum s. cubicum s.

rhomboides in duobus aque part.

solubil, in aere humidum, temperans

adhibetur sensibilibus ut nati

trii contra syphilin

Kali mercuriale s. decoloratum

sal degerat s. febrifugum.

125. in tribus partibus aquae solubili
aere humid. fit, incidens, resolvens,
antipyretic, fortis natr. muricatus.
adhibetur contra scrophul.

Natron muricatum, sal culeore

donibus minoribus muni. solvens, eu-
pepti, majoribus efferoceas, laxans.

Usus contra bleannorrh., febr. pituita.

& diarrhoeas, veruēs, scrophul, atr.

pleur. infant, tumores glandul.

rhachitis, hirsuties deglutitos.

Externe contra scab. in lavacris

& baln. (℥j-ij ad baln. j) contra per-

neones roborat., internus artic.

articul; contra adhaerens & adhaerens

℥j-ij ad evacua j) Natron muricatum

siccum, sal deiepitatum veh-

mentius est & celeriori effatus,

adhibetur impuritas contra can-

ceromach. pulu (℥i sal. duri

pituita ℥ij succ. liquist zij h. f.

pulu s. Cochl. parv. cum Decima

horae parte & haemorrhag. vef

latu acid. sulphur. d. r. r. r.

Balnea salicaria ut balnea

vina contra morb. cutan. & infl.

Calce oxymercuratica s. chlorinica 126.

Interne ut baryta & calce muricata

contra scrophul. \mathfrak{ss} - \mathfrak{ss} ; pro diur.

c. aq. dest. \mathfrak{ss} - \mathfrak{ss} oxy. simpl. Externe

contra ulc. splen., carb. & alia

incur. \mathfrak{ss} - \mathfrak{ss} ad aq. \mathfrak{ss} ; contra

hemor. \mathfrak{ss} - \mathfrak{ss} ad infus. solo. vel

decoct. chili. \mathfrak{ss} ; contra carcin. hem.

id., opph. \mathfrak{ss} - \mathfrak{ss} ad decoct. siccis.

vel chinae \mathfrak{ss} ; ad adsparg. pari.

ment. una c. add. sulphur. dil. &

dilend. addres. malos. Liquor calceis.

chlorinicae Ext. contra herpet. tinea.

capit. rob. \mathfrak{ss} - \mathfrak{ss} ad ol. olio. \mathfrak{ss} .

Natron oxymercuraticum ut calce

oxymercurat., praeterea contra sa-

liva mercurial. gargaresc. &

Kali citratum s. citricum, sal absinth.

ut Kali acet. orindum & citri

succo carbonibus add. to

Ammonium citratum, lig. ammon. ci-

tratus ut spir. Minder.

Baryta carbonica venenum est

Calc carbonica ap. lapides vel oculi

canonem preparati Geonhor

127. praeparatae c. creta praepa-
rata s. laevigata insolubiles sunt
in aqua pura, antacid, antemetica
contra colic. spasmodic., cardiac., vomit
gr. ʒ - ʒss usq. c. cort. aurant., rad. thei
Tanninum, xylocephalum (Grobstein)
per animum adstringens, contra fluxum
& haemorrhag. aton., feb. malign.,
intermitt., debilitat. chron., chloros.,
tab. dorsal.

Sanguis draconis adstringens in pulv.
& elect. adhibetur contra molem atoni-

oris
Buxorta, colubrina, radix (Pflaume)
vinosa ut rhabarbaria, adstringens.

Aquifolium, folia (Pflaume)
tenuiter
Chiococcum, tormentum, contra arthrit.
aton., feb. intermitt.

Agrostura, cortex, chocaccum ad
ascarid., sed magis adstringens

Polygala amara radice (Pflaume)
Thymblum amara (Pflaume) amarum purgans

secretiones auget, in doibus magnis
vomifacit, purgat. Contra atoniam
pulmonum hebeterrimum ʒj - ʒjss, in pulv.
ʒj - ʒjss coq. ad elect. ʒxj,

Liborcu, radic amarum purum.
ut herb. taraxac, resoleas, euppti
porconera, radio (Aspergum, habes.
amrum purum.

Cortex Viteranus s. Magellanicus, aro.
maticum purum contra febr. intermitt.
Cardamomum minus, sem. cardamom, aro.
maticum purum. Th cardamom ut
tr. t. calam. aro. Th cardamom. composit
ut tr. t. aro. et.

Cardamomum maximum s. grana Pa-
ndori

Carlina s. cardopatia radia (flor. in aq.)
aromat. purum

Dictamnus albus, s. arasinella radia
(monstr. dictum) aromat. purum ut rad.

Aristolochia rotunda radia (S. prolung)
ut rad. angelicae aromat. purum.

Levisticum radia (S. prolung) aromat.
euppt. cum nativ. aromat. ut serpentaria
contra febr. aceros. typhos, febr. putrid.
ut emmenagog, expectorans &c. & infund.

Berberis s. Berberis folia acri euppt. cum
nativ. aromat. durescit, acrius potius

129. contra hydrop, ischur. spasmodic.
ad promovend. crisi. pul. urina.
in feb. rheumat. & arthrit. 3/4.
infus. theiforme pro di.

Meliloti citrinae flores (Chimela)

aeri & eucalypti aromatici.

Eupl. Meliloti citrinae addendum.

Eupl. hyoscyam. belladon. & contra

caten. ex cat. glandularum.

Cucini semina (Chim. piper. Chim.)

Dulci aromatici Eupl. Cucini

abdomini imponendum contra di-

& diarrh. & fluxus.

Thymi herba ad balneo. Ol. thym.

aethereum addendum euplasmi &

levic. cat. contra colic. dolores ad par-

abnorm. rheumat. & arthrit. aton.

Lavandulae flores aetheres - aromat.

interae effervesc. addend. balnei

or cataplasmat. aromatici. Aqua

Lavandulae constituta Lavandula

grata. Spir. Lavandulae & spir.

Lavandulae composit interae cat.

parv. contra dyscop. flatulent.

recit.

Rosae rubrae & gallicanae s. 130.

Tamiasceras Conserva rosarum

Aq. rosarum Ung. rosatum s. pomada

St. rosarum

Aqua amygdalarum amararum cari-

cotici ut aq. lauroceras. St. amygd-

alarum amararum aether. flavum

est & submergitur in aqua q^{ss} - j^{ss}

Aqua veratrorum constetueas p^{ss} -

terras acaleptici & cataplasmod.

Linariae herba narcotici. leni, diu-

recti. Ung. linariae contra hae-

morrhoid. creci

Tab. St. squatu s. febrifuga s.

Indica acori narcotici ut malva

Cicuta virosa acori narcotici forte

conio maculat. Extr. cicutae viro-

q^{ss} - ii

Hypericum perforatum (populind)

(p^{ss} - ii) St. hyperici lufus. vel

colu antispasmod. abdomini

utere

Calendula officinalis acrisingula

utitil contra pestem, iterum

131. Exter. contra carcinomat. hab
reci. coctus. Extr. calceol grxx-xxx
Anagallis arvensis (Guaiacum) aere
scapulae volatilis.
Convallaria majalis flores grato
adore in pulv. sternutator. adhib.
Flos Florentinae radia abrevol
in pulv. sternutator & ad coctus.
fil. adhibetur. Pulvis sterna
torius albus & virides
Rapa (Ruba) succi. reci. cupr. &
debet ut expector & antiseptic
Ari radia (Aureum) aere
ammonio-volatile Cardiacum
pentatur. Pulvis stomaqueus
Syrup
Melos magales aere ammonio-volatile
ut cantharides.
Asphaltum, bitumen Judaeum
vara sanguifera pulcrum erit
Ureas contra plethys. putent grxx-xxx
una c. lact, seu. phelland. aere
Ol. asphalti exten ut petroleum
Ol. asphalti rectificatum grxx
contra plethys. putent una c. sigillat
Syrup liquidum exten in except

imitant. Ulag. styracis contra^{132.}
ulc. larva.

Styrax in gravis ad sufficiendum
Gemmae populi Ulag. populum
contra uterones

Petroleum, oleum petrae rectificat
gtt x-xxx contra atonias chroa.
vicarum. urinar, fluxu gonorrh. chroa.
incontinent urinae aton, tremor.

Externe contra periculis invehit
suaviores extenuat

Ribarium, thus ad sufficiendum
contra arthrit. aton.

Takamahaka, aut odontalgia

Empl. Tabernachalae

Quinae ad sufficiendum

Sandaraca ad sufficiendum. & mastice

Lacca in baculis & Lacca tabulata

Sp. lacc. Resinac. ut tract. nigro.

Resina pini s. communis ad sufficiendum

in plethys. pituit. Cera resinac.

pini, cebat citrinum, empl. citri

maturans aboccos. part. glandae

Colophonium ad cadendum empl.

133. una c. spin. vini vel ol. terebint.
contra rathum dicit. articul. Pulvis
i. agarico vel bovis contra hae-
morrag. uteri. Pulvis Hyptis
Bonaparruc (Pec. colophon. 3ij
gr. Arabii, carbon. ligni 3/4 ss.
Ung. basilicum contra uli. lassa
ad sustinend. si supurationem
Balsam. Canadense, terebintina
Canadensis ut terebint. laticia
imprimis contra urethrit. chron.
Pec. bals. Canad. 3j ss gr. guaiac.
nativ. 3ij spin. vin. rectif. 6. S. Sigen-
teui calid. facibus subinde illis
structura impide coletur. Adde
menth. pip. 3j S. Cact. poro. t. itas
ter die

Præparati ord. medicamentorum

A. Remed. perhanc
Videtur ita 2) Hydrazz. pur.
B. Remed. chemi

I. Metalla

a) Platium oxydatum auratum
b) Aurum oxydatum x aur. kemm.
c) Argentum nitri. cristale x fus

34.
1) *Cypripedium*, *Stes*, *Venus* *astif*, *asmod*,
system. *acris*. *afficit*, *dos*. *major*. *spas*.
faciunt, *emetic* *suat*, *purgant* 2) *Cypripedium*
acris. *carb* 2) *Cypripedium* *subaceticum*
3) *Cypripedium* *sulphur*. 4) *Cypripedium* *alu-*
menatum 5) *Cypripedium* *sulphur*. *an-*
monitum
6) *Linum*, *Marcarta* *alba* *mellem*
7) *Linum*. *oxyd*. *alb* 2) *Linum* *sulphur*.
8) *Radium*, *Clap* *rothium*, *Acronium*
sulphuricum
9) *Bismuthum* *subnitricum*
10) *Plumbum* *in* *omnibus* *propri-*
etis *ut* *opium* *sedans*, *exsiccat*
re & *excitans* *Diuraneas* 1)
Plumb. *oxydulat.* *semipassum* *ip.*
oxydulat. *mel.* 2) *Plumb.* *subaceticum*
carbo 4) *Plumb.* *aceticum*
5) *Serum* *contabel.* *arget.* *precipit.*
vas. *sanguiferum* & *ferr.* *leuatum*
6) *ferr.* *oxydatatum* *nigr* 7) *ferr.*
oxydulat. *fusi.* 8) *ferr.* *sulphur* 9) *ferr.*
uniriaticum 10) *Spir.* *sulphur*.
aether. *maritatus* 11) *Ammonium*
maritatus 12) *Extr.* *ferr.*

ponatum iſt. ferri acetici
aetherei Klaproth. k. ferri
hydrocyanici

k.) Manganum Mangan. oxydet fer.

l.) Hydrargyrum. doſibus minoribus
productionem irritant majoribus
diminuit. 1.) Hydrargyr. oxydulat

nigrum per se 2.) Hydrargyr. argen
nigrum praecipitatum. Halimena

3.) Hydrargyr. oxydat. rubr. 4.) Hydrargyr.
nubiat. nite 5.) Hydrargyr. nubiat.

corrosiv 6.) Hydrargyr. ammoniac

mercuriali 7.) Hydrargyr. hydrocyan

8.) Hydrargyr. sulphurat. nigr 9.)

Hydrargyr. stibiat. sulphur

10.) Stibium 1.) Liquor stibii misceat.

2.) Tartarus stibiat. 3.) Calcaria

sulphurato - stibiat. 4.) Stibium

sulphurat. nigrum 5.) Sulphur

stibiatum aeratissimum 6.) Sulphur

stibiatum rubrum

7.) Arsenicum

II Remedia contrahentia metallici
similia simplicia

a) Carbo vegetabilis rec.ustus. 136.

b) Sulphur 1) Sulphur depuratum 2)

Hydratum sulphuris 3) Calca sulphuris

4) Kali sulphuratum 5) Liquor ammonii
sulphurati

c) Phosphorus

d) Soda. Kali hydroxidum. Fel-

mechrochroton

e) Bromum

III. Kalia

Effectus exspandens, sensibilitatem
augens, & re-atq. excretionem; in
formis concentratis caustica; laxitate
subsequenti.

a) Baryta

b) Calcaria

c) Magnesia pura

d) Kali causticum notum

e) Potassa pura

Liquor ammonii puri

IV. Acida

Effectus condensans, contrahens,
irritabiliter augens, sensibilitatem
diminuens, in formis concentratis
substantiam dicens, caustica

137.

TO YASSEL I AM
TO YITZAK I AM
AMIN YASSEL

138

139.

R. pectorator. asell. Lebarthura
Cochl. parv. bis die pro infest.
contra thachetia

140.
R. Chamomill. inf. ℥ij ad enema ℥ij

Herb. absinth. ℥ij, inf. ad col. ℥ij

pro enemate; contra ascarides

& fell. taur. cap. ℥j pro infant.

Natron carbonic. Decomponitur

acid, salib. acidul, aq. calc, ammon.

muriat, terris & salib. metall

Borax decomponitur acidis, Kali

terris & ammon. sulphur, muriat,

phosphos.


Sart. dep. decomponitur solutionib.

carb., stront, calcis & ff Saturn.

1415

142.

143.



Re.

repr. july. 31


ag. rosen 31


Solat. add

spei. V. rat. 31

Ledensat. add

ag. rosen 31





Dewey Ms. 615. M393

Ms Codex 1867

MA
DE
NO

MATERI
MEDICA
NOTES